

1. Duty Cycle

1.1 Test Result


1.1.1 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	5180	/	/	1.393	1.454	95.80	0.19	0.63
			5320	/	/	1.393	1.454	95.80	0.19	0.63
	802.11n (HT20)	MIMO	5180	/	/	1.309	1.370	95.55	0.20	0.66
			5320	/	/	1.309	1.370	95.55	0.20	0.69
	802.11n (HT40)	MIMO	5190	/	/	0.649	0.710	91.41	0.39	1.22
			5310	/	/	0.648	0.709	91.40	0.39	1.19
	802.11ac (VHT20)	MIMO	5180	/	/	1.312	1.373	95.56	0.20	0.66
			5320	/	/	1.313	1.374	95.56	0.20	0.66
	802.11ac (VHT40)	MIMO	5190	/	/	0.653	0.714	91.46	0.39	1.21
			5310	/	/	0.652	0.713	91.44	0.39	1.24
	802.11ac (VHT80)	MIMO	5210	/	/	0.325	0.386	84.20	0.75	2.02
			5290	/	/	0.325	0.386	84.20	0.75	2.03
	802.11ac (VHT160)	MIMO	5250	/	/	0.100	0.162	61.73	2.10	3.75
	802.11ax (HEW20)	MIMO	5180	SU	/	0.311	0.372	83.60	0.78	2.09
			5320	SU	/	0.311	0.372	83.60	0.78	2.12
	802.11ax (HEW40)	MIMO	5190	SU	/	0.311	0.363	85.67	0.67	0.07
			5310	SU	/	0.311	0.363	85.67	0.67	0.07
	802.11ax (HEW80)	MIMO	5210	SU	/	0.298	0.358	83.24	0.80	2.19
			5290	SU	/	0.297	0.359	82.73	0.82	2.19
	802.11ax (HEW160)	MIMO	5250	SU	/	0.415	0.477	87.00	0.60	1.74
	802.11be (EHT20)	MIMO	5180	SU	/	0.319	0.380	83.95	0.76	2.06
			5320	SU	/	0.319	0.381	83.73	0.77	2.09
	802.11be (EHT40)	MIMO	5190	SU	/	0.319	0.371	85.98	0.66	0.07
			5310	SU	/	0.319	0.371	85.98	0.66	0.07
	802.11be (EHT80)	MIMO	5210	SU	/	0.307	0.367	83.65	0.78	2.13
			5290	SU	/	0.305	0.366	83.33	0.79	2.15
	802.11be (EHT160)	MIMO	5250	SU	/	0.423	0.485	87.22	0.59	1.69


1.2 Test Graph

1.2.1 Ant1


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT160)_MCH_5250MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_/_Ant1_NTNV




802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV




802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant1_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_NTNV




802.11be(EHT40)_LCH_5190MHz_SU / _Ant1_NTNV




802.11be(EHT40)_HCH_5310MHz_SU / _Ant1_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_NTNV



802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_NTNV



802.11be(EHT160)_MCH_5250MHz_SU_/_Ant1_NTNV



2. Carrier Frequencies

2.1 Test Result


2.1.1 Ant1

Ant1									
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Measured Frequency (MHz)	Tolerance (ppm)		Verdict
							Result	Limit	
NTNV	802.11be (EHT20)	MIMO	5180	SU	/	5180.000	0.00	-20 to 20	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.000	0.00	-20 to 20	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	0.00	-20 to 20	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	0.00	-20 to 20	Pass
HTNV	802.11be (EHT20)	MIMO	5180	SU	/	5180.020	3.86	-20 to 20	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.000	0.00	-20 to 20	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	0.00	-20 to 20	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	0.00	-20 to 20	Pass
LTNV	802.11be (EHT20)	MIMO	5180	SU	/	5180.000	0.00	-20 to 20	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.000	0.00	-20 to 20	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	0.00	-20 to 20	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	0.00	-20 to 20	Pass


2.2 Test Graph

2.2.1 Ant1


802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_Ant1_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_HTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_Ant1_HTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_HTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_Ant1_HTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_LTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_Ant1_LTNV



802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_LTNV



802.11be(EHT160)_MCH_5250MHz_SU_/_Ant1_LTNV



3. Occupied Channel Bandwidth


3.1 Test Result

3.1.1 OBW


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	99% Occupied Bandwidth (MHz)		Verdict
						ANT1	Limit	
NTNV	802.11be (EHT20)	MIMO	5180	SU	/	18.748	16 to 20	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	37.235	32 to 40	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	76.237	64 to 80	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	155.060	128 to 160	Pass

3.2 Test Graph


3.2.1 OBW



802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_NTNV



802.11be(EHT160)_MCH_5250MHz_SU_/_Ant1_NTNV



4. RF Output Power

4.1 Test Result

4.1.1 Power

ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
NTNV	802.11a	SISO	5180	/	/	1	5.5	0.19	6.29	11.98	<=23	Pass
						2	5.57	0.19	5.34	11.10	<=23	Pass
						3	5.99	0.19	3.50	9.68	<=23	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	5.5	0.20	4.99	10.69	<=23	Pass
						2	5.57	0.20	3.81	9.58	<=23	Pass
						3	5.99	0.20	2.08	8.27	<=23	Pass
						MIMO	/	0.20	8.56	14.75	<=23	Pass
	802.11n (HT40)	MIMO	5190	/	/	1	5.5	0.39	5.85	11.74	<=23	Pass
						2	5.57	0.39	4.56	10.52	<=23	Pass
						3	5.99	0.39	3.03	9.41	<=23	Pass
						MIMO	/	0.39	9.40	15.78	<=23	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	5.5	0.20	5.37	11.07	<=23	Pass
						2	5.57	0.20	4.14	9.91	<=23	Pass
						3	5.99	0.20	2.33	8.52	<=23	Pass
						MIMO	/	0.20	8.89	15.08	<=23	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	5.5	0.39	5.90	11.79	<=23	Pass
						2	5.57	0.39	4.53	10.49	<=23	Pass
						3	5.99	0.39	2.96	9.34	<=23	Pass
						MIMO	/	0.39	9.40	15.78	<=23	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	1	5.5	/	5.57	11.07	<=23	Pass
						2	5.57	/	4.51	10.08	<=23	Pass
						3	5.99	/	3.10	9.09	<=23	Pass
						MIMO	/	/	9.19	15.18	<=23	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	1	5.5	/	6.34	11.84	<=23	Pass
						2	5.57	/	5.16	10.73	<=23	Pass
						3	5.99	/	3.03	9.02	<=23	Pass
						MIMO	/	/	9.65	15.64	<=23	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	1	5.5	/	6.59	12.09	<=23	Pass
						2	5.57	/	5.40	10.97	<=23	Pass
						3	5.99	/	3.45	9.44	<=23	Pass
						MIMO	/	/	9.92	15.91	<=23	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	1	5.5	0.67	5.23	11.40	<=23	Pass
						2	5.57	0.67	4.07	10.31	<=23	Pass
						3	5.99	0.67	2.58	9.24	<=23	Pass
						MIMO	/	0.67	8.86	15.52	<=23	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	1	5.5	/	5.58	11.08	<=23	Pass
						2	5.57	/	4.40	9.97	<=23	Pass
						3	5.99	/	3.12	9.11	<=23	Pass
						MIMO	/	/	9.11	15.10	<=23	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	1	5.5	0.60	5.42	11.52	<=23	Pass
						2	5.57	0.60	4.07	10.24	<=23	Pass
						3	5.99	0.60	2.15	8.74	<=23	Pass
						MIMO	/	0.60	8.85	15.44	<=23	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	5.5	/	6.35	11.85	<=23	Pass
						2	5.57	/	5.03	10.60	<=23	Pass
						3	5.99	/	3.48	9.47	<=23	Pass
						MIMO	/	/	9.58	15.57	<=23	Pass

HTNV	802.11be (EHT40)	MIMO	5190	SU	/	1	5.5	0.66	5.39	11.55	<=23	Pass
						2	5.57	0.66	4.08	10.31	<=23	Pass
						3	5.99	0.66	2.51	9.16	<=23	Pass
						MIMO	/	0.66	8.92	15.57	<=23	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	5.5	/	1.62	7.12	<=23	Pass
						2	5.57	/	0.39	5.96	<=23	Pass
						3	5.99	/	-4.61	1.38	<=23	Pass
						MIMO	/	/	4.50	10.49	<=23	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	5.5	0.59	6.27	12.36	<=23	Pass
						2	5.57	0.59	4.93	11.09	<=23	Pass
						3	5.99	0.59	2.99	9.57	<=23	Pass
						MIMO	/	0.59	9.70	16.28	<=23	Pass
HTNV	802.11a	SISO	5180	/	/	1	5.5	0.19	6.28	11.97	<=23	Pass
						2	5.57	0.19	5.33	11.09	<=23	Pass
						3	5.99	0.19	3.47	9.65	<=23	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	5.5	0.20	5.85	11.55	<=23	Pass
						2	5.57	0.20	4.71	10.48	<=23	Pass
						3	5.99	0.20	2.94	9.13	<=23	Pass
						MIMO	/	0.20	9.43	15.62	<=23	Pass
	802.11n (HT40)	MIMO	5190	/	/	1	5.5	0.39	5.83	11.72	<=23	Pass
						2	5.57	0.39	4.53	10.49	<=23	Pass
						3	5.99	0.39	3.01	9.39	<=23	Pass
						MIMO	/	0.39	9.38	15.76	<=23	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	5.5	0.20	5.33	11.03	<=23	Pass
						2	5.57	0.20	4.11	9.88	<=23	Pass
						3	5.99	0.20	2.30	8.49	<=23	Pass
						MIMO	/	0.20	8.86	15.05	<=23	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	5.5	0.39	5.89	11.78	<=23	Pass
						2	5.57	0.39	4.52	10.48	<=23	Pass
						3	5.99	0.39	2.96	9.34	<=23	Pass
						MIMO	/	0.39	9.39	15.77	<=23	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	1	5.5	/	5.57	11.07	<=23	Pass
						2	5.57	/	4.49	10.06	<=23	Pass
						3	5.99	/	3.06	9.05	<=23	Pass
						MIMO	/	/	9.21	15.20	<=23	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	1	5.5	/	6.36	11.86	<=23	Pass
						2	5.57	/	5.17	10.74	<=23	Pass
						3	5.99	/	3.02	9.01	<=23	Pass
						MIMO	/	/	9.65	15.64	<=23	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	1	5.5	/	6.52	12.02	<=23	Pass
						2	5.57	/	5.38	10.95	<=23	Pass
						3	5.99	/	3.51	9.50	<=23	Pass
						MIMO	/	/	9.85	15.84	<=23	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	1	5.5	0.67	5.21	11.38	<=23	Pass
						2	5.57	0.67	4.06	10.30	<=23	Pass
						3	5.99	0.67	2.57	9.23	<=23	Pass
						MIMO	/	0.67	8.85	15.51	<=23	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	1	5.5	/	5.56	11.06	<=23	Pass
						2	5.57	/	4.39	9.96	<=23	Pass
						3	5.99	/	3.05	9.04	<=23	Pass
						MIMO	/	/	9.10	15.09	<=23	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	1	5.5	0.60	5.39	11.49	<=23	Pass
						2	5.57	0.60	4.05	10.22	<=23	Pass
						3	5.99	0.60	2.12	8.71	<=23	Pass
						MIMO	/	0.60	8.83	15.42	<=23	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	5.5	/	6.38	11.88	<=23	Pass
						2	5.57	/	5.01	10.58	<=23	Pass
						3	5.99	/	3.11	9.10	<=23	Pass
						MIMO	/	/	9.60	15.59	<=23	Pass

LTNV	802.11be (EHT40)	MIMO	5190	SU	/	1	5.5	0.66	5.38	11.54	<=23	Pass
						2	5.57	0.66	4.07	10.30	<=23	Pass
						3	5.99	0.66	2.50	9.15	<=23	Pass
						MIMO	/	0.66	8.91	15.56	<=23	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	5.5	/	1.64	7.14	<=23	Pass
						2	5.57	/	0.42	5.99	<=23	Pass
						3	5.99	/	-4.61	1.38	<=23	Pass
						MIMO	/	/	4.53	10.52	<=23	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	5.5	0.59	6.25	12.34	<=23	Pass
						2	5.57	0.59	4.91	11.07	<=23	Pass
						3	5.99	0.59	2.98	9.56	<=23	Pass
						MIMO	/	0.59	9.69	16.27	<=23	Pass
LTNV	802.11a	SISO	5180	/	/	1	5.5	0.19	6.29	11.98	<=23	Pass
						2	5.57	0.19	5.33	11.09	<=23	Pass
						3	5.99	0.19	3.48	9.66	<=23	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	5.5	0.20	5.84	11.54	<=23	Pass
						2	5.57	0.20	4.69	10.46	<=23	Pass
						3	5.99	0.20	2.94	9.13	<=23	Pass
						MIMO	/	0.20	9.42	15.61	<=23	Pass
	802.11n (HT40)	MIMO	5190	/	/	1	5.5	0.39	5.81	11.70	<=23	Pass
						2	5.57	0.39	4.52	10.48	<=23	Pass
						3	5.99	0.39	2.99	9.37	<=23	Pass
						MIMO	/	0.39	9.36	15.74	<=23	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	5.5	0.20	5.30	11.00	<=23	Pass
						2	5.57	0.20	4.09	9.86	<=23	Pass
						3	5.99	0.20	2.27	8.46	<=23	Pass
						MIMO	/	0.20	8.83	15.02	<=23	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	5.5	0.39	5.88	11.77	<=23	Pass
						2	5.57	0.39	4.52	10.48	<=23	Pass
						3	5.99	0.39	2.96	9.34	<=23	Pass
						MIMO	/	0.39	9.39	15.77	<=23	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	1	5.5	/	5.55	11.05	<=23	Pass
						2	5.57	/	4.49	10.06	<=23	Pass
						3	5.99	/	3.08	9.07	<=23	Pass
						MIMO	/	/	9.17	15.16	<=23	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	1	5.5	/	6.35	11.85	<=23	Pass
						2	5.57	/	5.17	10.74	<=23	Pass
						3	5.99	/	3.06	9.05	<=23	Pass
						MIMO	/	/	9.65	15.64	<=23	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	1	5.5	/	6.54	12.04	<=23	Pass
						2	5.57	/	5.37	10.94	<=23	Pass
						3	5.99	/	3.38	9.37	<=23	Pass
						MIMO	/	/	9.92	15.91	<=23	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	1	5.5	0.67	5.21	11.38	<=23	Pass
						2	5.57	0.67	4.05	10.29	<=23	Pass
						3	5.99	0.67	2.56	9.22	<=23	Pass
						MIMO	/	0.67	8.84	15.50	<=23	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	1	5.5	/	5.50	11.00	<=23	Pass
						2	5.57	/	4.39	9.96	<=23	Pass
						3	5.99	/	3.05	9.04	<=23	Pass
						MIMO	/	/	9.08	15.07	<=23	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	1	5.5	0.60	5.37	11.47	<=23	Pass
						2	5.57	0.60	4.02	10.19	<=23	Pass
						3	5.99	0.60	2.10	8.69	<=23	Pass
						MIMO	/	0.60	8.80	15.39	<=23	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	5.5	/	6.34	11.84	<=23	Pass
						2	5.57	/	4.93	10.50	<=23	Pass
						3	5.99	/	3.09	9.08	<=23	Pass
						MIMO	/	/	9.56	15.55	<=23	Pass

	802.11be (EHT40)	MIMO	5190	SU	/	1	5.5	0.66	5.37	11.53	<=23	Pass
						2	5.57	0.66	4.05	10.28	<=23	Pass
						3	5.99	0.66	2.49	9.14	<=23	Pass
						MIMO	/	0.66	8.90	15.55	<=23	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	5.5	/	1.59	7.09	<=23	Pass
						2	5.57	/	0.33	5.90	<=23	Pass
						3	5.99	/	-4.62	1.37	<=23	Pass
						MIMO	/	/	4.46	10.45	<=23	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	5.5	0.59	6.25	12.34	<=23	Pass
						2	5.57	0.59	4.90	11.06	<=23	Pass
						3	5.99	0.59	2.97	9.55	<=23	Pass
						MIMO	/	0.59	9.68	16.26	<=23	Pass

Note1: E.I.R.P = Measured Power + DCCF + Antenna Gain

4.1.2 Power-TPC_H

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
NTNV	802.11a	SISO	5320	/	/	1	5.5	0.19	7.37	13.06	<=23	Pass
						2	5.57	0.19	5.66	11.42	<=23	Pass
						3	5.99	0.19	3.51	9.69	<=23	Pass
	802.11n (HT20)	MIMO	5320	/	/	1	5.5	0.20	6.64	12.34	<=23	Pass
						2	5.57	0.20	4.86	10.63	<=23	Pass
						3	5.99	0.20	2.76	8.95	<=23	Pass
						MIMO	/	0.20	9.81	16.00	<=23	Pass
	802.11n (HT40)	MIMO	5310	/	/	1	5.5	0.39	6.63	12.52	<=23	Pass
						2	5.57	0.39	4.89	10.85	<=23	Pass
						3	5.99	0.39	2.62	9.00	<=23	Pass
						MIMO	/	0.39	9.78	16.16	<=23	Pass
	802.11ac (VHT20)	MIMO	5320	/	/	1	5.5	0.20	6.84	12.54	<=23	Pass
						2	5.57	0.20	5.05	10.82	<=23	Pass
						3	5.99	0.20	2.91	9.10	<=23	Pass
						MIMO	/	0.20	9.99	16.18	<=23	Pass
	802.11ac (VHT40)	MIMO	5310	/	/	1	5.5	0.39	6.25	12.14	<=23	Pass
						2	5.57	0.39	4.49	10.45	<=23	Pass
						3	5.99	0.39	2.30	8.68	<=23	Pass
						MIMO	/	0.39	9.41	15.79	<=23	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	1	5.5	/	5.65	11.15	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	2.18	8.17	<=23	Pass
						MIMO	/	/	8.96	14.95	<=23	Pass
	802.11ax (HEW20)	MIMO	5320	SU	/	1	5.5	/	7.23	12.73	<=23	Pass
						2	5.57	/	5.50	11.07	<=23	Pass
						3	5.99	/	3.45	9.44	<=23	Pass
						MIMO	/	/	10.25	16.24	<=23	Pass
	802.11ax (HEW40)	MIMO	5310	SU	/	1	5.5	0.67	6.17	12.34	<=23	Pass
						2	5.57	0.67	4.49	10.73	<=23	Pass
						3	5.99	0.67	2.31	8.97	<=23	Pass
						MIMO	/	0.67	9.37	16.03	<=23	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	1	5.5	/	6.54	12.04	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	2.89	8.88	<=23	Pass
						MIMO	/	/	9.69	15.68	<=23	Pass
	802.11be (EHT20)	MIMO	5320	SU	/	1	5.5	/	6.80	12.30	<=23	Pass
						2	5.57	/	4.90	10.47	<=23	Pass
						3	5.99	/	2.59	8.58	<=23	Pass
						MIMO	/	/	9.60	15.59	<=23	Pass
	802.11be	MIMO	5310	SU	/	1	5.5	0.66	6.45	12.61	<=23	Pass

HTNV	(EHT40)					2	5.57	0.66	4.62	10.85	<=23	Pass
						3	5.99	0.66	2.22	8.87	<=23	Pass
						MIMO	/	0.66	9.53	16.18	<=23	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	5.5	/	6.48	11.98	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	-1.26	4.73	<=23	Pass
						MIMO	/	/	9.09	15.08	<=23	Pass
	802.11a	SISO	5320	/	/	1	5.5	0.19	7.37	13.06	<=23	Pass
						2	5.57	0.19	5.65	11.41	<=23	Pass
						3	5.99	0.19	3.49	9.67	<=23	Pass
	802.11n (HT20)	MIMO	5320	/	/	1	5.5	0.20	6.63	12.33	<=23	Pass
						2	5.57	0.20	4.86	10.63	<=23	Pass
						3	5.99	0.20	2.74	8.93	<=23	Pass
						MIMO	/	0.20	9.80	15.99	<=23	Pass
	802.11n (HT40)	MIMO	5310	/	/	1	5.5	0.39	6.61	12.50	<=23	Pass
						2	5.57	0.39	4.88	10.84	<=23	Pass
						3	5.99	0.39	2.61	8.99	<=23	Pass
						MIMO	/	0.39	9.77	16.15	<=23	Pass
	802.11ac (VHT20)	MIMO	5320	/	/	1	5.5	0.20	6.83	12.53	<=23	Pass
						2	5.57	0.20	5.04	10.81	<=23	Pass
						3	5.99	0.20	2.90	9.09	<=23	Pass
						MIMO	/	0.20	9.98	16.17	<=23	Pass
	802.11ac (VHT40)	MIMO	5310	/	/	1	5.5	0.39	6.16	12.05	<=23	Pass
						2	5.57	0.39	4.40	10.36	<=23	Pass
						3	5.99	0.39	2.22	8.60	<=23	Pass
						MIMO	/	0.39	9.32	15.70	<=23	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	1	5.5	/	5.64	11.14	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	2.16	8.15	<=23	Pass
						MIMO	/	/	8.90	14.89	<=23	Pass
	802.11ax (HEW20)	MIMO	5320	SU	/	1	5.5	/	7.23	12.73	<=23	Pass
						2	5.57	/	7.63	13.20	<=23	Pass
						3	5.99	/	3.44	9.43	<=23	Pass
						MIMO	/	/	10.31	16.30	<=23	Pass
	802.11ax (HEW40)	MIMO	5310	SU	/	1	5.5	0.67	6.16	12.33	<=23	Pass
						2	5.57	0.67	4.48	10.72	<=23	Pass
						3	5.99	0.67	2.30	8.96	<=23	Pass
						MIMO	/	0.67	9.36	16.02	<=23	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	1	5.5	/	6.54	12.04	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	2.87	8.86	<=23	Pass
						MIMO	/	/	9.67	15.66	<=23	Pass
	802.11be (EHT20)	MIMO	5320	SU	/	1	5.5	/	6.72	12.22	<=23	Pass
						2	5.57	/	4.87	10.44	<=23	Pass
						3	5.99	/	2.57	8.56	<=23	Pass
						MIMO	/	/	9.55	15.54	<=23	Pass
	802.11be (EHT40)	MIMO	5310	SU	/	1	5.5	0.66	6.43	12.59	<=23	Pass
						2	5.57	0.66	4.61	10.84	<=23	Pass
						3	5.99	0.66	2.21	8.86	<=23	Pass
						MIMO	/	0.66	9.52	16.17	<=23	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	5.5	/	6.48	11.98	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	-1.31	4.68	<=23	Pass
						MIMO	/	/	9.04	15.03	<=23	Pass
LTNV	802.11a	SISO	5320	/	/	1	5.5	0.19	7.37	13.06	<=23	Pass
						2	5.57	0.19	5.64	11.40	<=23	Pass
						3	5.99	0.19	3.49	9.67	<=23	Pass
	802.11n (HT20)	MIMO	5320	/	/	1	5.5	0.20	6.62	12.32	<=23	Pass
						2	5.57	0.20	4.85	10.62	<=23	Pass

						3	5.99	0.20	2.74	8.93	<=23	Pass
						MIMO	/	0.20	9.79	15.98	<=23	Pass
	802.11n (HT40)	MIMO	5310	/	/	1	5.5	0.39	6.60	12.49	<=23	Pass
						2	5.57	0.39	4.87	10.83	<=23	Pass
						3	5.99	0.39	2.61	8.99	<=23	Pass
						MIMO	/	0.39	9.76	16.14	<=23	Pass
	802.11ac (VHT20)	MIMO	5320	/	/	1	5.5	0.20	6.82	12.52	<=23	Pass
						2	5.57	0.20	5.03	10.80	<=23	Pass
						3	5.99	0.20	2.89	9.08	<=23	Pass
						MIMO	/	0.20	9.97	16.16	<=23	Pass
	802.11ac (VHT40)	MIMO	5310	/	/	1	5.5	0.39	6.12	12.01	<=23	Pass
						2	5.57	0.39	4.35	10.31	<=23	Pass
						3	5.99	0.39	2.18	8.56	<=23	Pass
						MIMO	/	0.39	9.28	15.66	<=23	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	1	5.5	/	5.61	11.11	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	2.14	8.13	<=23	Pass
						MIMO	/	/	8.91	14.90	<=23	Pass
	802.11ax (HEW20)	MIMO	5320	SU	/	1	5.5	/	7.24	12.74	<=23	Pass
						2	5.57	/	7.43	13.00	<=23	Pass
						3	5.99	/	3.36	9.35	<=23	Pass
						MIMO	/	/	10.34	16.33	<=23	Pass
	802.11ax (HEW40)	MIMO	5310	SU	/	1	5.5	0.67	6.16	12.33	<=23	Pass
						2	5.57	0.67	4.48	10.72	<=23	Pass
						3	5.99	0.67	2.31	8.97	<=23	Pass
						MIMO	/	0.67	9.36	16.02	<=23	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	1	5.5	/	6.56	12.06	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	2.83	8.82	<=23	Pass
						MIMO	/	/	9.67	15.66	<=23	Pass
	802.11be (EHT20)	MIMO	5320	SU	/	1	5.5	/	6.75	12.25	<=23	Pass
						2	5.57	/	4.83	10.40	<=23	Pass
						3	5.99	/	2.57	8.56	<=23	Pass
						MIMO	/	/	9.55	15.54	<=23	Pass
	802.11be (EHT40)	MIMO	5310	SU	/	1	5.5	0.66	6.43	12.59	<=23	Pass
						2	5.57	0.66	4.60	10.83	<=23	Pass
						3	5.99	0.66	2.21	8.86	<=23	Pass
						MIMO	/	0.66	9.51	16.16	<=23	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	5.5	/	6.39	11.89	<=23	Pass
						2	5.57	/	8.54	14.11	<=23	Pass
						3	5.99	/	-1.38	4.61	<=23	Pass
						MIMO	/	/	8.98	14.97	<=23	Pass

Note1: E.I.R.P = Measured Power + DCCF + Antenna Gain

4.1.3 Power-TPC_L

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
NTNV	802.11a	SISO	5320	/	/	1	5.5	0.19	7.36	13.05	<=17	Pass
						2	5.57	0.19	5.63	11.39	<=17	Pass
						3	5.99	0.19	3.53	9.71	<=17	Pass
	802.11n (HT20)	MIMO	5320	/	/	1	5.5	0.20	6.61	12.31	<=17	Pass
						2	5.57	0.20	4.82	10.59	<=17	Pass
						3	5.99	0.20	2.73	8.92	<=17	Pass
						MIMO	/	0.20	9.77	15.96	<=17	Pass
	802.11n (HT40)	MIMO	5310	/	/	1	5.5	0.39	6.73	12.62	<=17	Pass
						2	5.57	0.39	5.00	10.96	<=17	Pass
						3	5.99	0.39	2.74	9.12	<=17	Pass

	802.11ac (VHT20)	MIMO	5320	/	/	MIMO	/	0.39	9.89	16.27	<=17	Pass
						1	5.5	0.20	6.81	12.51	<=17	Pass
						2	5.57	0.20	5.02	10.79	<=17	Pass
						3	5.99	0.20	2.88	9.07	<=17	Pass
	802.11ac (VHT40)	MIMO	5310	/	/	MIMO	/	0.20	9.96	16.15	<=17	Pass
						1	5.5	0.39	6.02	11.91	<=17	Pass
						2	5.57	0.39	4.26	10.22	<=17	Pass
						3	5.99	0.39	2.08	8.46	<=17	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	0.39	9.18	15.56	<=17	Pass
						1	5.5	/	5.59	11.09	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	2.14	8.13	<=17	Pass
	802.11ax (HEW20)	MIMO	5320	SU	/	MIMO	/	/	8.89	14.88	<=17	Pass
						1	5.5	/	7.21	12.71	<=17	Pass
						2	5.57	/	7.59	13.16	<=17	Pass
						3	5.99	/	3.42	9.41	<=17	Pass
	802.11ax (HEW40)	MIMO	5310	SU	/	MIMO	/	/	10.30	16.29	<=17	Pass
						1	5.5	0.67	6.15	12.32	<=17	Pass
						2	5.57	0.67	4.47	10.71	<=17	Pass
						3	5.99	0.67	2.29	8.95	<=17	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	0.67	9.35	16.01	<=17	Pass
						1	5.5	/	6.53	12.03	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	2.86	8.85	<=17	Pass
	802.11be (EHT20)	MIMO	5320	SU	/	MIMO	/	/	9.68	15.67	<=17	Pass
						1	5.5	/	6.70	12.20	<=17	Pass
						2	5.57	/	4.87	10.44	<=17	Pass
						3	5.99	/	2.53	8.52	<=17	Pass
	802.11be (EHT40)	MIMO	5310	SU	/	MIMO	/	/	9.53	15.52	<=17	Pass
						1	5.5	0.66	6.42	12.58	<=17	Pass
						2	5.57	0.66	4.60	10.83	<=17	Pass
						3	5.99	0.66	2.20	8.85	<=17	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	MIMO	/	0.66	9.51	16.16	<=17	Pass
						1	5.5	/	6.34	11.84	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	-1.39	4.60	<=17	Pass
HTNV	802.11a	SISO	5320	/	/	MIMO	/	/	8.92	14.91	<=17	Pass
						1	5.5	0.19	7.38	13.07	<=17	Pass
						2	5.57	0.19	5.63	11.39	<=17	Pass
						3	5.99	0.19	3.51	9.69	<=17	Pass
	802.11n (HT20)	MIMO	5320	/	/	MIMO	/	0.20	9.77	15.96	<=17	Pass
						1	5.5	0.20	6.60	12.30	<=17	Pass
						2	5.57	0.20	4.82	10.59	<=17	Pass
						3	5.99	0.20	2.72	8.91	<=17	Pass
	802.11n (HT40)	MIMO	5310	/	/	MIMO	/	0.20	9.77	15.96	<=17	Pass
						1	5.5	0.39	6.67	12.56	<=17	Pass
						2	5.57	0.39	4.94	10.90	<=17	Pass
						3	5.99	0.39	2.69	9.07	<=17	Pass
	802.11ac (VHT20)	MIMO	5320	/	/	MIMO	/	0.39	9.83	16.21	<=17	Pass
						1	5.5	0.20	6.81	12.51	<=17	Pass
						2	5.57	0.20	5.02	10.79	<=17	Pass
						3	5.99	0.20	2.88	9.07	<=17	Pass
	802.11ac (VHT40)	MIMO	5310	/	/	MIMO	/	0.20	9.96	16.15	<=17	Pass
						1	5.5	0.39	5.99	11.88	<=17	Pass
						2	5.57	0.39	4.24	10.20	<=17	Pass
						3	5.99	0.39	2.06	8.44	<=17	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	0.39	9.16	15.54	<=17	Pass
						1	5.5	/	6.55	12.05	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	3.13	9.12	<=17	Pass

	802.11ax (HEW20)	MIMO	5320	SU	/	MIMO	/	/	9.82	15.81	<=17	Pass
						1	5.5	/	7.22	12.72	<=17	Pass
						2	5.57	/	7.53	13.10	<=17	Pass
						3	5.99	/	3.36	9.35	<=17	Pass
	802.11ax (HEW40)	MIMO	5310	SU	/	MIMO	/	/	10.25	16.24	<=17	Pass
						1	5.5	0.67	6.15	12.32	<=17	Pass
						2	5.57	0.67	4.47	10.71	<=17	Pass
						3	5.99	0.67	2.30	8.96	<=17	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	0.67	9.35	16.01	<=17	Pass
						1	5.5	/	6.50	12.00	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	2.86	8.85	<=17	Pass
	802.11be (EHT20)	MIMO	5320	SU	/	MIMO	/	/	9.68	15.67	<=17	Pass
						1	5.5	/	6.68	12.18	<=17	Pass
						2	5.57	/	4.87	10.44	<=17	Pass
						3	5.99	/	2.45	8.44	<=17	Pass
	802.11be (EHT40)	MIMO	5310	SU	/	MIMO	/	/	9.53	15.52	<=17	Pass
						1	5.5	0.66	6.42	12.58	<=17	Pass
						2	5.57	0.66	4.59	10.82	<=17	Pass
						3	5.99	0.66	2.20	8.85	<=17	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	MIMO	/	0.66	9.50	16.15	<=17	Pass
						1	5.5	/	6.28	11.78	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	-1.43	4.56	<=17	Pass
LTNV	802.11a	SISO	5320	/	/	MIMO	/	/	8.86	14.85	<=17	Pass
						1	5.5	0.19	7.37	13.06	<=17	Pass
						2	5.57	0.19	5.64	11.40	<=17	Pass
	802.11n (HT20)	MIMO	5320	/	/	3	5.99	0.19	3.51	9.69	<=17	Pass
						MIMO	/	0.20	9.77	15.96	<=17	Pass
						1	5.5	0.20	6.60	12.30	<=17	Pass
	802.11n (HT40)	MIMO	5310	/	/	2	5.57	0.20	4.82	10.59	<=17	Pass
						3	5.99	0.20	2.72	8.91	<=17	Pass
						MIMO	/	0.20	9.77	15.96	<=17	Pass
	802.11ac (VHT20)	MIMO	5320	/	/	1	5.5	0.39	6.66	12.55	<=17	Pass
						2	5.57	0.39	4.93	10.89	<=17	Pass
						3	5.99	0.39	2.68	9.06	<=17	Pass
	802.11ac (VHT40)	MIMO	5310	/	/	MIMO	/	0.39	9.82	16.20	<=17	Pass
						1	5.5	0.20	6.80	12.50	<=17	Pass
						2	5.57	0.20	5.01	10.78	<=17	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	3	5.99	0.20	2.88	9.07	<=17	Pass
						MIMO	/	0.20	9.95	16.14	<=17	Pass
						1	5.5	/	6.54	12.04	<=17	Pass
	802.11ax (HEW20)	MIMO	5320	SU	/	2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	3.11	9.10	<=17	Pass
						MIMO	/	/	9.84	15.83	<=17	Pass
	802.11ax (HEW40)	MIMO	5310	SU	/	1	5.5	/	7.24	12.74	<=17	Pass
						2	5.57	/	9.08	14.65	<=17	Pass
						3	5.99	/	3.36	9.35	<=17	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	/	10.26	16.25	<=17	Pass
						1	5.5	0.67	6.14	12.31	<=17	Pass
						2	5.57	0.67	4.48	10.72	<=17	Pass
						3	5.99	0.67	2.30	8.96	<=17	Pass
						MIMO	/	0.67	9.35	16.01	<=17	Pass
						1	5.5	/	6.50	12.00	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	2.83	8.82	<=17	Pass


	802.11be (EHT20)	MIMO	5320	SU	/	MIMO	/	/	9.69	15.68	<=17	Pass
						1	5.5	/	6.75	12.25	<=17	Pass
						2	5.57	/	4.83	10.40	<=17	Pass
						3	5.99	/	2.44	8.43	<=17	Pass
	802.11be (EHT40)	MIMO	5310	SU	/	MIMO	/	/	9.50	15.49	<=17	Pass
						1	5.5	0.66	6.41	12.57	<=17	Pass
						2	5.57	0.66	4.59	10.82	<=17	Pass
						3	5.99	0.66	2.20	8.85	<=17	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	MIMO	/	0.66	9.50	16.15	<=17	Pass
						1	5.5	/	6.31	11.81	<=17	Pass
						2	5.57	/	8.54	14.11	<=17	Pass
						3	5.99	/	-1.44	4.55	<=17	Pass
						MIMO	/	/	8.89	14.88	<=17	Pass

Note1: E.I.R.P = Measured Power + DCCF + Antenna Gain

4.2 Test Graph


4.2.1 Power

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325
Power (dBm)	5.22	5.17	5.36	5.35	5.41	5.28	5.57	5.20	5.28	5.36	5.33	5.40
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324
Power (dBm)	4.11	4.13	4.31	4.19	4.17	4.23	4.51	4.31	4.16	4.20	4.31	4.17
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.325	0.324	0.324	0.324	0.324	0.323	0.324	0.324	0.324	0.324
Power (dBm)	2.74	2.79	2.89	2.84	2.82	2.89	3.10	2.80	2.80	2.80	2.95	2.81
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325
Power (dBm)	8.98	8.95	9.00	8.96	9.09	9.02	9.19	8.92	9.00	9.05	9.03	8.94
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.100	0.101	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.101	0.100	0.100
Power (dBm)	5.83	5.89	6.11	6.16	6.01	6.11	6.34	5.95	5.81	5.93	6.11	5.97
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.100	0.100	0.100	0.100	0.100	0.020	0.079	0.100	0.100	0.100	0.100	0.018
Power (dBm)	4.63	4.84	4.68	4.58	4.73	4.62	5.16	4.61	4.67	4.62	4.64	4.80
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.101	0.100	0.101	0.100	0.101	0.101	0.101	0.101	0.101	0.101	0.100	0.101
Power (dBm)	2.46	2.80	2.84	2.79	2.77	2.69	3.03	2.71	2.72	2.65	2.83	2.52
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.100	0.101	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100
Power (dBm)	9.26	9.35	9.45	9.47	9.46	9.41	9.65	9.46	9.49	9.48	9.41	9.34
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.311	0.311
Power (dBm)	5.98	6.01	6.11	5.87	6.22	6.14	6.59	6.01	6.04	5.83	6.22	6.16
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.310	0.310	0.311	0.311	0.310	0.311	0.311	0.311	0.311	0.311
Power (dBm)	4.87	4.82	4.89	4.68	4.76	4.90	5.40	4.99	5.11	4.80	4.59	4.91
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.310	0.311	0.311	0.310	0.310	0.310	0.310
Power (dBm)	3.20	2.92	3.26	2.94	3.07	3.11	3.45	3.01	3.30	2.90	2.80	2.96
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.48	9.73	9.50	9.63	9.66	9.59	9.51	9.70	9.54	9.66	9.63	9.92
Remark	/	/	/	/	/	/	/	/	/	/	/	Max

802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	5.38	5.36	5.21	5.19	5.31	5.35	5.58	5.07	5.24	5.11	5.23	5.32
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.298	0.297	0.297	0.297	0.298	0.297	0.297	0.297	0.297	0.298
Power (dBm)	4.13	3.94	4.10	4.22	4.01	4.21	4.40	4.12	4.00	4.19	4.14	4.10
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.79	2.76	2.87	2.78	2.74	2.86	3.12	2.76	2.84	2.82	2.81	2.76
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	8.94	8.88	8.94	8.98	8.89	8.94	9.11	9.04	8.98	8.91	8.87	8.93
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	6.06	5.93	5.97	5.89	5.84	6.01	6.35	5.96	6.01	5.80	5.70	5.61
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	4.55	4.47	4.53	4.60	4.49	4.57	5.03	4.47	4.46	4.78	4.56	4.59
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.318	0.319	0.319	0.241	0.076	0.318	0.318	0.319	0.319	0.319
Power (dBm)	2.84	2.55	2.58	2.64	2.50	2.72	3.48	2.42	2.76	2.78	2.70	2.73
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	9.44	9.34	9.44	9.39	9.36	9.48	9.58	9.39	9.36	9.33	9.21	9.20
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	1.43	1.32	1.30	1.38	1.42	1.35	1.62	1.43	1.36	1.27	1.32	1.29
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	0.17	0.01	0.09	0.10	0.14	0.24	0.39	0.01	0.15	0.14	0.12	-0.00
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	-4.84	-5.01	-4.70	-4.86	-4.82	-4.72	-4.61	-4.67	-4.79	-4.80	-4.89	-4.90
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.304	0.305	0.304	0.305	0.305	0.305	0.305
Power (dBm)	4.34	4.43	4.28	4.36	4.38	4.20	4.50	4.37	4.38	4.31	4.35	4.30
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325	0.324	0.324	0.324	0.325
Power (dBm)	5.47	5.16	5.33	5.31	5.38	5.28	5.57	5.22	5.26	5.29	5.30	5.36
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.325	0.324	0.324	0.324
Power (dBm)	4.35	4.25	4.27	4.24	4.35	4.12	4.49	4.29	4.28	4.20	4.25	4.37
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.325	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
Power (dBm)	2.74	2.78	2.67	2.83	2.99	2.82	3.06	2.83	2.84	2.77	2.83	2.89
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.325	0.324	0.324	0.324	0.324	0.323	0.324	0.324	0.324	0.324
Power (dBm)	8.98	9.04	9.01	9.03	8.88	9.00	9.21	9.10	9.08	8.99	9.05	9.03
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.100	0.101	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.101	0.100
Power (dBm)	5.89	5.84	6.02	6.08	6.10	6.09	6.36	6.00	5.98	5.79	5.98	5.75
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.076	0.100	0.100	0.100	0.017	0.002	0.079	0.100	0.017	0.082	0.100	0.100
Power (dBm)	4.93	4.67	4.54	4.73	4.98	2.25	5.17	4.63	4.95	4.63	4.63	4.63
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.101	0.100	0.101	0.101	0.101	0.101	0.101	0.101	0.101	0.101	0.100	0.100
Power (dBm)	2.50	2.74	2.74	2.79	2.73	2.78	3.02	2.82	2.66	2.53	2.80	2.70
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.100	0.101	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100
Power (dBm)	9.37	9.33	9.42	9.44	9.42	9.51	9.65	9.42	9.48	9.35	9.49	9.29
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	6.20	6.28	6.02	5.94	6.19	5.92	6.52	6.00	6.18	6.17	5.78	6.03
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.310	0.310	0.310	0.310	0.311	0.310	0.310	0.310	0.310	0.311
Power (dBm)	5.20	4.76	4.84	5.01	4.84	4.87	5.38	4.78	5.12	4.67	4.79	4.94
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	2.82	3.04	2.92	2.78	2.76	2.90	3.51	2.98	2.85	2.76	3.13	2.81
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.310	0.311	0.311	0.310	0.310	0.310	0.311
Power (dBm)	9.73	9.72	9.55	9.58	9.70	9.71	9.85	9.61	9.59	9.53	9.56	9.48
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	5.27	5.19	5.33	5.20	5.29	5.33	5.56	5.18	5.30	5.25	5.24	5.21
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.298	0.297	0.297	0.297	0.297	0.298	0.297	0.297	0.297	0.298
Power (dBm)	3.96	4.15	4.21	4.25	4.00	4.06	4.39	4.17	4.16	4.11	4.10	4.12
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.79	2.72	2.85	2.82	2.94	2.80	3.05	2.75	2.86	2.71	2.88	2.64
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.296	0.297
Power (dBm)	8.85	8.90	8.94	8.92	8.85	8.97	9.10	8.99	8.88	8.94	8.89	8.95
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.318	0.318	0.319	0.319	0.318	0.318	0.318	0.319	0.319	0.319
Power (dBm)	6.07	5.73	5.77	6.04	6.02	5.90	6.38	6.04	5.80	5.96	5.82	6.01
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	4.45	4.48	4.39	4.55	4.55	4.52	5.01	4.28	4.62	4.72	4.53	4.73
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	2.61	2.75	2.81	2.78	2.51	2.79	3.11	2.71	2.61	2.86	2.44	2.80
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	9.38	9.30	9.41	9.23	9.42	9.48	9.60	9.29	9.22	9.17	9.29	9.39
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.304	0.305	0.305	0.304	0.305	0.305	0.305	0.305
Power (dBm)	1.32	1.38	1.30	1.37	1.39	1.23	1.64	1.34	1.40	1.34	1.25	1.24
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.304	0.305	0.305	0.305	0.305	0.305
Power (dBm)	0.10	-0.14	0.07	0.10	0.01	0.09	0.42	0.03	0.12	0.17	0.02	-0.00
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	-4.83	-4.86	-4.87	-4.81	-4.94	-4.91	-4.61	-4.93	-4.85	-4.86	-4.79	-4.74
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	4.34	4.43	4.28	4.36	4.36	4.25	4.53	4.34	4.28	4.37	4.29	4.29
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325	0.324	0.324	0.324	0.324
Power (dBm)	5.40	5.30	5.21	5.09	5.27	5.35	5.55	5.25	5.20	5.34	5.18	5.32
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.325	0.325	0.325	0.324	0.324	0.324	0.324	0.324	0.324
Power (dBm)	4.20	4.00	4.19	4.20	4.27	4.11	4.49	4.17	4.18	4.28	4.21	4.25
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.325	0.324	0.324	0.325	0.325	0.324	0.324	0.324	0.324	0.324	0.324
Power (dBm)	2.71	2.86	2.74	2.80	2.78	2.74	3.08	2.89	2.77	2.61	2.74	2.86
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5210MHz_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324
Power (dBm)	9.00	9.11	8.94	8.94	8.93	9.01	9.17	9.10	8.92	9.02	9.09	9.03
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.101	0.101	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.101	0.100
Power (dBm)	5.74	5.85	5.98	6.09	6.07	6.10	6.35	5.96	5.96	5.81	5.98	5.78
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.076	0.100	0.100	0.100	0.017	0.002	0.078	0.100	0.101	0.100	0.023	0.076
Power (dBm)	4.91	4.73	4.65	4.65	5.00	2.27	5.17	4.61	4.74	4.49	4.69	4.78
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.100	0.100	0.100	0.100	0.101	0.100	0.100	0.100	0.100	0.100	0.100	0.100
Power (dBm)	2.50	2.75	2.84	2.69	2.66	2.67	3.06	2.54	2.75	2.65	2.91	2.68
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT160)_MCH_5250MHz_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.100	0.101	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.101	0.100	0.100
Power (dBm)	9.31	9.33	9.53	9.46	9.45	9.40	9.65	9.41	9.43	9.42	9.49	9.39
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	6.02	6.17	6.05	6.17	5.97	5.91	6.54	6.11	6.16	6.01	6.06	6.00
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	4.77	4.75	4.94	4.94	5.00	4.95	5.37	4.74	4.79	4.84	4.97	4.90
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.311	0.311	0.311
Power (dBm)	3.03	2.89	2.77	2.84	2.97	3.02	3.38	3.02	2.78	2.83	3.12	3.11
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_LCH_5180MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.311
Power (dBm)	9.69	9.62	9.45	9.72	9.46	9.52	9.92	9.77	9.60	9.50	9.53	9.62
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	5.13	5.18	5.08	5.24	5.19	5.14	5.50	5.26	5.23	5.16	5.17	5.15
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.296	0.297	0.298	0.297	0.297	0.297	0.297	0.297	0.297	0.296	0.297	0.297
Power (dBm)	4.25	4.03	4.13	4.14	4.23	4.07	4.39	3.99	4.10	4.13	4.20	3.96
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.298	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.69	2.76	2.89	2.71	2.81	2.68	3.05	2.78	2.75	2.80	2.72	2.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5210MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.296	0.297	0.297	0.297	0.296	0.297	0.297	0.297	0.297	0.296	0.297	0.297
Power (dBm)	8.92	8.90	8.90	8.98	8.91	8.92	9.08	8.91	8.89	8.92	8.94	8.92
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318
Power (dBm)	5.52	5.76	5.72	6.10	6.03	5.82	6.34	5.79	5.97	5.79	5.55	6.14
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318
Power (dBm)	4.32	4.51	4.38	4.60	4.53	4.35	4.93	4.69	4.29	4.34	4.32	4.09
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.318	0.318	0.318	0.318	0.318	0.318	0.318	0.319	0.319	0.319
Power (dBm)	2.64	2.63	2.70	2.49	2.45	2.38	3.09	2.63	2.51	2.56	2.42	2.81
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	9.44	9.23	9.35	9.20	9.33	9.28	9.56	9.26	9.28	9.09	9.23	9.21
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.304	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.304	0.305
Power (dBm)	1.31	1.16	1.22	1.25	1.42	1.31	1.59	1.35	1.29	1.17	1.20	1.20
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.306	0.305	0.304	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.306	0.305
Power (dBm)	-0.02	-0.22	0.02	0.24	0.09	0.08	0.33	0.09	0.13	-0.01	0.16	-0.07
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5210MHz_SU_/_Ant3_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.306	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	-4.82	-4.88	-4.87	-4.88	-4.88	-4.95	-4.62	-4.95	-4.88	-4.93	-4.95	-4.82
Remark	/	/	/	/	/	/	Max	/	/	/	/	/


802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	4.36	4.19	4.20	4.33	4.34	4.27	4.46	4.29	4.22	4.20	4.24	4.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/


4.2.2 Power-TPC_H

802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.324
Power (dBm)	5.51	5.48	5.46	5.29	5.41	5.59	5.65	5.42	5.30	5.41	5.41	5.59
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.324	0.325	0.001	0.324	0.324	0.324	0.324	0.324
Power (dBm)	3.89	3.84	3.91	4.05	3.84	3.91	8.54	3.75	3.87	3.90	3.90	3.90
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325	0.324	0.324	0.324
Power (dBm)	1.99	2.05	1.91	1.86	1.94	1.93	2.18	1.99	1.84	1.86	1.97	2.05
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324
Power (dBm)	8.71	8.81	8.64	8.77	8.75	8.77	8.96	8.85	8.70	8.79	8.73	8.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.310	0.310	0.311	0.310	0.311	0.310	0.311	0.311	0.311
Power (dBm)	6.54	6.54	6.67	6.57	6.64	6.66	7.23	6.50	6.57	6.92	6.78	7.04
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.001	0.311	0.001	0.311	0.001	0.311	0.311	0.001	0.311	0.311	0.001	0.001
Power (dBm)	-5.65	5.10	-5.65	5.12	-5.65	4.84	5.50	-5.65	4.94	5.18	-6.45	-6.45
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	2.90	2.91	3.00	2.93	2.88	2.78	3.45	3.02	2.96	2.78	2.93	3.14
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.310	0.311	0.310	0.310	0.310	0.310	0.311	0.311	0.310
Power (dBm)	9.92	9.87	9.87	9.92	9.85	9.93	10.25	9.92	10.12	9.95	9.95	10.02
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.298	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	6.28	6.31	6.28	6.22	6.29	6.40	6.54	6.25	6.25	6.24	6.27	6.21
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.001	0.298	0.297	0.297	0.297	0.297
Power (dBm)	4.67	4.63	4.68	4.64	4.82	4.85	8.54	4.58	4.71	4.68	4.74	4.79
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.298	0.297	0.296	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.72	2.57	2.77	2.51	2.50	2.64	2.89	2.61	2.55	2.70	2.60	2.50
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.298	0.297	0.297	0.297	0.298	0.297	0.297	0.297
Power (dBm)	9.49	9.49	9.49	9.54	9.49	9.54	9.69	9.47	9.59	9.51	9.50	9.50
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.318	0.318	0.318	0.319	0.319	0.318	0.318	0.318	0.319	0.319
Power (dBm)	6.23	6.08	6.29	5.98	6.24	6.43	6.80	6.46	6.21	6.06	6.20	6.18
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.001	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.001	0.319	0.319
Power (dBm)	4.37	-5.65	4.37	4.13	4.54	4.70	4.90	4.43	4.56	-5.65	4.04	4.28
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	2.09	1.85	2.08	1.83	2.08	2.25	2.59	2.25	2.24	1.93	2.04	2.15
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318
Power (dBm)	9.35	9.32	9.46	9.38	9.34	9.40	9.60	9.41	9.40	9.32	9.07	9.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.306	0.305	0.305	0.305	0.305	0.306	0.306	0.306	0.305	0.305	0.306	0.305
Power (dBm)	6.22	6.22	6.10	6.25	6.10	6.31	6.48	6.18	6.07	6.28	6.21	6.11
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.306	0.305	0.305	0.305	0.306	0.001	0.305	0.305	0.306	0.306	0.305
Power (dBm)	4.46	4.54	4.59	4.59	4.71	4.69	8.54	4.59	4.49	4.68	4.65	4.46
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	-1.68	-1.56	-1.58	-1.61	-1.61	-1.61	-1.26	-1.45	-1.54	-1.58	-1.50	-1.59
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.306	0.305	0.304	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	8.83	8.88	8.83	8.88	8.93	8.75	9.09	8.86	8.81	8.88	8.93	8.91
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.325	0.324	0.324	0.324	0.324	0.323	0.324	0.324	0.324	0.324	0.325
Power (dBm)	5.23	5.46	5.42	5.52	5.43	5.39	5.64	5.44	5.38	5.38	5.25	5.42
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.324	0.324	0.324	0.325	0.324	0.001	0.324	0.324	0.325	0.325	0.325
Power (dBm)	3.89	3.84	3.86	3.85	3.82	3.96	8.54	3.99	3.90	3.91	3.97	3.89
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.325	0.324	0.324	0.324	0.325	0.324	0.324	0.324
Power (dBm)	1.92	1.89	1.99	1.96	1.89	1.87	2.16	2.00	1.82	1.96	1.91	2.04
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325	0.325	0.324	0.325
Power (dBm)	8.72	8.79	8.69	8.70	8.74	8.74	8.90	8.64	8.71	8.66	8.71	8.63
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.312	0.312	0.312	0.310	0.310	0.310	0.311	0.310	0.311	0.311
Power (dBm)	6.62	6.67	6.73	6.72	6.68	6.59	7.23	6.82	6.71	6.84	6.61	6.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.226	0.083	0.310	0.219	0.090	0.272	0.002	0.034	0.311	0.311	0.259	0.050
Power (dBm)	5.02	5.26	4.75	5.08	5.29	4.93	7.63	5.90	4.99	5.18	5.12	4.95
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	3.08	3.14	2.93	2.67	2.89	2.78	3.44	3.02	2.95	2.93	2.92	2.87
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	10.03	10.12	9.99	9.98	9.85	9.98	10.31	10.05	9.98	9.92	9.92	9.77
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	6.22	6.16	6.27	6.26	6.20	6.29	6.54	6.32	6.19	6.32	6.24	6.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.298	0.297	0.297	0.297	0.298	0.001	0.297	0.298	0.297	0.297	0.298
Power (dBm)	4.57	4.54	4.67	4.73	4.69	4.69	8.54	4.79	4.79	4.54	4.68	4.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.66	2.61	2.66	2.45	2.68	2.64	2.87	2.63	2.59	2.53	2.58	2.53
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.298	0.297	0.297	0.297	0.297
Power (dBm)	9.46	9.48	9.48	9.48	9.53	9.52	9.67	9.54	9.59	9.62	9.54	9.46
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	6.19	6.26	6.14	6.12	6.32	6.51	6.72	6.07	6.11	6.33	6.43	6.26
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.001	0.318	0.001	0.319
Power (dBm)	4.45	4.10	4.47	4.23	4.51	4.58	4.87	4.44	-5.65	4.36	-5.65	4.32
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.319
Power (dBm)	2.09	2.01	2.09	1.79	2.07	2.24	2.57	2.23	2.33	1.90	1.93	2.11
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	9.40	9.30	9.50	9.42	9.39	9.18	9.55	9.15	9.18	9.20	9.17	9.22
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.304	0.305	0.306	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	6.14	6.09	6.19	6.12	6.06	6.25	6.48	6.19	6.02	6.25	6.07	6.27
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.306	0.305	0.001	0.305	0.306	0.305	0.305	0.305
Power (dBm)	4.60	4.51	4.47	4.44	4.55	4.47	8.54	4.49	4.44	4.69	4.55	4.35
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.304	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	-1.49	-1.60	-1.61	-1.60	-1.58	-1.45	-1.31	-1.51	-1.75	-1.53	-1.53	-1.56
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	8.90	8.81	8.82	8.85	8.84	8.97	9.04	8.79	8.82	8.85	8.63	8.82
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.324	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.325	0.325	0.324
Power (dBm)	5.34	5.29	5.44	5.41	5.35	5.36	5.61	5.50	5.49	5.23	5.34	5.42
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.324	0.324	0.325	0.325	0.325	0.001	0.324	0.324	0.325	0.325	0.324
Power (dBm)	3.97	3.89	3.84	3.83	3.92	3.86	8.54	3.69	3.99	3.87	3.95	4.04
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.325	0.324	0.324	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324
Power (dBm)	1.76	1.83	2.00	2.00	1.84	1.90	2.14	2.03	2.02	1.83	1.91	1.89
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.001	0.324	0.324	0.325	0.324	0.324	0.324	0.324	0.324	0.325	0.324
Power (dBm)	8.66	8.57	8.74	8.78	8.71	8.72	8.91	8.82	8.80	8.66	8.66	8.68
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.310	0.310	0.311	0.311	0.311	0.311	0.310	0.311	0.311
Power (dBm)	6.65	6.87	6.77	6.49	6.77	6.53	7.24	6.87	6.77	6.75	6.70	6.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.219	0.293	0.003	0.003	0.003	0.003	0.001	0.311	0.212	0.058	0.039	0.221
Power (dBm)	4.69	5.12	7.28	7.28	7.29	7.29	7.43	5.09	5.14	4.62	4.57	5.26
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	2.76	3.02	2.93	2.70	2.94	2.83	3.36	3.06	2.91	2.81	2.93	2.84
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	10.01	10.10	9.99	9.96	10.00	9.99	10.34	10.04	9.97	9.91	9.93	9.84
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	6.31	6.22	6.25	6.26	6.17	6.28	6.56	6.31	6.27	6.19	6.28	6.25
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.298	0.001	0.297	0.297	0.297	0.297	0.297
Power (dBm)	4.70	4.58	4.62	4.53	4.77	4.51	8.54	4.78	4.89	4.78	4.59	4.68
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.296	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.66	2.62	2.47	2.64	2.62	2.58	2.83	2.63	2.72	2.82	2.71	2.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	9.55	9.45	9.54	9.50	9.50	9.56	9.67	9.57	9.51	9.52	9.53	9.49
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.318	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	6.26	6.10	6.22	6.02	6.22	6.38	6.75	6.40	6.43	6.20	6.14	6.19
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.001	0.319	0.001	0.319	0.319	0.319	0.318	0.001	0.319	0.319
Power (dBm)	4.43	4.20	-5.65	4.48	-5.65	4.56	4.83	4.44	4.39	-5.65	4.37	4.18
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318
Power (dBm)	2.09	2.01	2.04	2.06	2.10	1.95	2.57	2.23	2.32	1.94	1.94	2.10
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	9.38	9.28	9.48	9.41	9.10	9.04	9.55	9.15	9.16	9.19	9.16	9.21
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.306	0.306	0.306	0.306	0.305	0.306	0.305	0.305	0.306	0.305	0.306
Power (dBm)	6.01	6.13	6.02	5.96	5.88	6.02	6.39	5.91	5.98	6.10	6.11	6.03
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.306	0.305	0.305	0.306	0.001	0.305	0.305	0.306	0.305	0.306
Power (dBm)	4.38	4.44	4.43	4.22	4.47	4.63	8.54	4.50	4.39	4.52	4.44	4.42
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant3_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.304	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	-1.55	-1.64	-1.68	-1.67	-1.67	-1.56	-1.38	-1.79	-1.63	-1.73	-1.69	-1.58
Remark	/	/	/	/	/	/	Max	/	/	/	/	/


802.11be(EHT80)_MCH_5290MHz_SU_/_MIMO_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.306	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	8.72	8.76	8.81	8.72	8.67	8.76	8.98	8.60	8.77	8.77	8.79	8.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/


4.2.3 Power-TPC_L

802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.325	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.324
Power (dBm)	5.41	5.45	5.31	5.27	5.31	5.31	5.59	5.45	5.30	5.26	5.40	5.38
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.325	0.325	0.325	0.325	0.324	0.001	0.325	0.325	0.324	0.324	0.324
Power (dBm)	3.92	3.88	3.75	3.87	3.76	3.78	8.54	3.70	3.83	3.78	3.96	3.85
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.325	0.324	0.324	0.324
Power (dBm)	2.00	1.97	1.74	1.99	1.80	1.88	2.14	1.99	1.84	1.97	1.89	1.87
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.324	0.325	0.324	0.324	0.324
Power (dBm)	8.71	8.74	8.60	8.70	8.69	8.71	8.89	8.72	8.63	8.73	8.66	8.65
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	6.79	6.83	6.72	6.71	6.73	6.55	7.21	6.81	6.74	6.71	6.63	6.86
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.226	0.083	0.310	0.219	0.090	0.272	0.002	0.034	0.311	0.311	0.211	0.098
Power (dBm)	5.00	5.24	4.73	5.07	5.26	4.91	7.59	5.92	4.97	5.17	4.84	5.13
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	3.03	3.09	2.72	2.88	3.02	2.92	3.42	2.97	3.15	2.97	2.87	3.13
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	10.00	9.98	9.89	9.98	9.98	9.99	10.30	10.03	9.88	9.95	10.23	10.03
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.298	0.297	0.296	0.297	0.298	0.297	0.297	0.297
Power (dBm)	6.25	6.29	6.25	6.23	6.24	6.37	6.53	6.26	6.26	6.21	6.18	6.13
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.298	0.297	0.298	0.297	0.297	0.001	0.298	0.297	0.297	0.297	0.298
Power (dBm)	4.67	4.55	4.72	4.55	4.54	4.65	8.54	4.68	4.66	4.57	4.63	4.66
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.65	2.54	2.64	2.59	2.53	2.62	2.86	2.59	2.60	2.65	2.65	2.60
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.298	0.297	0.297	0.297	0.298	0.297	0.297	0.297	0.297	0.298	0.297	0.297
Power (dBm)	9.55	9.47	9.44	9.56	9.49	9.53	9.68	9.58	9.52	9.54	9.55	9.47
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.319
Power (dBm)	6.38	6.15	6.57	6.28	6.34	5.98	6.70	5.97	5.84	6.12	6.19	6.20
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.001	0.319	0.001	0.319	0.319	0.318	0.319	0.319	0.318
Power (dBm)	4.33	4.18	4.50	-5.65	4.65	-5.65	4.87	4.40	4.53	4.01	4.24	4.53
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.319
Power (dBm)	2.09	2.02	2.12	1.84	2.04	2.22	2.53	2.25	2.24	2.05	1.90	2.15
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.319
Power (dBm)	9.34	9.24	9.46	9.17	9.40	9.15	9.53	9.14	9.14	9.17	9.17	9.27
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.306	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	5.93	6.15	6.14	6.01	5.96	6.16	6.34	5.99	6.15	6.21	6.04	6.19
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant2_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.306	0.305	0.305	0.001	0.306	0.305	0.305	0.305	0.306
Power (dBm)	4.46	4.54	4.34	4.44	4.47	4.52	8.54	4.33	4.57	4.48	4.38	4.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant3_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.304	0.305	0.305	0.305
Power (dBm)	-1.65	-1.71	-1.83	-1.73	-1.77	-1.58	-1.39	-1.65	-1.79	-1.80	-1.72	-1.59
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.304	0.305	0.306	0.305	0.305	0.306	0.305	0.305
Power (dBm)	8.72	8.73	8.72	8.75	8.61	8.77	8.92	8.68	8.79	8.73	8.73	8.76
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.325	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.324	0.325
Power (dBm)	6.13	6.43	6.30	6.31	6.36	6.24	6.55	6.29	6.31	6.29	6.22	6.41
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.324	0.325	0.325	0.325	0.324	0.001	0.324	0.324	0.325	0.324	0.324
Power (dBm)	3.85	3.97	3.82	3.75	3.73	3.82	8.54	3.85	3.74	3.87	3.81	3.82
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.325	0.324	0.324	0.324	0.324	0.323	0.324	0.324	0.324	0.324
Power (dBm)	2.77	2.97	2.90	2.86	2.89	2.87	3.13	2.98	2.86	2.88	3.02	2.93
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.001	0.324	0.001	0.324	0.001	0.324	0.325	0.325	0.324	0.324	0.324
Power (dBm)	9.70	8.57	9.66	8.57	9.68	8.57	9.82	9.71	9.71	9.72	9.75	9.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	6.76	6.92	6.79	6.76	6.81	6.71	7.22	6.75	6.83	6.66	6.45	6.53
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.293	0.003	0.003	0.003	0.003	0.001	0.311	0.233	0.076	0.198	0.111
Power (dBm)	5.00	5.12	7.21	7.21	7.21	7.21	7.53	4.91	5.33	4.80	4.91	4.67
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	2.86	3.02	3.13	2.85	2.88	2.70	3.36	2.76	2.96	2.72	3.17	3.02
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	9.93	10.07	9.98	10.01	10.03	10.05	10.25	10.11	9.97	9.95	9.90	9.81
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	6.18	6.21	6.22	6.43	6.21	6.41	6.50	6.42	6.22	6.22	6.38	6.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.298	0.297	0.297	0.298	0.297	0.297	0.001	0.297	0.298	0.297	0.298	0.297
Power (dBm)	4.59	4.73	4.63	4.56	4.75	4.63	8.54	4.62	4.71	4.70	4.53	4.49
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.51	2.56	2.55	2.53	2.61	2.71	2.86	2.66	2.70	2.70	2.63	2.50
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.298	0.297	0.297	0.298	0.297	0.298	0.297	0.296	0.297	0.298	0.297
Power (dBm)	9.44	9.43	9.51	9.47	9.50	9.57	9.68	9.52	9.51	9.58	9.43	9.46
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	6.36	6.11	6.55	6.40	5.81	5.95	6.68	6.00	5.77	6.13	6.15	5.99
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.001	0.319	0.319	0.001	0.319	0.319	0.319	0.318	0.319	0.001	0.001
Power (dBm)	4.36	-5.65	4.08	4.51	-5.65	4.58	4.87	4.41	4.49	4.15	-5.65	-5.65
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	1.96	1.89	1.99	1.95	2.14	2.21	2.45	1.91	1.79	2.13	2.27	2.12
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.12	9.13	9.19	9.32	9.34	9.33	9.53	9.31	9.27	9.23	9.22	9.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.306	0.305	0.306	0.306	0.305	0.305	0.305	0.305	0.305	0.305	0.306	0.305
Power (dBm)	5.93	6.03	6.08	5.96	6.14	5.99	6.28	5.85	5.99	5.94	6.16	6.09
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant2_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.306	0.305	0.305	0.305	0.305	0.001	0.305	0.305	0.306	0.305	0.305
Power (dBm)	4.42	4.48	4.26	4.23	4.42	4.39	8.54	4.31	4.22	4.47	4.46	4.17
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant3_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.304	0.305	0.305
Power (dBm)	-1.65	-1.74	-1.69	-1.63	-1.69	-1.84	-1.43	-1.69	-1.96	-1.67	-1.68	-1.81
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.306	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.306
Power (dBm)	8.68	8.73	8.63	8.65	8.84	8.66	8.86	8.77	8.61	8.79	8.72	8.69
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.325	0.325	0.324	0.324	0.324
Power (dBm)	6.31	6.42	6.28	6.27	6.26	6.26	6.54	6.33	6.24	6.22	6.32	6.46
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.325	0.325	0.324	0.324	0.324	0.325	0.001	0.324	0.324	0.324	0.325	0.325
Power (dBm)	4.91	5.05	4.91	4.77	4.83	4.85	8.54	4.84	4.87	4.79	4.88	4.76
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.324	0.323	0.324	0.324	0.324	0.324	0.325	0.324	0.324
Power (dBm)	2.86	2.95	2.81	2.86	2.95	2.88	3.11	2.81	2.98	2.74	3.00	2.95
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ac(VHT80)_MCH_5290MHz_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.324	0.324	0.324	0.325	0.325	0.324	0.324	0.324	0.325	0.324	0.324	0.324
Power (dBm)	9.70	9.69	9.60	9.59	9.70	9.73	9.84	9.71	9.57	9.74	9.67	9.64
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.310	0.310	0.310	0.311	0.311	0.310	0.310	0.310	0.311	0.311
Power (dBm)	6.79	7.01	6.76	6.48	6.75	6.52	7.24	6.68	6.41	6.77	6.69	6.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.265	0.044	0.296	0.003	0.003	0.003	0.001	0.239	0.070	0.310	0.311	0.311
Power (dBm)	5.14	4.94	4.92	5.72	5.72	5.71	9.08	5.03	5.19	4.98	5.16	4.87
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	3.27	2.96	2.86	2.86	2.88	2.79	3.36	2.92	2.90	2.88	2.89	2.94
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_HCH_5320MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.311	0.311	0.311
Power (dBm)	9.98	9.93	9.97	9.86	9.98	10.05	10.26	9.98	9.96	9.88	9.95	9.96
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297
Power (dBm)	6.28	6.26	6.21	6.42	6.22	6.42	6.50	6.22	6.22	6.33	6.31	6.21
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.298	0.297	0.298	0.298	0.297	0.298	0.001	0.297	0.298	0.297	0.298	0.297
Power (dBm)	4.55	4.69	4.67	4.60	4.63	4.64	8.54	4.61	4.63	4.48	4.66	4.49
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.297	0.297	0.297	0.297	0.297	0.297	0.296	0.297	0.297	0.297	0.297	0.297
Power (dBm)	2.59	2.56	2.51	2.58	2.63	2.57	2.83	2.62	2.52	2.51	2.58	2.55
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW80)_MCH_5290MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.001	0.297	0.297	0.297	0.297	0.297	0.298	0.297	0.297	0.297	0.298	0.297
Power (dBm)	8.57	9.43	9.50	9.45	9.51	9.58	9.69	9.50	9.52	9.58	9.43	9.45
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.318	0.318	0.318	0.319	0.319	0.319	0.318	0.318	0.319	0.319
Power (dBm)	6.21	5.95	6.22	5.96	6.20	6.36	6.75	6.35	6.43	6.03	6.12	6.13
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.001	0.319	0.001	0.319	0.001	0.319	0.001	0.002	0.319	0.001	0.001
Power (dBm)	4.22	-5.65	4.48	-5.65	4.55	-5.65	4.83	-5.65	-5.65	4.41	-5.65	-5.65
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_Ant3_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.318	0.318	0.319	0.319	0.319	0.318	0.319	0.319
Power (dBm)	1.97	2.03	2.04	1.99	1.85	2.12	2.44	1.87	1.85	2.05	1.61	1.86
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_HCH_5320MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318
Power (dBm)	9.15	9.27	9.41	9.32	9.17	9.18	9.50	9.21	9.28	9.15	9.36	9.09
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.306	0.305	0.305	0.306	0.305	0.306	0.306	0.305	0.306	0.304	0.306
Power (dBm)	5.92	6.04	5.80	6.01	5.99	5.86	6.31	6.00	5.99	5.96	6.06	5.97
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant2_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.306	0.305	0.306	0.305	0.305	0.001	0.306	0.305	0.306	0.305	0.305
Power (dBm)	4.41	4.33	4.24	4.38	4.30	4.32	8.54	4.35	4.32	4.37	4.37	4.37
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_Ant3_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.304	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
Power (dBm)	-1.84	-1.72	-1.88	-1.71	-1.72	-1.83	-1.44	-1.72	-1.75	-1.74	-1.73	-1.70
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT80)_MCH_5290MHz_SU_/_MIMO_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.305	0.305	0.305	0.305	0.305	0.305	0.306	0.305	0.305	0.305	0.305	0.305
Power (dBm)	8.67	8.61	8.65	8.57	8.66	8.74	8.89	8.57	8.68	8.63	8.55	8.69
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

5. Power Density

5.1 Test Result


5.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	PD (dBm)	E.I.R.PD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NTNV	802.11a	SISO	5180	/	/	1	5.50	0.19	-4.14	1.55	<=10	Pass
						2	5.57	0.19	-5.12	0.64	<=10	Pass
						3	5.99	0.19	-8.20	-2.02	<=10	Pass
			5320	/	/	1	5.50	0.19	-4.49	1.20	<=10	Pass
						2	5.57	0.19	-5.93	-0.17	<=10	Pass
						3	5.99	0.19	-8.20	-2.02	<=10	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	5.50	0.20	-4.85	0.85	<=10	Pass
						2	5.57	0.20	-6.03	-0.26	<=10	Pass
						3	5.99	0.20	-8.62	-2.43	<=10	Pass
						MIMO	5.99	0.20	-1.46	4.73	<=10	Pass
			5320	/	/	1	5.50	0.20	-5.32	0.38	<=10	Pass
						2	5.57	0.20	-7.00	-1.23	<=10	Pass
						3	5.99	0.20	-8.89	-2.70	<=10	Pass
						MIMO	5.99	0.20	-2.06	4.13	<=10	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	5.50	0.20	-6.11	-0.41	<=10	Pass
						2	5.57	0.20	-5.81	-0.04	<=10	Pass
						3	5.99	0.20	-8.64	-2.45	<=10	Pass
						MIMO	5.99	0.20	-1.91	4.28	<=10	Pass
			5320	/	/	1	5.50	0.20	-5.16	0.54	<=10	Pass
						2	5.57	0.20	-7.08	-1.31	<=10	Pass
						3	5.99	0.20	-8.80	-2.61	<=10	Pass
						MIMO	5.99	0.20	-1.99	4.20	<=10	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	1	/	/	/	0.89	<=10	Pass
						2	/	/	/	-0.03	<=10	Pass
						3	/	/	/	-1.63	<=10	Pass
						MIMO	/	/	/	4.78	<=10	Pass
			5320	SU	/	1	/	/	/	1.81	<=10	Pass
						2	/	/	/	-0.07	<=10	Pass
						3	/	/	/	-1.83	<=10	Pass
						MIMO	/	/	/	5.15	<=10	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	/	/	/	0.67	<=10	Pass
						2	/	/	/	-0.36	<=10	Pass
						3	/	/	/	-1.62	<=10	Pass
						MIMO	/	/	/	4.40	<=10	Pass
			5320	SU	/	1	/	/	/	1.67	<=10	Pass
						2	/	/	/	-0.45	<=10	Pass
						3	/	/	/	-2.60	<=10	Pass
						MIMO	/	/	/	4.67	<=10	Pass


Note1: E.I.R.PD = PD + Antenna Gain + DCCF

5.2 Test Graph


5.2.1 PSD




802.11a_LCH_5180MHz_Ant3_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant2_NTNV




802.11a_HCH_5320MHz_Ant3_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_Ant3_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant2_NTNV




802.11n(HT20)_HCH_5320MHz_Ant3_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant3_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant3_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant3_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant3_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_Ant2_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_Ant3_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_HCH_5320MHz_SU_/_Ant2_NTNV



802.11be(EHT20)_HCH_5320MHz_SU_/_Ant3_NTNV



802.11be(EHT20)_HCH_5320MHz_SU_/_MIMO_NTNV



6. Transmitter Unwanted Emissions Outside The 5 GHz RLAN Bands


6.1 Test Result

6.1.1 TxSe


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	5180	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	5190	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	5210	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	5250	SU	/	MIMO	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 TxSe




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV



802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	703.700	-58.12	-69.67	-54	Pass
30	1000	0.1	0.3	778.700	-58.04	-69.19	-54	Pass
30	1000	0.1	0.3	806.300	-58.21	-69.26	-54	Pass
30	1000	0.1	0.3	832.500	-57.62	-69.26	-54	Pass
30	1000	0.1	0.3	850.700	-58.28	-69.23	-54	Pass
1000	26000	1	3	25974.000	-38.49	/	-30	Pass


802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV



802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	110.000	-68.03	/	-54	Pass
1000	26000	1	3	25991.000	-48.37	/	-30	Pass

802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	110.000	-66.03	/	-54	Pass
1000	26000	1	3	5801.000	-45.50	/	-30	Pass

7. Transmitter Unwanted Emissions Within The 5 GHz RLAN Bands

7.1 Test Result


7.1.1 Mask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11a	SISO	5180	/	/	1	Refer To Test Graph		Pass
			5320	/	/	1	Refer To Test Graph		Pass
	802.11n (HT20)	MIMO	5180	/	/	1	Refer To Test Graph		Pass
			5320	/	/	1	Refer To Test Graph		Pass
	802.11n (HT40)	MIMO	5190	/	/	1	Refer To Test Graph		Pass
			5310	/	/	1	Refer To Test Graph		Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	Refer To Test Graph		Pass
			5320	/	/	1	Refer To Test Graph		Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	Refer To Test Graph		Pass
			5310	/	/	1	Refer To Test Graph		Pass
	802.11ac (VHT80)	MIMO	5210	/	/	1	Refer To Test Graph		Pass
			5290	/	/	1	Refer To Test Graph		Pass
	802.11ac (VHT160)	MIMO	5250	/	/	1	Refer To Test Graph		Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	1	Refer To Test Graph		Pass
			5320	SU	/	1	Refer To Test Graph		Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	1	Refer To Test Graph		Pass
			5310	SU	/	1	Refer To Test Graph		Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	1	Refer To Test Graph		Pass
			5290	SU	/	1	Refer To Test Graph		Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	1	Refer To Test Graph		Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	Refer To Test Graph		Pass
			5320	SU	/	1	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	5190	SU	/	1	Refer To Test Graph		Pass
			5310	SU	/	1	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	Refer To Test Graph		Pass
			5290	SU	/	1	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	Refer To Test Graph		Pass


7.2 Test Graph

7.2.1 Mask


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT160)_MCH_5250MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU / _Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV




802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant1_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_HCH_5320MHz_SU_/_Ant1_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_Ant1_NTNV




802.11be(EHT40)_HCH_5310MHz_SU_/_Ant1_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_Ant1_NTNV



802.11be(EHT80)_MCH_5290MHz_SU_/_Ant1_NTNV



802.11be(EHT160)_MCH_5250MHz_SU_/_Ant1_NTNV



8. Receiver Spurious Emissions

8.1 Test Result


8.1.1 RxSe

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	5180	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	5190	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	5210	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	5250	SU	/	MIMO	Refer To Test Graph		Pass

8.2 Test Graph


8.2.1 RxSe

802.11be(EHT20)_LCH_5180MHz_SU / MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	110.000	-66.06	-	-57	Pass
1000	26000	1	3	25144.000	-49.00	-54.00	-47	Pass
1000	26000	1	3	25560.000	-49.20	-54.32	-47	Pass
1000	26000	1	3	25773.000	-48.69	-53.27	-47	Pass
1000	26000	1	3	25895.000	-48.64	-52.53	-47	Pass
1000	26000	1	3	25980.000	-48.46	-53.07	-47	Pass


802.11be(EHT20)_LCH_5180MHz_SU / MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV



802.11be(EHT20)_LCH_5180MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	110.000	-65.97	-	-57	Pass
1000	26000	1	3	24135.000	-49.49	-53.89	-47	Pass
1000	26000	1	3	25171.000	-49.49	-54.69	-47	Pass
1000	26000	1	3	25535.000	-49.09	-53.96	-47	Pass
1000	26000	1	3	25784.000	-48.25	-54.09	-47	Pass
1000	26000	1	3	25941.000	-48.49	-54.29	-47	Pass


802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_LCH_5190MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5210MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV




802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV



802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV



802.11be(EHT160)_MCH_5250MHz_SU_/_MIMO_NTNV



9. Adaptivity (Channel Access Mechanism)

9.1 Test Result

9.1.1 COT

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Priority Class	Max COT			Verdict
								Points	Result (ms)	Limit (ms)	
NTNV	802.11a	SISO	5180	/	/	1	2	865	0.865	<=6	Pass

9.1.2 Idle

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Priority Class	Idle Period Probability		Verdict
								Result	Limit	
NTNV	802.11a	SISO	5180	/	/	1	2	Refer To Test Graph		Pass


9.1.3 Adaptivity

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Interference Signal			Max. Short Control Signal				Verdict
							Type	Add Time (s)	Level (dBm/MHz)	Num (n)	Limit (n)	Time (ms)	Limit (ms)	
NTNV	802.11a	SISO	5180	/	/	1	LTE	1.16	-70.07	0	<=50	0.000	<=2.5	Pass
							OFDM	1.16	-70.07	0	<=50	0.000	<=2.5	Pass
							AWGN	1.16	-70.07	0	<=50	0.000	<=2.5	Pass


9.2 Test Graph

9.2.1 COT


802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_LCH_5180MHz_Ant1_NTNV




9.2.2 Idle

802.11a_LCH_5180MHz_Ant1_NTNV




9.2.3 Adaptivity


802.11a_LCH_5180MHz_Ant1_LTE_NTNV




802.11a_LCH_5180MHz_Ant1_LTE_NTNV




802.11a_LCH_5180MHz_Ant1_OFDM_NTNV




802.11a_LCH_5180MHz_Ant1_OFDM_NTNV



802.11a_LCH_5180MHz_Ant1_AWGN_NTNV



802.11a_LCH_5180MHz_Ant1_AWGN_NTNV



10. Receiver Blocking

10.1 Test Result

10.1.1 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	Pmin (dBm)	Wanted signal level (dBm)	Blocking Signal		PER (%)	Limit (%)	Verdict
						Frequency (MHz)	Power (dBm)			
NTNV	802.11a	SISO	5180	-74.32	-68.32	4900	-47	2.22	<=10	Pass
						5000	-47	2.36	<=10	Pass
						5100	-53	2.69	<=10	Pass
						5975	-47	3.22	<=10	Pass