



RF Test Report

For

Applicant name: SHENZHEN TENDA TECHNOLOGY CO., LTD.
Address: 6-8 Floor, Tower E3, No. 1001, Zhongshanyuan Road, Nanshan District, Shenzhen, China. 518052
EUT name: BE5010 Dual-band Wi-Fi 7 Ceiling Access Point
Brand name: Tenda
Model number: i36
Series model number: N/A

Issued By

Company name: BTF Testing Lab (Shenzhen) Co., Ltd.
Address: 101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Report number: BTF250603R01102
Test standards: ETSI EN 300 328 V2.2.2 (2019-07)
Test conclusion: Pass

Date of sample receipt: 2025-06-03
Test date: 2025-06-04 to 2025-08-15
Date of issue: 2025-08-27

Prepared by:

Chris Liu / Project engineer



Ryan.CJ / EMC Manager

Note: All the test results in this report only related to the testing samples. Which can be duplicated completely for the legal use with approval of applicant; it shall not be reproduced except in full without the written approval of BTF Testing Lab (Shenzhen) Co., Ltd., All the objections should be raised within thirty days from the date of issue. To validate the report, you can contact us.

Revision History		
Version	Issue Date	Revisions Content
R_V0	2025-08-27	Original
<i>Note:</i> <i>Once the revision has been made, then previous versions reports are invalid.</i>		

Table of Contents

1 Introduction	4
1.1 Laboratory Location	4
1.2 Laboratory Facility	4
1.3 Announcement	4
2 Product Information	5
2.1 Application Information	5
2.2 Manufacturer Information	5
2.3 Factory Information	5
2.4 General Description of Equipment under Test (EUT)	5
2.5 Technical Information	6
3 Summary of Test Results	7
3.1 Test Standards	7
3.2 Uncertainty of Test	7
3.3 Summary of Test Result	7
3.4 Additions to, deviations, or exclusions from the method	8
4 Test Configuration	9
4.1 Test Equipment List	9
4.2 Test Auxiliary Equipment	10
4.3 Environment Condition	10
4.4 Test Modes	10
4.5 Test Channel of EUT	10
5 Radio Spectrum Matter Test Results (RF)	12
5.1 RF Power	12
5.1.1 Test Data	12
5.2 Power Spectral Density	13
5.2.1 Test Data	13
5.3 Adaptivity (Channel access mechanism)	14
5.3.1 Test Data	14
5.4 Occupied Channel Bandwidth	15
5.4.1 Test Data	15
5.5 Transmitter unwanted emissions in the out-of-band domain	16
5.5.1 Test Data	16
5.6 Transmitter unwanted emissions in the spurious domain, conducted	17
5.6.1 Test Data	17
5.7 Receiver spurious emissions, conducted	18
5.7.1 Test Data	18
5.8 Transmitter unwanted emissions in the spurious domain	19
5.8.1 Test Data	20
5.9 Receiver spurious emissions	22
5.9.1 Test Data	23
5.10 Receiver Blocking	24
5.10.1 Test Data	24
6 Test Setup Photos	25
7 EUT Constructional Details (EUT Photos)	26
Appendix	27

1 Introduction

1.1 Laboratory Location

Test location:	BTF Testing Lab (Shenzhen) Co., Ltd.
Address:	101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China
Phone number:	+86-0755-23146130
Fax number:	+86-0755-23146130

1.2 Laboratory Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **FCC - Designation No.: CN1409**
BTF Testing Lab (Shenzhen) Co., Ltd. has been accredited as a testing laboratory by FCC (Federal Communications Commission). The test firm Registration No. is 695374.
- **CNAS - Registration No.: CNAS L17568**
BTF Testing Lab (Shenzhen) Co., Ltd. is accredited to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration laboratories for the competence of testing. The Registration No. is CNAS L17568.
- **A2LA - Registration No.: 6660.01**
BTF Testing Lab (Shenzhen) Co., Ltd. is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories.

1.3 Announcement

- (1) The test report reference to the report template version v0.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing, reviewing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) This document may not be altered or revised in any way unless done so by BTF and all revisions are duly noted in the revisions section.
- (5) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (6) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.
- (7) All entrusted information in this report is provided by the client and has been confirmed through consultation with the client; The testing items for this report have been discussed and confirmed with the client, and our company is only responsible for the content reflected in the report.

2 Product Information

2.1 Application Information

Company name:	SHENZHEN TENDA TECHNOLOGY CO., LTD.
Address:	6-8 Floor, Tower E3, No. 1001, Zhongshanyuan Road, Nanshan District, Shenzhen, China. 518052

2.2 Manufacturer Information

Company name:	SHENZHEN TENDA TECHNOLOGY CO., LTD.
Address:	6-8 Floor, Tower E3, No. 1001, Zhongshanyuan Road, Nanshan District, Shenzhen, China. 518052

2.3 General Description of Equipment under Test (EUT)

EUT name:	BE5010 Dual-band Wi-Fi 7 Ceiling Access Point
Under test model name:	i36
Series model name:	N/A
Description of model name differentiation:	N/A
Hardware version:	N/A
Software version:	N/A
Ratings:	Power:48V 800mA from adapter Adapter: MODLE:BN017-A38048E INPUT:100-240V~ 50/60Hz 1.0A OUTPUT:48V 800mA

2.4 Technical Information

Operation Frequency:	802.11b/g/n(HT20)/ ax(HE20)/be(ETH20): 2412MHz to 2472MHz; 802.11n(HT40) /ax(HE40)/be(ETH40): 2422MHz to 2462MHz
Channel numbers:	802.11b/g/n(HT20) /ax(HE20)/be(ETH20): 13; 802.11n(HT40)/ax(HE40)/be(ETH40): 9
Channel separation:	5MHz
Modulation technology:	802.11b: DSSS(CCK, DBPSK, DQPSK); 802.11g: OFDM(BPSK, QPSK, 16QAM, 64QAM); 802.11n(HT20 and HT40): OFDM (BPSK, QPSK, 16QAM, 64QAM) 802.11ax: OFDMA (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM) 802.11be: OFDMA (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM, 4096QAM)
Max. E.I.R.P Power:	19.01dBm
Antenna type:	Internal Antenna
Antenna gain:	ANT1:5.26dBi, ANT2:4.45dBi
Antenna transmit mode:	MIMO (2TX, 2RX)

Channel List:

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
1	2412	6	2437	11	2462
2	2417	7	2442	12	2467
3	2422	8	2447	13	2472
4	2427	9	2452	/	/
5	2432	10	2457	/	/

3 Summary of Test Results

3.1 Test Standards

The tests were performed according to following standards:

ETSI EN 300 328 V2.2.2 (2019-07): Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum

3.2 Uncertainty of Test

Measurement	Value
Occupied Channel Bandwidth	±5 %
RF output power, conducted	±1.5 dB
Power Spectral Density, conducted	±3.0 dB
Unwanted Emissions, conducted	±3.0 dB
Temperature	±3 °C
Supply voltages	±3 %
Time	±5 %
Radiated Emission (30MHz ~ 1000MHz)	±4.80 dB
Radiated Emission (1GHz ~ 18GHz)	±4.82 dB

The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

3.3 Summary of Test Result

Item	Standard	Requirement	Result
RF Power	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.2.1	Pass
Power Spectral Density	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.3.1	Pass
Adaptivity (Channel access mechanism)	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.6.1	Pass
Occupied Channel Bandwidth	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.7.1	Pass
Transmitter unwanted emissions in the out-of-band domain	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.8.1	Pass
Transmitter unwanted emissions in the spurious domain, conducted	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.9.1	Pass
Receiver spurious emissions, conducted	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.10.1	Pass
Transmitter unwanted emissions in the spurious domain (30MHz to 1GHz)	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.9.1	Pass
Transmitter unwanted emissions in the spurious domain (above 1GHz)	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.9.1	Pass
Receiver spurious emissions (30MHz to 1GHz)	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.10.1	Pass
Receiver spurious emissions (above 1GHz)	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.10.1	Pass

Receiver Blocking	ETSI EN 300 328 V2.2.2 (2019-07)	Clause 4.3.2.11.1	Pass
Remark: 1. Pass: Meet the requirements. 2. N/A: not applicable.			

3.4 Additions to, deviations, or exclusions from the method

None

4 Test Configuration

4.1 Test Equipment List

Transmitter unwanted emissions in the out-of-band domain Transmitter unwanted emissions in the spurious domain, conducted Receiver spurious emissions, conducted Receiver Blocking RF Power Power Spectral Density Adaptivity (Channel access mechanism) Occupied Channel Bandwidth					
Test Equipment	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
RF Control Unit	Techy	TR1029-1	/	2024-10-25	2025-10-24
RF Sensor Unit	Techy	TR1029-2	/	2024-10-25	2025-10-24
Temperature Humidity Chamber	ZZCKONG	ZZ-K02A	20210928007	2024-10-25	2025-10-24
DC Power Supply	Tongmen	etm-6050c	20211026123	2024-10-25	2025-10-24
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	161997	2024-10-25	2025-10-24
Spectrum Analyzer	Keysight	N9020A	MY50410020	2024-10-25	2025-10-24
ESG Vector Signal Generator	Agilent	E4438C	MY45094854	2024-10-25	2025-10-24
MXG Vector Signal Generator	Agilent	N5182A	MY46240163	2024-10-25	2025-10-24
Test Software	TST Pass	/	Version: 2.0	/	/

Transmitter unwanted emissions in the spurious domain (30MHz to 1GHz) Receiver spurious emissions (30MHz to 1GHz)					
Test Equipment	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
EMI Receiver	Rohde & Schwarz	ESCI7	101032	2024-10-25	2025-10-24
Signal Analyzer	Rohde & Schwarz	FSQ40	100010	2024-10-25	2025-10-24
Log periodic antenna	Schwarzbeck	VULB 9168	01328	2024-10-28	2025-10-27
Preamplifier (30MHz ~ 1GHz)	Schwarzbeck	BBV9744	00246	2024-09-24	2025-09-23
Horn Antenna	Schwarzbeck	BBHA9120D	2597	2024-10-30	2025-10-29
Preamplifier (1GHz ~ 18GHz)	Schwarzbeck	BBV9718D	00008	2024-09-24	2025-09-23
Test Software	Frad	EZ_EMCC	Version: FA-03A2 RE+	/	/

Transmitter unwanted emissions in the spurious domain (above 1GHz) Receiver spurious emissions (above 1GHz)					
Test Equipment	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
EMI Receiver	Rohde & Schwarz	ESCI7	101032	2024-10-25	2025-10-24
Signal Analyzer	Rohde & Schwarz	FSQ40	100010	2024-10-25	2025-10-24
Horn Antenna	Schwarzbeck	BBHA9120D	2597	2024-10-30	2025-10-29
Log periodic antenna	Schwarzbeck	VULB 9168	1328	2024-10-28	2025-10-27
Preamplifier(30MHz ~ 1GHz)	Schwarzbeck	BBV9744	246	2024-09-24	2025-09-23
Preamplifier(1GHz ~ 18GHz)	Schwarzbeck	BBV9718D	8	2024-09-24	2025-09-23
Test Software	Frad	EZ_EMCC	Version: FA-03A2 RE+	/	/

4.2 Test Auxiliary Equipment

The EUT has been tested as an independent unit.

4.3 Environment Condition

ENV	Temperature (°C)	Voltage (VDC)
NTNV	25	48
HTNV	40	48
LTVN	0	48

4.4 Test Modes

No.	Test Modes
TM1	802.11b mode
TM2	802.11g mode
TM3	802.11n(HT20) mode
TM4	802.11n(HT40) mode
TM5	802.11ax(HE20) mode
TM6	802.11ax(HE40) mode
TM7	Receiving mode (20MHz)
TM8	Receiving mode (40MHz)
TM9	Normal mode (802.11b)
TM10	Normal mode (802.11g)
TM11	Normal mode (802.11n(HT20))
TM12	Normal mode (802.11n(HT40))

4.5 Test Channel of EUT


Operation Band: 1

Bandwidth	Lowest Channel (LCH)	Middle Channel (MCH)	Highest Channel (HCH)
-----------	----------------------	----------------------	-----------------------

(MHz)	(MHz)	(MHz)	(MHz)
20	2412	2442	2472
40	2422	2442	2462

5 Radio Spectrum Matter Test Results (RF)


5.1 RF Power

Test Requirement:	Clause 4.3.2.2.1
Test Method:	Clause 5.4.2.2.1
Test Limit:	<=20dBm
Procedure:	Clause 5.4.2.2.1.2
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.1.1 Test Data

Please Refer to Appendix for Details.


5.2 Power Spectral Density

Test Requirement:	Clause 4.3.2.3.1
Test Method:	Clause 5.4.3.2.1
Test Limit:	$\leq 10\text{dBm/MHz}$
Procedure:	Clause 5.4.3.2.1
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.2.1 Test Data

Please Refer to Appendix for Details.


5.3 Adaptivity (Channel access mechanism)

Test Requirement:	Clause 4.3.2.6.1
Test Method:	Clause 5.4.6.2.1.4
Test Limit:	Clause 4.3.2.6.3.2.3
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.3.1 Test Data

Please Refer to Appendix for Details.


5.4 Occupied Channel Bandwidth

Test Requirement:	Clause 4.3.2.7.1
Test Method:	Clause 5.4.7.2.1
Test Limit:	Clause 4.3.2.7.3
Procedure:	Clause 5.4.7.2
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.4.1 Test Data

Please Refer to Appendix for Details.


5.5 Transmitter unwanted emissions in the out-of-band domain

Test Requirement:	Clause 4.3.2.8.1
Test Method:	Clause 5.4.8.2.1
Test Limit:	Clause 4.3.2.8.3
Procedure:	Clause 5.4.8.2.1
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.5.1 Test Data

Please Refer to Appendix for Details.


5.6 Transmitter unwanted emissions in the spurious domain, conducted

Test Requirement:	Clause 4.3.2.9.1
Test Method:	Clause 5.4.9.2.1
Test Limit:	Clause 4.3.2.9.3
Procedure:	Clause 5.4.9.2.1
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.6.1 Test Data

Please Refer to Appendix for Details.


5.7 Receiver spurious emissions, conducted

Test Requirement:	Clause 4.3.2.10.1
Test Method:	Clause 5.4.10.2.1
Test Limit:	Clause 4.3.2.10.3
Procedure:	Clause 5.4.10.2.1
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.7.1 Test Data

Please Refer to Appendix for Details.

5.8 Transmitter unwanted emissions in the spurious domain

Test Requirement:	Clause 4.3.2.9.1
Test Method:	Clause 5.4.9.2.2
Test Limit:	Clause 4.3.2.9.3
Procedure:	Clause 5.4.9.2.2
Test Setup:	 The diagrams illustrate the test setup for transmitter unwanted emissions in the spurious domain. The top diagram shows a turntable with an EUT (Equipment Under Test) at a height of 80cm, a reference ground plane, and a receiver/preamplifier setup at a distance of 3m and a height of 1-4m. The bottom diagram shows a similar setup but with the EUT at a height of 1.5cm.
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.8.1 Test Data

Note: All the mode have been tested, and only the worst case of 802.11b mode are in the report.

TM1 / Polarization: Horizontal / BW: 20 / CH: L

802.11b mode Lowest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
531.84	Horizontal	-65.34	-54.00	PASS
878.58	Horizontal	-59.94	-36.00	
4824.00	Horizontal	-47.36	-30.00	
7236.00	Horizontal	-49.90	-30.00	

TM1 / Polarization: Vertical / BW: 20 / CH: L

802.11b mode Lowest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
635.84	Vertical	-66.01	-54.00	PASS
864.57	Vertical	-58.04	-36.00	
4824.00	Vertical	-46.90	-30.00	
7236.00	Vertical	-49.30	-30.00	


TM1 / Polarization: Horizontal / BW: 20 / CH: H

802.11b mode Highest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
522.39	Horizontal	-66.47	-54.00	PASS
869.13	Horizontal	-61.07	-36.00	
4944.00	Horizontal	-48.49	-30.00	
7416.00	Horizontal	-51.03	-30.00	

TM1 / Polarization: Vertical / BW: 20 / CH: H

802.11b mode Highest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
626.39	Vertical	-67.14	-54.00	PASS
855.12	Vertical	-59.17	-36.00	
4944.00	Vertical	-48.03	-30.00	
7416.00	Vertical	-50.43	-30.00	

5.9 Receiver spurious emissions

Test Requirement:	Clause 4.3.2.10.1
Test Method:	Clause 5.4.10.2.2
Test Limit:	Clause 4.3.2.10.3
Procedure:	Clause 5.4.10.2.2
Test Setup:	
Operating Environment:	
Temperature:	23.2 °C
Humidity:	48.5 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.9.1 Test Data

Note: All the mode have been tested, and only the worst case of 802.11g mode are in the report.


TM7 / Polarization: Horizontal / BW: 20 / CH: L				
802.11g mode Lowest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
210.55	Horizontal	-65.35	-57.00	PASS
700.59	Horizontal	-63.28	-57.00	
4824.00	Horizontal	-59.35	-47.00	
7236.00	Horizontal	-56.35	-47.00	

TM7 / Polarization: Vertical / BW: 20 / CH: L				
802.11g mode Lowest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
186.92	Vertical	-66.28	-57.00	PASS
686.85	Vertical	-62.38	-57.00	
4824.00	Vertical	-60.35	-47.00	
7236.00	Vertical	-55.65	-47.00	

TM7 / Polarization: Horizontal / BW: 20 / CH: H				
802.11g mode Highest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
308.54	Horizontal	-66.41	-57.00	PASS
798.58	Horizontal	-64.34	-57.00	
4824.00	Horizontal	-60.41	-47.00	
7236.00	Horizontal	-57.41	-47.00	

TM7 / Polarization: Vertical / BW: 20 / CH: H				
802.11g mode Highest channel				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Test Result
	Polarization	Level(dBm)		
284.91	Vertical	-67.34	-57.00	PASS
784.84	Vertical	-63.44	-57.00	
4824.00	Vertical	-61.41	-47.00	
7236.00	Vertical	-56.71	-47.00	

5.10 Receiver Blocking

Test Requirement:	Clause 4.3.2.11.1
Test Method:	Clause 5.4.11.2.1
Test Limit:	Clause 4.3.2.11.4
Procedure:	Clause 5.4.11.2.1
Test Setup:	
Operating Environment:	
Temperature:	25.2 °C
Humidity:	52.3 %
Atmospheric Pressure:	1010 mbar
Test voltage:	AC 230V 50Hz

5.10.1 Test Data

Please Refer to Appendix for Details.

6 Test Setup Photos

Transmitter unwanted emissions in the spurious domain (30MHz to 1GHz)
Receiver spurious emissions (30MHz to 1GHz)



Transmitter unwanted emissions in the spurious domain (above 1GHz)
Receiver spurious emissions (above 1GHz)



7 EUT Constructional Details (EUT Photos)

Please refer to BTF250603R01101.

Appendix

1. RF Output Power, Duty Cycle, Tx-sequence, Tx-gap, Medium Utilization

1.1 Test Result

1.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
NTNV	802.11b	SISO	2412	/	/	1	5.26	11.71	16.97	<=20	Pass
						2	4.45	11.17	15.62	<=20	Pass
			2442	/	/	1	5.26	11.90	17.16	<=20	Pass
						2	4.45	11.38	15.83	<=20	Pass
			2472	/	/	1	5.26	11.34	16.60	<=20	Pass
						2	4.45	10.97	15.42	<=20	Pass
	802.11g	SISO	2412	/	/	1	5.26	11.16	16.42	<=20	Pass
						2	4.45	10.52	14.97	<=20	Pass
			2442	/	/	1	5.26	11.05	16.31	<=20	Pass
						2	4.45	10.50	14.95	<=20	Pass
			2472	/	/	1	5.26	10.78	16.04	<=20	Pass
						2	4.45	10.28	14.73	<=20	Pass
	802.11n (HT20)	MIMO	2412	/	/	1	5.26	10.41	15.67	<=20	Pass
						2	4.45	9.75	14.20	<=20	Pass
						MIMO	5.26	13.04	18.30	<=20	Pass
			2442	/	/	1	5.26	10.20	15.46	<=20	Pass
						2	4.45	9.71	14.16	<=20	Pass
						MIMO	5.26	12.86	18.12	<=20	Pass
			2472	/	/	1	5.26	9.92	15.18	<=20	Pass
						2	4.45	9.36	13.81	<=20	Pass
						MIMO	5.26	12.61	17.87	<=20	Pass
			2422	/	/	1	5.26	10.07	15.33	<=20	Pass
						2	4.45	9.62	14.07	<=20	Pass
						MIMO	5.26	12.83	18.09	<=20	Pass
	802.11n (HT40)	MIMO	2442	/	/	1	5.26	9.97	15.23	<=20	Pass
						2	4.45	9.48	13.93	<=20	Pass
						MIMO	5.26	12.68	17.94	<=20	Pass
			2462	/	/	1	5.26	9.71	14.97	<=20	Pass
						2	4.45	9.34	13.79	<=20	Pass
						MIMO	5.26	12.46	17.72	<=20	Pass
			2412	SU	/	1	5.26	10.66	15.92	<=20	Pass
						2	4.45	9.93	14.38	<=20	Pass
						MIMO	5.26	13.19	18.45	<=20	Pass
	802.11ax (HEW20)	MIMO	2442	SU	/	1	5.26	10.36	15.62	<=20	Pass
						2	4.45	9.91	14.36	<=20	Pass
						MIMO	5.26	12.97	18.23	<=20	Pass
			2472	SU	/	1	5.26	10.17	15.43	<=20	Pass
						2	4.45	9.58	14.03	<=20	Pass
						MIMO	5.26	12.71	17.97	<=20	Pass
			2422	SU	/	1	5.26	10.13	15.39	<=20	Pass
						2	4.45	9.71	14.16	<=20	Pass
						MIMO	5.26	12.76	18.02	<=20	Pass
	802.11ax (HEW40)	MIMO	2442	SU	/	1	5.26	10.11	15.37	<=20	Pass
						2	4.45	9.53	13.98	<=20	Pass
						MIMO	5.26	12.73	17.99	<=20	Pass
			2462	SU	/	1	5.26	10.02	15.28	<=20	Pass

						2	4.45	9.54	13.99	<=20	Pass	
						MIMO	5.26	12.68	17.94	<=20	Pass	
	802.11be (EHT20)	MIMO	2412	SU	/	1	5.26	11.30	16.56	<=20	Pass	
						2	4.45	10.51	14.96	<=20	Pass	
						MIMO	5.26	13.75	19.01	<=20	Pass	
			2442	SU	/	1	5.26	10.90	16.16	<=20	Pass	
						2	4.45	10.35	14.80	<=20	Pass	
						MIMO	5.26	13.50	18.76	<=20	Pass	
			2472	SU	/	1	5.26	10.78	16.04	<=20	Pass	
						2	4.45	9.95	14.40	<=20	Pass	
						MIMO	5.26	13.13	18.39	<=20	Pass	
	802.11be (EHT40)	MIMO	2422	SU	/	1	5.26	10.35	15.61	<=20	Pass	
						2	4.45	9.59	14.04	<=20	Pass	
						MIMO	5.26	12.87	18.13	<=20	Pass	
			2442	SU	/	1	5.26	10.18	15.44	<=20	Pass	
						2	4.45	9.35	13.80	<=20	Pass	
						MIMO	5.26	12.64	17.90	<=20	Pass	
			2462	SU	/	1	5.26	10.05	15.31	<=20	Pass	
						2	4.45	9.29	13.74	<=20	Pass	
						MIMO	5.26	12.52	17.78	<=20	Pass	
	HTNV	802.11b	SISO	2412	/	/	1	5.26	11.72	16.98	<=20	Pass
							2	4.45	11.12	15.57	<=20	Pass
				2442	/	/	1	5.26	11.89	17.15	<=20	Pass
							2	4.45	11.37	15.82	<=20	Pass
				2472	/	/	1	5.26	11.36	16.62	<=20	Pass
							2	4.45	10.94	15.39	<=20	Pass
		802.11g	SISO	2412	/	/	1	5.26	11.15	16.41	<=20	Pass
							2	4.45	10.55	15.00	<=20	Pass
2442				/	/	1	5.26	11.03	16.29	<=20	Pass	
						2	4.45	10.51	14.96	<=20	Pass	
2472				/	/	1	5.26	10.70	15.96	<=20	Pass	
						2	4.45	10.25	14.70	<=20	Pass	
802.11n (HT20)		MIMO	2412	/	/	1	5.26	10.42	15.68	<=20	Pass	
						2	4.45	9.66	14.11	<=20	Pass	
						MIMO	5.26	12.99	18.25	<=20	Pass	
			2442	/	/	1	5.26	10.22	15.48	<=20	Pass	
						2	4.45	9.60	14.05	<=20	Pass	
						MIMO	5.26	12.84	18.10	<=20	Pass	
			2472	/	/	1	5.26	9.93	15.19	<=20	Pass	
						2	4.45	9.38	13.83	<=20	Pass	
						MIMO	5.26	12.59	17.85	<=20	Pass	
802.11n (HT40)		MIMO	2422	/	/	1	5.26	10.08	15.34	<=20	Pass	
						2	4.45	9.63	14.08	<=20	Pass	
						MIMO	5.26	12.77	18.03	<=20	Pass	
			2442	/	/	1	5.26	9.97	15.23	<=20	Pass	
						2	4.45	9.49	13.94	<=20	Pass	
						MIMO	5.26	12.64	17.90	<=20	Pass	
			2462	/	/	1	5.26	9.74	15.00	<=20	Pass	
	2					4.45	9.34	13.79	<=20	Pass		
	MIMO					5.26	12.45	17.71	<=20	Pass		
802.11ax (HEW20)	MIMO	2412	SU	/	1	5.26	10.63	15.89	<=20	Pass		
					2	4.45	9.95	14.40	<=20	Pass		
					MIMO	5.26	13.16	18.42	<=20	Pass		
		2442	SU	/	1	5.26	10.47	15.73	<=20	Pass		
					2	4.45	9.91	14.36	<=20	Pass		
					MIMO	5.26	12.97	18.23	<=20	Pass		
						1	5.26	10.13	15.39	<=20	Pass	


LTNV	802.11ax (HEW40)	MIMO	2422	SU	/	2	4.45	9.54	13.99	<=20	Pass
						MIMO	5.26	12.70	17.96	<=20	Pass
						1	5.26	10.14	15.40	<=20	Pass
	802.11ax (HEW40)	MIMO	2442	SU	/	2	4.45	9.59	14.04	<=20	Pass
						MIMO	5.26	12.77	18.03	<=20	Pass
						1	5.26	10.12	15.38	<=20	Pass
	802.11ax (HEW40)	MIMO	2462	SU	/	2	4.45	9.61	14.06	<=20	Pass
						MIMO	5.26	12.71	17.97	<=20	Pass
						1	5.26	10.05	15.31	<=20	Pass
	802.11be (EHT20)	MIMO	2412	SU	/	2	4.45	10.45	14.90	<=20	Pass
						MIMO	5.26	13.72	18.98	<=20	Pass
						1	5.26	10.87	16.13	<=20	Pass
	802.11be (EHT20)	MIMO	2442	SU	/	2	4.45	10.34	14.79	<=20	Pass
						MIMO	5.26	13.48	18.74	<=20	Pass
						1	5.26	10.72	15.98	<=20	Pass
	802.11be (EHT20)	MIMO	2472	SU	/	2	4.45	10.04	14.49	<=20	Pass
						MIMO	5.26	13.22	18.48	<=20	Pass
						1	5.26	10.34	15.60	<=20	Pass
	802.11be (EHT40)	MIMO	2422	SU	/	2	4.45	9.60	14.05	<=20	Pass
						MIMO	5.26	12.85	18.11	<=20	Pass
						1	5.26	10.15	15.41	<=20	Pass
	802.11be (EHT40)	MIMO	2442	SU	/	2	4.45	9.41	13.86	<=20	Pass
						MIMO	5.26	12.62	17.88	<=20	Pass
						1	5.26	9.97	15.23	<=20	Pass
	802.11be (EHT40)	MIMO	2462	SU	/	2	4.45	9.26	13.71	<=20	Pass
						MIMO	5.26	12.50	17.76	<=20	Pass
						1	5.26	11.72	16.98	<=20	Pass
	802.11b	SISO	2412	/	/	2	4.45	11.14	15.59	<=20	Pass
						1	5.26	11.88	17.14	<=20	Pass
						2	4.45	11.37	15.82	<=20	Pass
	802.11g	SISO	2442	/	/	1	5.26	11.36	16.62	<=20	Pass
						2	4.45	10.96	15.41	<=20	Pass
						1	5.26	11.19	16.45	<=20	Pass
	802.11g	SISO	2412	/	/	2	4.45	10.51	14.96	<=20	Pass
						1	5.26	11.03	16.29	<=20	Pass
						2	4.45	10.52	14.97	<=20	Pass
	802.11n (HT20)	MIMO	2442	/	/	1	5.26	10.75	16.01	<=20	Pass
						2	4.45	10.26	14.71	<=20	Pass
						1	5.26	10.40	15.66	<=20	Pass
	802.11n (HT20)	MIMO	2412	/	/	2	4.45	9.72	14.17	<=20	Pass
						MIMO	5.26	13.01	18.27	<=20	Pass
						1	5.26	10.21	15.47	<=20	Pass
	802.11n (HT20)	MIMO	2442	/	/	2	4.45	9.64	14.09	<=20	Pass
						MIMO	5.26	12.84	18.10	<=20	Pass
						1	5.26	9.90	15.16	<=20	Pass
	802.11n (HT40)	MIMO	2472	/	/	2	4.45	9.36	13.81	<=20	Pass
						MIMO	5.26	12.59	17.85	<=20	Pass
						1	5.26	10.11	15.37	<=20	Pass
	802.11n (HT40)	MIMO	2422	/	/	2	4.45	9.59	14.04	<=20	Pass
						MIMO	5.26	12.80	18.06	<=20	Pass
						1	5.26	9.97	15.23	<=20	Pass
	802.11n (HT40)	MIMO	2442	/	/	2	4.45	9.43	13.88	<=20	Pass
						MIMO	5.26	12.66	17.92	<=20	Pass
						1	5.26	9.75	15.01	<=20	Pass

						2	4.45	9.38	13.83	<=20	Pass
						MIMO	5.26	12.46	17.72	<=20	Pass
	802.11ax (HEW20)	MIMO	2412	SU	/	1	5.26	10.67	15.93	<=20	Pass
						2	4.45	9.88	14.33	<=20	Pass
						MIMO	5.26	13.15	18.41	<=20	Pass
			2442	SU	/	1	5.26	10.46	15.72	<=20	Pass
						2	4.45	9.85	14.30	<=20	Pass
						MIMO	5.26	12.95	18.21	<=20	Pass
			2472	SU	/	1	5.26	10.19	15.45	<=20	Pass
						2	4.45	9.54	13.99	<=20	Pass
						MIMO	5.26	12.71	17.97	<=20	Pass
	802.11ax (HEW40)	MIMO	2422	SU	/	1	5.26	10.16	15.42	<=20	Pass
						2	4.45	9.73	14.18	<=20	Pass
						MIMO	5.26	12.73	17.99	<=20	Pass
			2442	SU	/	1	5.26	10.13	15.39	<=20	Pass
						2	4.45	9.60	14.05	<=20	Pass
						MIMO	5.26	12.71	17.97	<=20	Pass
			2462	SU	/	1	5.26	10.04	15.30	<=20	Pass
						2	4.45	9.48	13.93	<=20	Pass
						MIMO	5.26	12.70	17.96	<=20	Pass
	802.11be (EHT20)	MIMO	2412	SU	/	1	5.26	11.24	16.50	<=20	Pass
						2	4.45	10.51	14.96	<=20	Pass
						MIMO	5.26	13.70	18.96	<=20	Pass
			2442	SU	/	1	5.26	10.85	16.11	<=20	Pass
						2	4.45	10.31	14.76	<=20	Pass
						MIMO	5.26	13.43	18.69	<=20	Pass
			2472	SU	/	1	5.26	10.74	16.00	<=20	Pass
						2	4.45	9.91	14.36	<=20	Pass
						MIMO	5.26	13.18	18.44	<=20	Pass
	802.11be (EHT40)	MIMO	2422	SU	/	1	5.26	10.33	15.59	<=20	Pass
						2	4.45	9.61	14.06	<=20	Pass
						MIMO	5.26	12.82	18.08	<=20	Pass
			2442	SU	/	1	5.26	10.13	15.39	<=20	Pass
						2	4.45	9.37	13.82	<=20	Pass
						MIMO	5.26	12.66	17.92	<=20	Pass
			2462	SU	/	1	5.26	10.02	15.28	<=20	Pass
						2	4.45	9.27	13.72	<=20	Pass
						MIMO	5.26	12.52	17.78	<=20	Pass


Note1: E.I.R.P = Measured Power + Antenna Gain

1.2 Test Graph

1.2.1 Power




802.11b_2442MHz_Ant1 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.383	8.384	8.383	8.384	8.384	8.383	8.384	8.383	8.383	8.383
Power (dBm)	11.90	11.90	11.90	11.90	11.90	11.90	11.90	11.90	11.90	11.90	11.89	11.89
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2442MHz_Ant2 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.384	8.383
Power (dBm)	11.37	11.38	11.38	11.38	11.38	11.38	11.38	11.38	11.38	11.38	11.38	11.38
Remark	/	/	/	/	/	/	/	/	Max	/	/	/

802.11b_2472MHz_Ant1 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.383	8.383	8.384	8.384	8.383	8.384	8.383	8.383	8.384	8.383
Power (dBm)	11.34	11.34	11.34	11.34	11.34	11.33	11.34	11.33	11.33	11.33	11.33	11.34
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2472MHz_Ant2 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.383	8.383	8.384	8.384	8.383	8.384	8.383	8.383	8.383	8.383
Power (dBm)	10.97	10.96	10.96	10.96	10.97	10.97	10.97	10.97	10.96	10.97	10.96	10.97
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2412MHz_Ant1 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.393	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392
Power (dBm)	10.88	10.95	10.96	10.69	11.01	10.93	11.16	10.96	10.92	10.99	10.95	10.88
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2412MHz_Ant2 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.392
Power (dBm)	10.18	10.20	10.25	10.28	10.26	10.14	10.52	10.24	10.35	10.39	10.33	10.27
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2442MHz_Ant1 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.393	1.392	1.393	1.393	1.393	1.392	1.392
Power (dBm)	10.80	10.93	10.78	10.86	10.72	10.65	11.05	10.77	10.89	10.95	10.87	10.70
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2442MHz_Ant2 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.393	1.392	1.393
Power (dBm)	10.32	10.13	10.34	10.38	10.30	10.18	10.50	10.23	10.18	10.25	10.14	10.32
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2472MHz_Ant1 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393
Power (dBm)	10.43	10.27	10.53	10.47	10.48	10.48	10.78	10.42	10.57	10.55	10.38	10.48
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2472MHz_Ant2 (SISO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392
Power (dBm)	9.95	10.01	10.01	10.10	10.06	9.94	10.28	10.19	9.99	10.10	10.11	9.94
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.308	1.308	1.308	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.309
Power (dBm)	10.26	10.14	10.16	10.15	10.25	10.15	10.41	10.24	10.35	10.13	10.23	10.25
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.307	1.308	1.308	1.308	1.309
Power (dBm)	9.53	9.45	9.50	9.53	9.60	9.46	9.75	9.52	9.40	9.38	9.49	9.38
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	12.83	12.85	12.85	12.86	12.82	12.90	13.04	12.85	12.87	12.90	12.91	12.90
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.309
Power (dBm)	9.84	9.80	9.96	9.84	9.87	9.95	10.20	9.91	10.06	10.00	9.87	10.01
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.309	1.308
Power (dBm)	9.51	9.52	9.42	9.47	9.37	9.37	9.71	9.39	9.31	9.29	9.33	9.39
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.309	1.308	1.309	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	12.45	12.75	12.56	12.75	12.69	12.74	12.86	12.74	12.70	12.67	12.77	12.63
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.309	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.309	1.308	1.309	1.308
Power (dBm)	9.56	9.81	9.56	9.79	9.76	9.69	9.92	9.80	9.59	9.76	9.64	9.75
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	9.18	9.09	9.11	9.25	9.22	9.14	9.36	9.06	9.11	9.17	9.18	9.11
Remark	/	/	/	/	/	/	Max	/	/	/	/	/


802.11n(HT20)_2472MHz_MIMO_NTNV



802.11n(HT40)_2422MHz_Ant1 (MIMO)_NTNV




802.11n(HT40)_2422MHz_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648
Power (dBm)	9.41	9.38	9.50	9.39	9.16	9.33	9.62	9.40	9.29	9.48	9.51	9.38
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2422MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.649	0.648	0.648	0.649
Power (dBm)	12.61	12.70	12.65	12.68	12.60	12.59	12.83	12.61	12.43	12.73	12.74	12.70
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.649	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648
Power (dBm)	9.63	9.73	9.67	9.72	9.70	9.67	9.97	9.64	9.68	9.75	9.81	9.83
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649
Power (dBm)	9.20	9.33	9.19	9.32	9.23	9.18	9.48	9.20	9.16	9.18	9.17	9.21
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649
Power (dBm)	12.47	12.52	12.51	12.46	12.52	12.47	12.68	12.49	12.45	12.45	12.43	12.48
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.649	0.648	0.649	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648
Power (dBm)	9.47	9.54	9.45	9.53	9.51	9.51	9.71	9.46	9.54	9.45	9.47	9.43
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648
Power (dBm)	8.99	9.11	8.99	9.06	9.00	9.19	9.34	9.07	9.14	9.19	9.06	9.10
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649
Power (dBm)	12.33	12.28	12.27	12.34	12.27	12.27	12.46	12.23	12.30	12.30	12.35	12.15
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	10.07	10.08	10.05	9.82	9.93	10.12	10.66	10.34	10.06	10.13	10.36	10.17
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.310	0.310	0.311	0.311
Power (dBm)	9.47	9.44	9.01	9.67	9.03	9.40	9.93	9.41	9.46	9.30	9.50	9.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310
Power (dBm)	12.69	12.78	12.82	12.77	12.69	12.79	13.19	12.80	12.81	12.72	12.58	12.62
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2442MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310	0.310	0.311	0.311	0.310
Power (dBm)	9.99	9.94	9.91	9.74	9.81	9.91	10.36	10.05	9.87	9.98	9.91	9.70
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2442MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.29	9.37	9.50	9.22	9.02	9.59	9.91	9.25	9.28	9.14	9.30	9.45
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2442MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.310	0.311	0.311	0.310	0.310	0.310	0.311	0.311	0.311
Power (dBm)	12.70	12.45	12.66	12.74	12.56	12.56	12.97	12.75	12.46	12.48	12.61	12.68
Remark	/	/	/	/	/	/	Max	/	/	/	/	/


802.11ax(HEW20)_2472MHz_SU_/_Ant1 (MIMO)_NTNV



802.11ax(HEW20)_2472MHz_SU_/_Ant2 (MIMO)_NTNV




802.11ax(HEW20)_2472MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	12.26	12.30	12.30	12.31	12.48	12.30	12.71	12.43	12.50	12.25	12.45	12.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.51	9.82	9.83	9.57	9.87	9.79	10.13	9.84	9.84	9.84	9.81	9.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.13	8.93	9.21	9.32	9.40	9.27	9.71	9.27	9.33	9.31	9.28	9.11
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.311
Power (dBm)	12.53	12.38	12.44	12.34	12.54	12.36	12.76	12.63	12.51	12.45	12.49	12.43
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.310	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.69	9.65	9.69	9.66	9.77	9.75	10.11	9.87	9.66	9.76	9.78	9.77
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.310
Power (dBm)	9.19	9.02	9.15	9.15	9.13	9.10	9.53	9.18	9.03	9.09	9.17	9.20
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310	0.310	0.310	0.310
Power (dBm)	12.56	12.43	12.44	12.45	12.51	12.62	12.73	12.39	12.50	12.46	12.43	12.36
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.47	9.65	9.62	9.61	9.39	9.52	10.02	9.59	9.67	9.49	9.60	9.58
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_ / _Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.00	8.84	9.23	9.06	9.12	9.17	9.54	9.02	9.23	8.89	9.18	9.03
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_ / _MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.311	0.310	0.310	0.311	0.310	0.310	0.310
Power (dBm)	12.38	12.51	12.47	12.26	12.34	12.30	12.68	12.46	12.38	12.29	12.41	12.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	10.87	10.72	10.59	10.86	11.15	10.66	11.30	10.82	10.88	10.64	10.71	10.69
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	10.06	9.85	9.87	9.65	9.82	10.09	10.51	10.28	9.90	9.82	9.98	10.04
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	13.25	13.43	13.34	13.43	13.44	13.32	13.75	13.30	13.66	13.39	13.45	13.38
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.318	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	10.08	10.47	10.22	10.27	10.23	10.51	10.90	10.33	10.56	10.47	10.63	10.32
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318	0.319	0.318	0.318	0.319
Power (dBm)	9.77	10.01	9.90	9.90	10.12	9.97	10.35	10.02	9.79	9.91	9.79	9.66
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318
Power (dBm)	13.05	13.10	13.16	13.16	13.25	13.23	13.50	13.24	12.96	13.05	13.00	12.98
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	10.17	9.71	9.93	10.10	10.16	10.25	10.78	10.24	10.27	10.21	10.41	10.13
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.318	0.319	0.319	0.319	0.318	0.318	0.319	0.319	0.319	0.319
Power (dBm)	9.60	9.36	9.28	9.66	9.45	9.26	9.95	9.41	9.69	9.30	9.54	9.33
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.318	0.319	0.319	0.318	0.318	0.319	0.319	0.319	0.319	0.319
Power (dBm)	12.55	12.81	12.79	12.75	12.88	12.73	13.13	12.78	13.02	12.72	12.75	12.82
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.95	10.04	9.90	10.00	10.19	9.98	10.35	9.95	9.66	9.99	10.03	9.87
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.39	9.17	9.43	9.37	9.11	9.06	9.59	9.12	9.12	9.16	9.14	9.29
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	12.53	12.62	12.45	12.49	12.61	12.70	12.87	12.50	12.46	12.40	12.51	12.75
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318
Power (dBm)	9.80	9.91	9.43	9.81	9.81	9.76	10.18	9.76	9.62	9.79	9.77	9.66
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.15	8.90	9.01	8.97	9.10	9.03	9.35	9.07	8.92	9.09	8.91	8.95
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.319	0.318
Power (dBm)	12.44	12.48	12.31	12.45	12.42	12.32	12.64	12.32	12.37	12.33	12.35	12.20
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_Ant1 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318
Power (dBm)	9.33	9.36	9.37	9.42	9.80	9.82	10.05	9.78	9.59	9.63	9.72	9.58
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_Ant2 (MIMO)_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	8.62	8.81	8.66	8.72	8.92	9.07	9.29	9.04	9.03	8.83	9.03	9.00
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_MIMO_NTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	12.27	12.31	12.40	12.26	12.28	12.41	12.52	12.32	12.21	12.38	12.18	12.15
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2412MHz_Ant1 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.384	8.383	8.383	8.383	8.383	8.384	8.383	8.383	8.383	8.383
Power (dBm)	11.72	11.72	11.72	11.72	11.72	11.72	11.72	11.72	11.72	11.72	11.72	11.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2412MHz_Ant2 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.384	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383
Power (dBm)	11.11	11.11	11.11	11.11	11.11	11.11	11.12	11.11	11.11	11.11	11.11	11.11
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2442MHz_Ant1 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.383	8.383	8.384	8.383	8.383	8.384	8.383	8.384	8.384	8.383
Power (dBm)	11.88	11.88	11.88	11.88	11.88	11.88	11.89	11.88	11.88	11.88	11.88	11.88
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2442MHz_Ant2 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.384	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.384	8.383	8.384	8.384
Power (dBm)	11.37	11.37	11.37	11.36	11.36	11.37	11.37	11.37	11.36	11.36	11.37	11.37
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2472MHz_Ant1 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.383	8.383	8.384	8.383	8.383	8.384	8.383	8.384	8.384	8.383
Power (dBm)	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2472MHz_Ant2 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.384	8.383	8.383	8.384	8.383	8.383	8.384	8.383	8.383	8.383	8.383
Power (dBm)	10.94	10.93	10.93	10.93	10.94	10.93	10.94	10.94	10.94	10.93	10.93	10.93
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2412MHz_Ant1 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.393	1.393	1.392	1.392	1.392	1.392	1.392	1.392	1.392
Power (dBm)	10.93	10.90	10.95	10.74	11.05	10.80	11.15	10.92	10.85	10.87	10.94	10.86
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2412MHz_Ant2 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.392
Power (dBm)	10.20	10.40	10.20	10.18	10.33	10.11	10.55	10.07	10.36	10.28	10.33	10.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2442MHz_Ant1 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393
Power (dBm)	10.93	10.67	10.82	10.77	10.86	10.83	11.03	10.82	10.70	10.85	10.78	10.77
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2442MHz_Ant2 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392
Power (dBm)	10.17	10.31	10.26	10.24	10.35	10.40	10.51	10.29	10.23	10.22	10.28	10.36
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2472MHz_Ant1 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.393	1.392
Power (dBm)	10.53	10.38	10.50	10.44	10.45	10.47	10.70	10.52	10.29	10.49	10.41	10.64
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2472MHz_Ant2 (SISO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392
Power (dBm)	10.02	10.14	9.97	10.02	10.09	10.18	10.25	10.04	9.95	10.00	9.90	9.93
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.309	1.308	1.309
Power (dBm)	10.21	9.92	10.26	10.13	10.18	10.16	10.42	10.27	10.10	10.18	10.10	10.22
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.309
Power (dBm)	9.52	9.41	9.40	9.53	9.43	9.51	9.66	9.54	9.51	9.46	9.51	9.21
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.309	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	12.89	12.81	12.94	12.86	12.90	12.95	12.99	12.90	12.91	12.85	12.86	12.84
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.309	1.309	1.309	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308
Power (dBm)	9.99	9.74	10.02	9.83	9.90	9.91	10.22	9.94	9.94	9.94	10.00	10.01
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.307
Power (dBm)	9.46	9.28	9.38	9.47	9.34	9.31	9.60	9.45	9.49	9.47	9.34	9.45
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	12.64	12.71	12.61	12.71	12.61	12.69	12.84	12.71	12.69	12.77	12.74	12.65
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.309
Power (dBm)	9.64	9.65	9.58	9.39	9.60	9.50	9.93	9.59	9.73	9.74	9.70	9.65
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	9.17	9.27	9.28	9.19	9.08	9.28	9.38	9.19	9.06	9.09	9.22	9.18
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	12.44	12.42	12.32	12.38	12.54	12.41	12.59	12.46	12.49	12.34	12.46	12.52
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2422MHz_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648
Power (dBm)	9.84	9.81	9.78	9.83	9.90	9.76	10.08	9.75	9.93	9.94	9.73	9.92
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2422MHz_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648
Power (dBm)	9.32	9.35	9.29	9.37	9.31	9.34	9.63	9.28	9.33	9.36	9.37	9.45
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2422MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648
Power (dBm)	12.63	12.65	12.48	12.56	12.61	12.59	12.77	12.66	12.65	12.63	12.60	12.65
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.649	0.649
Power (dBm)	9.69	9.70	9.62	9.76	9.81	9.82	9.97	9.79	9.72	9.66	9.48	9.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649
Power (dBm)	9.24	9.25	9.12	9.16	9.28	9.34	9.49	9.23	9.24	9.18	9.14	8.98
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649
Power (dBm)	12.42	12.45	12.49	12.47	12.47	12.53	12.64	12.44	12.48	12.44	12.48	12.39
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.649	0.649	0.648
Power (dBm)	9.47	9.48	9.33	9.51	9.54	9.33	9.74	9.52	9.51	9.34	9.42	9.40
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.647
Power (dBm)	9.14	9.10	9.04	9.08	9.12	9.11	9.34	9.11	9.08	8.93	8.97	9.03
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649	0.648	0.649
Power (dBm)	12.39	12.35	12.17	12.27	12.35	12.29	12.45	12.15	12.36	12.16	12.28	12.35
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	10.04	9.94	10.20	9.77	9.84	10.08	10.63	10.31	10.03	10.09	9.91	10.02
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.53	9.42	9.50	9.13	9.35	9.40	9.95	9.33	9.28	9.53	9.26	9.24
Remark	/	/	/	/	/	/	Max	/	/	/	/	/


802.11ax(HEW20)_2412MHz_SU_/_MIMO_HTNV



802.11ax(HEW20)_2442MHz_SU_/_Ant1 (MIMO)_HTNV




802.11ax(HEW20)_2442MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	9.14	9.57	9.45	9.45	9.18	9.54	9.91	9.63	9.24	9.25	9.39	9.26
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2442MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	12.51	12.71	12.46	12.57	12.62	12.57	12.97	12.71	12.64	12.69	12.74	12.70
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2472MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.310	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.310	0.311
Power (dBm)	9.67	9.52	9.81	9.79	9.64	9.27	10.13	9.87	9.41	9.86	9.92	9.88
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2472MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310	0.311	0.311
Power (dBm)	8.87	9.28	8.72	9.13	9.21	9.03	9.54	9.05	9.24	9.08	9.03	9.02
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2472MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310	0.310
Power (dBm)	12.40	12.52	12.35	12.17	12.40	12.48	12.70	12.33	12.45	12.40	12.45	12.32
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.310	0.310	0.310	0.310	0.310	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.76	9.84	9.85	9.53	9.68	9.52	10.14	9.70	9.74	9.64	9.77	9.86
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.35	9.44	9.10	9.39	9.27	9.05	9.59	9.15	9.09	9.19	9.23	9.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	12.47	12.55	12.50	12.47	12.55	12.57	12.77	12.52	12.45	12.45	12.54	12.60
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_ / _Ant1 (MIMO)_ HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.46	9.77	9.65	9.87	9.61	9.68	10.12	9.84	9.72	9.76	9.74	9.67
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_ / _Ant2 (MIMO)_ HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.18	9.05	8.96	9.00	9.21	9.23	9.61	9.30	9.27	9.25	9.19	9.24
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	12.47	12.43	12.30	12.27	12.39	12.44	12.71	12.54	12.54	12.32	12.53	12.45
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.311	0.311
Power (dBm)	9.76	9.61	9.55	9.59	9.62	9.78	10.05	9.63	9.59	9.55	9.71	9.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.06	8.95	9.00	9.04	9.16	9.07	9.51	9.22	9.23	9.19	9.12	9.31
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	12.30	12.44	12.43	12.22	12.49	12.45	12.71	12.53	12.45	12.30	12.41	12.33
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	11.14	10.61	10.79	10.69	10.50	10.83	11.27	10.69	10.99	10.80	10.72	11.15
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.319	0.319
Power (dBm)	9.69	10.20	10.08	9.95	10.10	9.85	10.45	9.88	10.03	10.21	9.93	9.94
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318
Power (dBm)	13.50	13.27	13.42	13.41	13.29	13.28	13.72	13.41	13.51	13.35	13.38	13.44
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.318	0.319	0.318	0.319	0.319	0.319	0.319
Power (dBm)	10.65	10.36	10.39	10.24	10.24	10.46	10.87	10.33	10.19	10.24	10.22	10.24
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.319	0.319	0.319	0.318	0.318	0.319	0.318	0.318	0.318	0.319
Power (dBm)	9.76	9.94	9.89	9.80	10.14	9.94	10.34	9.75	9.75	9.89	9.74	9.64
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	13.02	13.12	13.15	13.05	13.31	13.21	13.48	13.32	13.06	13.15	13.11	13.22
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.319
Power (dBm)	10.27	10.12	9.91	9.91	10.23	10.19	10.72	9.96	10.15	10.10	10.24	10.07
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.318	0.318	0.319	0.319	0.319	0.319	0.318	0.319	0.319
Power (dBm)	9.19	9.35	9.10	9.35	9.42	9.38	10.04	9.32	9.60	9.28	9.64	9.46
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.319	0.318	0.318	0.319
Power (dBm)	12.95	12.84	12.69	12.67	12.87	12.80	13.22	12.66	12.86	12.81	12.98	12.71
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318
Power (dBm)	9.82	9.99	10.06	10.02	10.08	9.94	10.34	9.98	10.11	9.93	9.82	9.89
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.13	8.97	9.13	9.06	9.14	9.08	9.60	9.12	9.28	9.35	9.25	8.86
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.319
Power (dBm)	12.58	12.47	12.52	12.57	12.54	12.57	12.85	12.50	12.59	12.57	12.50	12.51
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.54	9.71	9.63	9.94	9.74	9.41	10.15	9.80	9.90	9.77	9.70	9.75
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	8.81	8.88	8.80	8.83	9.07	8.99	9.41	9.21	9.34	9.36	9.04	8.97
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	12.27	12.34	12.34	12.30	12.51	12.48	12.62	12.51	12.50	12.44	12.45	12.33
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_Ant1 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.46	9.57	9.51	9.53	9.65	9.80	9.97	9.66	9.56	9.81	9.78	9.67
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_Ant2 (MIMO)_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	8.72	8.86	8.87	8.95	8.72	8.89	9.26	8.72	9.04	8.87	8.88	8.94
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_MIMO_HTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318	0.318	0.318
Power (dBm)	12.34	12.36	12.23	12.36	12.33	12.28	12.50	12.29	12.29	12.14	12.20	12.09
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2412MHz_Ant1 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.384	8.383	8.383	8.383	8.383	8.384	8.383	8.383	8.383	8.383	8.384	8.383
Power (dBm)	11.72	11.71	11.71	11.71	11.71	11.72	11.72	11.72	11.71	11.71	11.72	11.72
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2412MHz_Ant2 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.383	8.383	8.384	8.383	8.383	8.384	8.383	8.383	8.383	8.383	8.384	8.383
Power (dBm)	11.14	11.13	11.13	11.13	11.13	11.14	11.14	11.14	11.13	11.14	11.13	11.13
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2442MHz_Ant1 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.384	8.383	8.383	8.383	8.383	8.384	8.383	8.383	8.384	8.383	8.384	8.384
Power (dBm)	11.88	11.88	11.88	11.88	11.88	11.88	11.88	11.88	11.88	11.88	11.88	11.88
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2442MHz_Ant2 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.384	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.384	8.383
Power (dBm)	11.36	11.36	11.36	11.36	11.36	11.37	11.37	11.37	11.36	11.37	11.36	11.37
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2472MHz_Ant1 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.384	8.383	8.383	8.383	8.383	8.384	8.384	8.383	8.384	8.383	8.383	8.384
Power (dBm)	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.36	11.35
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11b_2472MHz_Ant2 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	8.384	8.383	8.383	8.384	8.383	8.383	8.383	8.383	8.383	8.383	8.383	8.383
Power (dBm)	10.95	10.95	10.96	10.95	10.96	10.95	10.96	10.95	10.95	10.95	10.95	10.95
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2412MHz_Ant1 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.392	1.392	1.392	1.392
Power (dBm)	10.89	10.89	10.93	10.69	10.88	10.73	11.19	10.92	10.98	10.99	10.77	10.95
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2412MHz_Ant2 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392
Power (dBm)	10.31	10.43	10.28	10.41	10.27	10.35	10.51	10.39	10.31	10.35	10.39	10.25
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2442MHz_Ant1 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393
Power (dBm)	10.82	10.67	10.81	10.68	10.74	10.77	11.03	10.78	10.86	10.74	10.76	10.80
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2442MHz_Ant2 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.392	1.392
Power (dBm)	10.33	10.23	10.17	10.28	10.35	10.18	10.52	10.18	10.21	10.26	10.28	10.28
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2472MHz_Ant1 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393	1.392	1.393
Power (dBm)	10.42	10.40	10.55	10.17	10.58	10.33	10.75	10.46	10.43	10.56	10.64	10.49
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11g_2472MHz_Ant2 (SISO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.392	1.393	1.392	1.393
Power (dBm)	9.99	9.90	10.00	9.97	10.08	9.98	10.26	10.05	9.97	9.99	10.08	10.05
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_Ant1 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.309	1.308	1.309	1.308	1.309
Power (dBm)	10.31	10.08	10.24	10.21	10.24	10.15	10.40	10.14	10.01	10.19	9.96	10.16
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_Ant2 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	9.53	9.13	9.51	9.50	9.46	9.47	9.72	9.46	9.37	9.49	9.43	9.49
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2412MHz_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	12.75	12.78	12.71	12.86	12.89	12.85	13.01	12.89	12.92	12.87	12.84	12.89
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.309	1.308	1.309	1.308	1.308	1.308	1.308	1.308
Power (dBm)	9.95	9.74	10.03	9.74	9.88	9.79	10.21	9.97	9.93	9.95	9.99	10.01
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_Ant2 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.308	1.308	1.308	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.308
Power (dBm)	9.39	9.38	9.33	9.37	9.34	9.36	9.64	9.45	9.39	9.41	9.36	9.51
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2442MHz_MIMO_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.309	1.308	1.309	1.308	1.308
Power (dBm)	12.64	12.68	12.62	12.66	12.72	12.66	12.84	12.46	12.77	12.51	12.72	12.69
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_Ant1 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.309	1.308	1.308	1.308	1.308
Power (dBm)	9.66	9.56	9.67	9.62	9.66	9.72	9.90	9.62	9.63	9.61	9.74	9.75
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_Ant2 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	9.25	9.17	9.22	9.20	9.12	9.13	9.36	9.14	9.10	9.17	9.15	9.20
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT20)_2472MHz_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	1.308	1.309	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308	1.308
Power (dBm)	12.41	12.41	12.48	12.41	12.48	12.43	12.59	12.41	12.52	12.39	12.39	12.31
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2422MHz_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.648	0.648	0.649	0.649	0.648	0.648	0.649	0.648	0.648	0.649	0.648
Power (dBm)	9.89	9.82	9.82	9.67	9.85	9.80	10.11	9.83	9.87	9.78	9.83	9.77
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2422MHz_Ant2 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649
Power (dBm)	9.43	9.29	9.50	9.37	9.56	9.31	9.59	9.31	9.28	9.37	9.40	9.26
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2422MHz_MIMO_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648
Power (dBm)	12.55	12.62	12.63	12.54	12.64	12.59	12.80	12.58	12.67	12.66	12.49	12.55
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_Ant1 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.649	0.649
Power (dBm)	9.65	9.85	9.73	9.66	9.64	9.61	9.97	9.75	9.80	9.72	9.72	9.62
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_Ant2 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.649	0.648	0.648	0.649
Power (dBm)	9.11	9.17	9.27	9.29	9.30	9.30	9.43	9.08	9.13	9.14	9.26	9.05
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2442MHz_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649
Power (dBm)	12.58	12.42	12.39	12.52	12.46	12.44	12.66	12.54	12.44	12.48	12.59	12.51
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649	0.648	0.649
Power (dBm)	9.35	9.42	9.51	9.39	9.54	9.43	9.75	9.43	9.52	9.42	9.46	9.57
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_Ant2 (MIMO)_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.649
Power (dBm)	8.92	9.09	9.02	9.14	9.11	9.07	9.38	8.95	9.02	9.14	9.08	8.96
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11n(HT40)_2462MHz_MIMO_LTV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.648	0.648	0.649	0.648	0.649	0.648	0.648	0.648	0.649	0.648	0.648	0.648
Power (dBm)	12.31	12.27	12.21	12.25	12.22	12.17	12.46	12.38	12.25	12.26	12.19	12.27
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_ / _Ant1 (MIMO)_ LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.95	10.00	9.74	10.38	9.97	10.06	10.67	10.13	10.01	10.03	10.18	10.19
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_ / _Ant2 (MIMO)_ LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.32	9.39	9.31	9.46	9.42	9.49	9.88	9.23	9.43	9.36	9.32	9.53
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2412MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310
Power (dBm)	12.71	12.75	12.82	12.71	12.64	12.79	13.15	12.76	12.79	12.68	12.58	12.69
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2442MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.311	0.310	0.311	0.310	0.310	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.73	9.76	9.86	9.57	9.78	9.94	10.46	9.72	9.79	9.71	10.02	9.92
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2442MHz_SU_ / _Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310	0.311	0.311
Power (dBm)	9.10	9.28	9.11	9.28	9.40	9.37	9.85	9.13	9.25	9.50	9.42	9.23
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2442MHz_SU_ / _MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.310	0.311	0.311	0.311	0.310	0.311	0.311
Power (dBm)	12.70	12.72	12.56	12.60	12.63	12.59	12.95	12.63	12.49	12.68	12.60	12.42
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2472MHz_SU_ / _Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.48	9.58	9.62	9.74	9.76	9.74	10.19	9.67	9.98	9.61	9.67	9.79
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2472MHz_SU_ / _Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.09	8.81	9.22	9.19	9.06	8.65	9.54	9.29	8.94	8.85	9.19	9.30
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW20)_2472MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.310	0.310
Power (dBm)	12.22	12.28	12.23	12.35	12.46	12.25	12.71	12.39	12.46	12.22	12.50	12.44
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.64	9.39	9.64	9.78	9.90	9.80	10.16	9.91	9.86	9.89	9.72	9.62
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_ / _Ant2 (MIMO)_ LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.10	9.31	9.00	9.24	9.23	9.04	9.73	9.32	9.33	9.27	9.07	9.26
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2422MHz_SU_ / _MIMO_ LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.310	0.311	0.311
Power (dBm)	12.49	12.44	12.35	12.31	12.53	12.34	12.73	12.60	12.46	12.42	12.47	12.40
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_ / _Ant1 (MIMO)_ LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.79	9.63	9.67	9.65	9.74	9.70	10.13	9.69	9.53	9.76	9.85	9.76
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_ / _Ant2 (MIMO)_ LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.311	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.17	9.04	8.93	9.09	9.23	9.25	9.60	9.30	9.27	9.24	9.16	9.25
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2442MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.311	0.310	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	12.49	12.38	12.38	12.37	12.51	12.45	12.71	12.57	12.57	12.38	12.41	12.48
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.311	0.311	0.311	0.311	0.310	0.310	0.311	0.310	0.310	0.311	0.311	0.311
Power (dBm)	9.41	9.46	9.78	9.45	9.60	9.65	10.04	9.76	9.52	9.54	9.68	9.67
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_ / _Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.310	0.310	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
Power (dBm)	9.04	9.05	8.85	8.91	9.19	9.38	9.48	9.10	9.11	9.07	9.16	8.85
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11ax(HEW40)_2462MHz_SU_ / _MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.310	0.310	0.311	0.310	0.310	0.310	0.310	0.310	0.310	0.311	0.311	0.311
Power (dBm)	12.23	12.26	12.48	12.31	12.44	12.36	12.70	12.42	12.39	12.40	12.36	12.42
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	10.88	10.76	10.90	10.79	10.65	10.65	11.24	10.82	11.08	10.84	10.73	10.55
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.68	9.59	9.92	10.07	10.02	10.18	10.51	10.17	9.80	10.16	10.05	10.05
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2412MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	13.28	13.37	13.36	13.32	13.32	13.39	13.70	13.26	13.34	13.22	13.35	13.40
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.319	0.318	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	10.08	10.45	10.19	10.21	10.14	10.50	10.85	10.21	10.50	10.42	10.59	10.19
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318	0.319	0.318	0.318	0.319
Power (dBm)	9.73	9.96	9.86	9.84	10.08	9.92	10.31	9.97	9.74	9.86	9.74	9.61
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2442MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.319	0.319
Power (dBm)	13.08	12.97	13.19	12.97	13.14	13.07	13.43	13.11	13.03	13.16	12.96	13.04
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.319	0.318	0.319	0.319	0.318
Power (dBm)	9.95	10.19	10.06	10.06	10.12	10.21	10.74	9.89	10.18	9.80	10.04	10.02
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.04	9.51	9.30	9.17	9.43	9.43	9.91	9.46	9.50	9.34	9.46	9.43
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT20)_2472MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	12.85	12.70	12.80	12.81	12.71	12.59	13.18	12.65	12.88	12.68	13.02	12.79
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.319	0.319	0.319	0.318
Power (dBm)	9.95	10.06	10.02	10.06	10.07	9.97	10.33	9.93	9.82	9.92	9.90	9.94
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.20	9.21	9.37	9.41	9.26	9.26	9.61	9.13	9.15	9.11	9.10	9.01
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2422MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318	0.318	0.318
Power (dBm)	12.68	12.69	12.63	12.69	12.47	12.52	12.82	12.60	12.59	12.54	12.36	12.47
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.318	0.318	0.318	0.318	0.318	0.318	0.318
Power (dBm)	9.65	9.75	9.80	9.93	9.65	9.60	10.13	9.68	9.75	9.67	9.53	9.74
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_Ant2 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	9.25	8.96	8.96	9.03	9.13	9.10	9.37	8.86	9.10	8.81	9.04	9.10
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2442MHz_SU_/_MIMO_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	12.36	12.18	12.22	12.30	12.28	12.34	12.66	12.54	12.28	12.40	12.42	12.41
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_Ant1 (MIMO)_LTNV




Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318	0.319
Power (dBm)	9.37	9.41	9.64	9.62	9.83	9.73	10.02	9.73	9.73	9.69	9.62	9.54
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_Ant2 (MIMO)_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
Power (dBm)	8.86	9.02	8.82	9.05	9.05	8.85	9.27	8.91	8.89	8.83	8.94	8.88
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

802.11be(EHT40)_2462MHz_SU_/_MIMO_LTNV



Burst No.	1	2	3	4	5	6	7	8	9	10	11	12
Length (ms)	0.318	0.318	0.318	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.318
Power (dBm)	12.28	12.22	12.07	12.31	12.29	12.31	12.52	12.43	12.29	12.35	12.22	12.15
Remark	/	/	/	/	/	/	Max	/	/	/	/	/

2. Power Spectral Density

2.1 Test Result


2.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	E.I.R.PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NTNV	802.11b	SISO	2412	/	/	1	9.34	<=10	Pass
						2	7.89	<=10	Pass
			2442	/	/	1	9.54	<=10	Pass
						2	8.13	<=10	Pass
			2472	/	/	1	8.87	<=10	Pass
						2	7.79	<=10	Pass
	802.11g	SISO	2412	/	/	1	5.93	<=10	Pass
						2	4.57	<=10	Pass
			2442	/	/	1	5.87	<=10	Pass
						2	4.61	<=10	Pass
			2472	/	/	1	5.53	<=10	Pass
						2	4.23	<=10	Pass
	802.11n (HT20)	MIMO	2412	/	/	1	5.11	<=10	Pass
						2	3.94	<=10	Pass
						MIMO	7.79	<=10	Pass
			2442	/	/	1	4.74	<=10	Pass
						2	3.84	<=10	Pass
						MIMO	7.58	<=10	Pass
			2472	/	/	1	4.58	<=10	Pass
						2	3.45	<=10	Pass
						MIMO	7.29	<=10	Pass
						MIMO	7.29	<=10	Pass
	802.11n (HT40)	MIMO	2422	/	/	1	2.37	<=10	Pass
						2	1.03	<=10	Pass
						MIMO	5.09	<=10	Pass
			2442	/	/	1	2.16	<=10	Pass
						2	0.85	<=10	Pass
						MIMO	4.72	<=10	Pass
			2462	/	/	1	1.97	<=10	Pass
						2	0.63	<=10	Pass
						MIMO	4.53	<=10	Pass
						MIMO	4.53	<=10	Pass
	802.11ax (HEW20)	MIMO	2412	SU	/	1	5.15	<=10	Pass
						2	3.48	<=10	Pass
						MIMO	7.60	<=10	Pass
			2442	SU	/	1	4.76	<=10	Pass
						2	3.58	<=10	Pass
						MIMO	7.40	<=10	Pass
			2472	SU	/	1	4.70	<=10	Pass
						2	3.29	<=10	Pass
						MIMO	7.22	<=10	Pass
						MIMO	7.22	<=10	Pass
	802.11ax (HEW40)	MIMO	2422	SU	/	1	2.06	<=10	Pass
						2	0.74	<=10	Pass
						MIMO	4.64	<=10	Pass
			2442	SU	/	1	2.12	<=10	Pass
						2	0.71	<=10	Pass
						MIMO	4.58	<=10	Pass
			2462	SU	/	1	2.00	<=10	Pass
						2	0.48	<=10	Pass
						MIMO	4.58	<=10	Pass
						MIMO	4.58	<=10	Pass


	802.11be (EHT20)	MIMO	2412	SU	/	MIMO	4.51	<=10	Pass
						1	5.70	<=10	Pass
						2	4.02	<=10	Pass
			2442	SU	/	MIMO	8.09	<=10	Pass
						1	5.33	<=10	Pass
						2	4.09	<=10	Pass
			2472	SU	/	MIMO	7.98	<=10	Pass
						1	5.08	<=10	Pass
						2	3.53	<=10	Pass
	802.11be (EHT40)	MIMO	2422	SU	/	MIMO	7.40	<=10	Pass
						1	2.45	<=10	Pass
						2	0.73	<=10	Pass
			2442	SU	/	MIMO	4.80	<=10	Pass
						1	2.08	<=10	Pass
						2	0.48	<=10	Pass
			2462	SU	/	MIMO	4.54	<=10	Pass
						1	1.94	<=10	Pass
						2	0.42	<=10	Pass
						MIMO	4.43	<=10	Pass

2.2 Test Graph


2.2.1 PSD




802.11b_2442MHz_Ant1 (SISO)_NTNV




802.11b_2442MHz_Ant2 (SISO)_NTNV




802.11b_2472MHz_Ant1 (SISO)_NTNV




802.11b_2472MHz_Ant2 (SISO)_NTNV




802.11g_2412MHz_Ant1 (SISO)_NTNV




802.11g_2412MHz_Ant2 (SISO)_NTNV




802.11g_2442MHz_Ant1 (SISO)_NTNV




802.11g_2442MHz_Ant2 (SISO)_NTNV




802.11g_2472MHz_Ant1 (SISO)_NTNV




802.11g_2472MHz_Ant2 (SISO)_NTNV




802.11n(HT20)_2412MHz_Ant1 (MIMO)_NTNV




802.11n(HT20)_2412MHz_Ant2 (MIMO)_NTNV




802.11n(HT20)_2412MHz_MIMO_NTNV




802.11n(HT20)_2442MHz_Ant1 (MIMO)_NTNV




802.11n(HT20)_2442MHz_Ant2 (MIMO)_NTNV




802.11n(HT20)_2442MHz_MIMO_NTNV




802.11n(HT20)_2472MHz_Ant1 (MIMO)_NTNV




802.11n(HT20)_2472MHz_Ant2 (MIMO)_NTNV




802.11n(HT20)_2472MHz_MIMO_NTNV




802.11n(HT40)_2422MHz_Ant1 (MIMO)_NTNV




802.11n(HT40)_2422MHz_Ant2 (MIMO)_NTNV




802.11n(HT40)_2422MHz_MIMO_NTNV




802.11n(HT40)_2442MHz_Ant1 (MIMO)_NTNV




802.11n(HT40)_2442MHz_Ant2 (MIMO)_NTNV




802.11n(HT40)_2442MHz_MIMO_NTNV




802.11n(HT40)_2462MHz_Ant1 (MIMO)_NTNV




802.11n(HT40)_2462MHz_Ant2 (MIMO)_NTNV




802.11n(HT40)_2462MHz_MIMO_NTNV




802.11ax(HEW20)_2412MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_2412MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW20)_2412MHz_SU_/_MIMO_NTNV




802.11ax(HEW20)_2442MHz_SU_/_Ant1 (MIMO)_NTNV




802.11ax(HEW20)_2442MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW20)_2442MHz_SU_ / _MIMO_NTNV




802.11ax(HEW20)_2472MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW20)_2472MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW20)_2472MHz_SU_/_MIMO_NTNV




802.11ax(HEW40)_2422MHz_SU_/_Ant1 (MIMO)_NTNV




802.11ax(HEW40)_2422MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_2422MHz_SU_ / _MIMO_NTNV




802.11ax(HEW40)_2442MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_2442MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_2442MHz_SU_/_MIMO_NTNV




802.11ax(HEW40)_2462MHz_SU_/_Ant1 (MIMO)_NTNV




802.11ax(HEW40)_2462MHz_SU_ / _Ant2 (MIMO)_NTNV




802.11ax(HEW40)_2462MHz_SU_ / _MIMO_NTNV




802.11be(EHT20)_2412MHz_SU_/_Ant1 (MIMO)_NTNV




802.11be(EHT20)_2412MHz_SU_/_Ant2 (MIMO)_NTNV




802.11be(EHT20)_2412MHz_SU_ / _MIMO_NTNV




802.11be(EHT20)_2442MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11be(EHT20)_2442MHz_SU_/_Ant2 (MIMO)_NTNV




802.11be(EHT20)_2442MHz_SU_/_MIMO_NTNV




802.11be(EHT20)_2472MHz_SU_/_Ant1 (MIMO)_NTNV




802.11be(EHT20)_2472MHz_SU_/_Ant2 (MIMO)_NTNV




802.11be(EHT20)_2472MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_2422MHz_SU_/_Ant1 (MIMO)_NTNV




802.11be(EHT40)_2422MHz_SU_/_Ant2 (MIMO)_NTNV




802.11be(EHT40)_2422MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_2442MHz_SU_/_Ant1 (MIMO)_NTNV




802.11be(EHT40)_2442MHz_SU_/_Ant2 (MIMO)_NTNV




802.11be(EHT40)_2442MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_2462MHz_SU_/_Ant1 (MIMO)_NTNV



802.11be(EHT40)_2462MHz_SU_/_Ant2 (MIMO)_NTNV



802.11be(EHT40)_2462MHz_SU_/_MIMO_NTNV




3. Adaptivity (Channel Access Mechanism)


3.1 COT

3.1.1 Test Result


ENV	Mode	TX Type	Frequency (MHz)	ANT	Min Idle Time (ms)		Max COT (ms)		Verdict
					Result	Limit	Result	Limit	
NTNV	802.11b	SISO	2412	1	0.050	≥ 0.018	5.440	≤ 13	Pass
			2472	1	0.050	≥ 0.018	5.390	≤ 13	Pass

3.1.2 Test Graph







802.11b_2412MHz_Ant1 (SISO)_NTNV




802.11b_2412MHz_Ant1 (SISO)_NTNV




802.11b_2472MHz_Ant1 (SISO)_NTNV




802.11b_2472MHz_Ant1 (SISO)_NTNV



802.11b_2472MHz_Ant1 (SISO)_NTNV



802.11b_2472MHz_Ant1 (SISO)_NTNV




3.1.2 Adaptivity

3.2.1 Test Result


ENV	Mode	TX Type	Frequency (MHz)	ANT	Interference Signal			Max. Short Control Signal		Verdict
					Type	Add Time (s)	Level (dBm/MHz)	Duty Cycle (%)	Limit (%)	
NTNV	802.11b	SISO	2412	1	AWGN	1.16	-64.75	2.80	<=10	Pass
					AWGN+CW	61.16	-64.75	2.80	<=10	Pass
			2472	1	AWGN	1.16	-67.23	3.00	<=10	Pass
					AWGN+CW	61.16	-67.23	2.80	<=10	Pass

3.2 Test Graph


3.2.2 Adaptivity




802.11b_2412MHz_Ant1 (SISO)_NTNV




802.11b_2472MHz_Ant1 (SISO)_NTNV



802.11b_2472MHz_Ant1 (SISO)_NTNV



802.11b_2472MHz_Ant1 (SISO)_NTNV



4. Occupied Channel Bandwidth


4.1 Test Result

4.1.1 OBW_Ant1


Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	OBW (MHz)	Frequency Range (MHz)			Verdict
						Result	FL	FH	Limit	
NTNV	802.11b	SISO	2412	/	/	12.429	2405.794	/	>=2400	Pass
			2472	/	/	12.438	/	2478.216	<=2483.5	Pass
	802.11g	SISO	2412	/	/	16.348	2403.823	/	>=2400	Pass
			2472	/	/	16.352	/	2480.184	<=2483.5	Pass
	802.11n (HT20)	MIMO	2412	/	/	17.528	2403.230	/	>=2400	Pass
			2472	/	/	17.530	/	2480.769	<=2483.5	Pass
	802.11n (HT40)	MIMO	2422	/	/	35.817	2404.090	/	>=2400	Pass
			2462	/	/	35.840	/	2479.931	<=2483.5	Pass
	802.11ax (HEW20)	MIMO	2412	SU	/	18.749	2402.618	/	>=2400	Pass
			2472	SU	/	18.750	/	2481.385	<=2483.5	Pass
	802.11ax (HEW40)	MIMO	2422	SU	/	37.250	2403.370	/	>=2400	Pass
			2462	SU	/	37.371	/	2480.697	<=2483.5	Pass
	802.11be (EHT20)	MIMO	2412	SU	/	18.731	2402.633	/	>=2400	Pass
			2472	SU	/	18.731	/	2481.373	<=2483.5	Pass
	802.11be (EHT40)	MIMO	2422	SU	/	37.358	2403.317	/	>=2400	Pass
			2462	SU	/	37.261	/	2480.649	<=2483.5	Pass

4.2 Test Graph


4.2.1 OBW_Ant1




802.11g_2412MHz_Ant1 (SISO)_NTNV




802.11g_2472MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_2412MHz_Ant1 (MIMO)_NTNV




802.11n(HT20)_2472MHz_Ant1 (MIMO)_NTNV




802.11n(HT40)_2422MHz_Ant1 (MIMO)_NTNV




802.11n(HT40)_2462MHz_Ant1 (MIMO)_NTNV




802.11ax(HEW20)_2412MHz_SU_/_Ant1 (MIMO)_NTNV




802.11ax(HEW20)_2472MHz_SU_/_Ant1 (MIMO)_NTNV




802.11ax(HEW40)_2422MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11ax(HEW40)_2462MHz_SU_ / _Ant1 (MIMO)_NTNV




802.11be(EHT20)_2412MHz_SU_/_Ant1 (MIMO)_NTNV




802.11be(EHT20)_2472MHz_SU_/_Ant1 (MIMO)_NTNV



802.11be(EHT40)_2422MHz_SU_/_Ant1 (MIMO)_NTNV



802.11be(EHT40)_2462MHz_SU_/_Ant1 (MIMO)_NTNV



5. Transmitter Unwanted Emissions In The Out-Of-Band Domain

5.1 Test Result

5.1.1 802.11b-Ant1

802.11b Ant1 NTN							
Mode	Tx Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11b	SISO	2412	1	2375.642	-51.32	<=-20	Pass
				2376.071	-51.26	<=-20	Pass
				2377.071	-51.24	<=-20	Pass
				2378.071	-51.26	<=-20	Pass
				2379.071	-51.20	<=-20	Pass
				2380.071	-51.17	<=-20	Pass
				2381.071	-51.15	<=-20	Pass
				2382.071	-51.08	<=-20	Pass
				2383.071	-51.09	<=-20	Pass
				2384.071	-51.06	<=-20	Pass
				2385.071	-50.99	<=-20	Pass
				2386.071	-50.95	<=-20	Pass
				2387.071	-50.90	<=-20	Pass
				2388.071	-50.88	<=-10	Pass
				2388.500	-50.87	<=-10	Pass
				2389.500	-50.81	<=-10	Pass
				2390.500	-50.73	<=-10	Pass
				2391.500	-50.57	<=-10	Pass
				2392.500	-50.32	<=-10	Pass
				2393.500	-50.24	<=-10	Pass
				2394.500	-49.89	<=-10	Pass
				2395.500	-48.83	<=-10	Pass
				2396.500	-47.13	<=-10	Pass
				2397.500	-46.12	<=-10	Pass
				2398.500	-44.53	<=-10	Pass
				2399.500	-43.64	<=-10	Pass
		2472	1	2484.000	-44.85	<=-10	Pass
				2485.000	-46.19	<=-10	Pass
				2486.000	-46.11	<=-10	Pass
				2487.000	-47.97	<=-10	Pass
				2488.000	-48.79	<=-10	Pass
				2489.000	-49.25	<=-10	Pass
				2490.000	-50.37	<=-10	Pass
				2491.000	-50.25	<=-10	Pass
				2492.000	-50.19	<=-10	Pass
				2493.000	-50.63	<=-10	Pass
				2494.000	-50.77	<=-10	Pass
				2495.000	-50.84	<=-10	Pass
				2495.438	-50.84	<=-10	Pass
				2496.438	-50.86	<=-20	Pass
				2497.438	-50.88	<=-20	Pass
				2498.438	-50.93	<=-20	Pass
				2499.438	-50.97	<=-20	Pass
				2500.438	-51.02	<=-20	Pass
				2501.438	-51.05	<=-20	Pass
				2502.438	-51.08	<=-20	Pass

				2503.438	-51.11	<=-20	Pass
				2504.438	-51.12	<=-20	Pass
				2505.438	-51.17	<=-20	Pass
				2506.438	-51.23	<=-20	Pass
				2507.438	-51.20	<=-20	Pass
				2507.876	-51.21	<=-20	Pass

5.1.2 802.11b-Ant2

802.11b Ant2 NTNV							
Mode	TX Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11b	SISO	2412	2	2375.642	-52.60	<=-20	Pass
				2376.071	-52.62	<=-20	Pass
				2377.071	-52.59	<=-20	Pass
				2378.071	-52.53	<=-20	Pass
				2379.071	-52.54	<=-20	Pass
				2380.071	-52.51	<=-20	Pass
				2381.071	-52.44	<=-20	Pass
				2382.071	-52.41	<=-20	Pass
				2383.071	-52.36	<=-20	Pass
				2384.071	-52.33	<=-20	Pass
				2385.071	-52.29	<=-20	Pass
				2386.071	-52.23	<=-20	Pass
				2387.071	-52.23	<=-20	Pass
				2388.071	-52.13	<=-10	Pass
				2388.500	-52.14	<=-10	Pass
				2389.500	-52.03	<=-10	Pass
				2390.500	-51.95	<=-10	Pass
				2391.500	-51.88	<=-10	Pass
				2392.500	-51.56	<=-10	Pass
				2393.500	-51.12	<=-10	Pass
				2394.500	-50.74	<=-10	Pass
				2395.500	-49.75	<=-10	Pass
				2396.500	-47.99	<=-10	Pass
				2397.500	-47.21	<=-10	Pass
				2398.500	-45.50	<=-10	Pass
				2399.500	-44.65	<=-10	Pass
		2472	2	2484.000	-45.87	<=-10	Pass
				2485.000	-47.63	<=-10	Pass
				2486.000	-47.73	<=-10	Pass
				2487.000	-49.10	<=-10	Pass
				2488.000	-49.75	<=-10	Pass
				2489.000	-50.51	<=-10	Pass
				2490.000	-51.55	<=-10	Pass
				2491.000	-51.51	<=-10	Pass
				2492.000	-51.61	<=-10	Pass
				2493.000	-51.93	<=-10	Pass
				2494.000	-51.98	<=-10	Pass
				2495.000	-52.06	<=-10	Pass
				2495.438	-52.06	<=-10	Pass
				2496.438	-52.13	<=-20	Pass
				2497.438	-52.19	<=-20	Pass
				2498.438	-52.19	<=-20	Pass
				2499.438	-52.25	<=-20	Pass
				2500.438	-52.29	<=-20	Pass

				2501.438	-52.31	<=-20	Pass
				2502.438	-52.32	<=-20	Pass
				2503.438	-52.36	<=-20	Pass
				2504.438	-52.36	<=-20	Pass
				2505.438	-52.43	<=-20	Pass
				2506.438	-52.39	<=-20	Pass
				2507.438	-52.43	<=-20	Pass
				2507.876	-52.43	<=-20	Pass

5.1.3 802.11g-Ant1

802.11g Ant1 NTNV							
Mode	TX Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11g	SISO	2412	1	2367.804	-51.59	<=-20	Pass
				2368.152	-51.47	<=-20	Pass
				2369.152	-51.57	<=-20	Pass
				2370.152	-51.45	<=-20	Pass
				2371.152	-51.44	<=-20	Pass
				2372.152	-51.44	<=-20	Pass
				2373.152	-51.40	<=-20	Pass
				2374.152	-51.30	<=-20	Pass
				2375.152	-51.42	<=-20	Pass
				2376.152	-51.31	<=-20	Pass
				2377.152	-51.29	<=-20	Pass
				2378.152	-51.27	<=-20	Pass
				2379.152	-51.18	<=-20	Pass
				2380.152	-51.21	<=-20	Pass
				2381.152	-51.23	<=-20	Pass
				2382.152	-51.12	<=-20	Pass
				2383.152	-51.04	<=-20	Pass
				2384.152	-50.98	<=-10	Pass
				2384.500	-51.01	<=-10	Pass
				2385.500	-50.93	<=-10	Pass
				2386.500	-50.88	<=-10	Pass
				2387.500	-50.72	<=-10	Pass
				2388.500	-50.49	<=-10	Pass
				2389.500	-50.19	<=-10	Pass
				2390.500	-49.69	<=-10	Pass
				2391.500	-48.96	<=-10	Pass
				2392.500	-48.04	<=-10	Pass
				2393.500	-47.08	<=-10	Pass
				2394.500	-46.14	<=-10	Pass
				2395.500	-45.21	<=-10	Pass
				2396.500	-44.21	<=-10	Pass
				2397.500	-43.29	<=-10	Pass
				2398.500	-42.54	<=-10	Pass
				2399.500	-41.61	<=-10	Pass
		2472	1	2484.000	-45.27	<=-10	Pass
				2485.000	-45.78	<=-10	Pass
				2486.000	-46.41	<=-10	Pass
				2487.000	-47.03	<=-10	Pass
				2488.000	-47.69	<=-10	Pass
				2489.000	-48.40	<=-10	Pass
				2490.000	-49.00	<=-10	Pass
				2491.000	-49.41	<=-10	Pass

				2492.000	-49.89	<=-10	Pass
				2493.000	-50.21	<=-10	Pass
				2494.000	-50.48	<=-10	Pass
				2495.000	-50.73	<=-10	Pass
				2496.000	-50.76	<=-10	Pass
				2497.000	-50.81	<=-10	Pass
				2498.000	-51.00	<=-10	Pass
				2499.000	-50.95	<=-10	Pass
				2499.352	-50.97	<=-10	Pass
				2500.352	-51.12	<=-20	Pass
				2501.352	-51.13	<=-20	Pass
				2502.352	-51.18	<=-20	Pass
				2503.352	-51.10	<=-20	Pass
				2504.352	-51.17	<=-20	Pass
				2505.352	-51.28	<=-20	Pass
				2506.352	-51.29	<=-20	Pass
				2507.352	-51.24	<=-20	Pass
				2508.352	-51.27	<=-20	Pass
				2509.352	-51.30	<=-20	Pass
				2510.352	-51.38	<=-20	Pass
				2511.352	-51.28	<=-20	Pass
				2512.352	-51.40	<=-20	Pass
				2513.352	-51.47	<=-20	Pass
				2514.352	-51.34	<=-20	Pass
				2515.352	-51.42	<=-20	Pass
				2515.704	-51.43	<=-20	Pass

5.1.4 802.11g-Ant2

802.11g Ant2 NTV							
Mode	Tx Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11g	SISO	2412	2	2367.804	-53.00	<=-20	Pass
				2368.152	-53.08	<=-20	Pass
				2369.152	-52.96	<=-20	Pass
				2370.152	-53.00	<=-20	Pass
				2371.152	-53.00	<=-20	Pass
				2372.152	-52.89	<=-20	Pass
				2373.152	-52.88	<=-20	Pass
				2374.152	-52.78	<=-20	Pass
				2375.152	-52.81	<=-20	Pass
				2376.152	-52.74	<=-20	Pass
				2377.152	-52.70	<=-20	Pass
				2378.152	-52.70	<=-20	Pass
				2379.152	-52.66	<=-20	Pass
				2380.152	-52.60	<=-20	Pass
				2381.152	-52.53	<=-20	Pass
				2382.152	-52.54	<=-20	Pass
				2383.152	-52.53	<=-20	Pass
				2384.152	-52.42	<=-10	Pass
				2384.500	-52.38	<=-10	Pass
				2385.500	-52.30	<=-10	Pass
				2386.500	-52.19	<=-10	Pass
				2387.500	-52.14	<=-10	Pass
				2388.500	-51.97	<=-10	Pass
				2389.500	-51.55	<=-10	Pass

				2390.500	-51.04	<=-10	Pass
				2391.500	-50.26	<=-10	Pass
				2392.500	-49.46	<=-10	Pass
				2393.500	-48.53	<=-10	Pass
				2394.500	-47.50	<=-10	Pass
				2395.500	-46.56	<=-10	Pass
				2396.500	-45.74	<=-10	Pass
				2397.500	-44.82	<=-10	Pass
				2398.500	-43.88	<=-10	Pass
				2399.500	-43.07	<=-10	Pass
		2472	2	2484.000	-46.16	<=-10	Pass
				2485.000	-46.76	<=-10	Pass
				2486.000	-47.30	<=-10	Pass
				2487.000	-48.19	<=-10	Pass
				2488.000	-48.80	<=-10	Pass
				2489.000	-49.50	<=-10	Pass
				2490.000	-50.14	<=-10	Pass
				2491.000	-50.76	<=-10	Pass
				2492.000	-51.15	<=-10	Pass
				2493.000	-51.44	<=-10	Pass
				2494.000	-51.71	<=-10	Pass
				2495.000	-51.94	<=-10	Pass
				2496.000	-52.05	<=-10	Pass
				2497.000	-52.07	<=-10	Pass
				2498.000	-52.21	<=-10	Pass
				2499.000	-52.22	<=-10	Pass
				2499.352	-52.27	<=-10	Pass
				2500.352	-52.30	<=-20	Pass
				2501.352	-52.35	<=-20	Pass
				2502.352	-52.30	<=-20	Pass
				2503.352	-52.41	<=-20	Pass
				2504.352	-52.40	<=-20	Pass
				2505.352	-52.37	<=-20	Pass
				2506.352	-52.47	<=-20	Pass
				2507.352	-52.40	<=-20	Pass
				2508.352	-52.48	<=-20	Pass
				2509.352	-52.47	<=-20	Pass
				2510.352	-52.53	<=-20	Pass
				2511.352	-52.49	<=-20	Pass
				2512.352	-52.51	<=-20	Pass
				2513.352	-52.56	<=-20	Pass
				2514.352	-52.63	<=-20	Pass
				2515.352	-52.69	<=-20	Pass
				2515.704	-52.66	<=-20	Pass

5.1.5 802.11n(HT20)-Ant1

802.11n(HT20) Ant1 NTNV							
Mode	TX Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11n (HT20)	MIMO	2412	1	2365.444	-51.68	<=-23.01	Pass
				2365.972	-51.61	<=-23.01	Pass
				2366.972	-51.58	<=-23.01	Pass
				2367.972	-51.59	<=-23.01	Pass
				2368.972	-51.56	<=-23.01	Pass
				2369.972	-51.60	<=-23.01	Pass

				2370.972	-51.50	<=-23.01	Pass
				2371.972	-51.50	<=-23.01	Pass
				2372.972	-51.46	<=-23.01	Pass
				2373.972	-51.40	<=-23.01	Pass
				2374.972	-51.40	<=-23.01	Pass
				2375.972	-51.37	<=-23.01	Pass
				2376.972	-51.37	<=-23.01	Pass
				2377.972	-51.38	<=-23.01	Pass
				2378.972	-51.29	<=-23.01	Pass
				2379.972	-51.26	<=-23.01	Pass
				2380.972	-51.24	<=-23.01	Pass
				2381.972	-51.20	<=-23.01	Pass
				2382.972	-51.20	<=-13.01	Pass
				2383.500	-51.15	<=-13.01	Pass
				2384.500	-51.10	<=-13.01	Pass
				2385.500	-51.05	<=-13.01	Pass
				2386.500	-50.87	<=-13.01	Pass
				2387.500	-50.76	<=-13.01	Pass
				2388.500	-50.52	<=-13.01	Pass
				2389.500	-50.11	<=-13.01	Pass
				2390.500	-49.60	<=-13.01	Pass
				2391.500	-48.91	<=-13.01	Pass
				2392.500	-48.17	<=-13.01	Pass
				2393.500	-47.41	<=-13.01	Pass
				2394.500	-46.52	<=-13.01	Pass
				2395.500	-45.73	<=-13.01	Pass
				2396.500	-44.99	<=-13.01	Pass
				2397.500	-44.17	<=-13.01	Pass
				2398.500	-43.52	<=-13.01	Pass
				2399.500	-42.88	<=-13.01	Pass
				2484.000	-46.18	<=-13.01	Pass
				2485.000	-46.85	<=-13.01	Pass
				2486.000	-47.12	<=-13.01	Pass
				2487.000	-47.78	<=-13.01	Pass
				2488.000	-48.20	<=-13.01	Pass
				2489.000	-48.77	<=-13.01	Pass
				2490.000	-49.35	<=-13.01	Pass
				2491.000	-49.75	<=-13.01	Pass
				2492.000	-49.96	<=-13.01	Pass
				2493.000	-50.37	<=-13.01	Pass
				2494.000	-50.51	<=-13.01	Pass
				2495.000	-50.72	<=-13.01	Pass
				2496.000	-50.79	<=-13.01	Pass
				2497.000	-51.01	<=-13.01	Pass
				2498.000	-51.08	<=-13.01	Pass
				2499.000	-51.09	<=-13.01	Pass
				2500.000	-51.16	<=-13.01	Pass
				2500.530	-51.13	<=-13.01	Pass
				2501.530	-51.25	<=-23.01	Pass
				2502.530	-51.22	<=-23.01	Pass
				2503.530	-51.21	<=-23.01	Pass
				2504.530	-51.24	<=-23.01	Pass
				2505.530	-51.35	<=-23.01	Pass
				2506.530	-51.27	<=-23.01	Pass
				2507.530	-51.32	<=-23.01	Pass
				2508.530	-51.32	<=-23.01	Pass
				2509.530	-51.37	<=-23.01	Pass

				2510.530	-51.35	<=-23.01	Pass
				2511.530	-51.47	<=-23.01	Pass
				2512.530	-51.45	<=-23.01	Pass
				2513.530	-51.41	<=-23.01	Pass
				2514.530	-51.44	<=-23.01	Pass
				2515.530	-51.41	<=-23.01	Pass
				2516.530	-51.44	<=-23.01	Pass
				2517.530	-51.38	<=-23.01	Pass
				2518.060	-51.51	<=-23.01	Pass

5.1.6 802.11n(HT20)-Ant2

802.11n(HT20) Ant2 NTN							
Mode	TX Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11n (HT20)	MIMO	2412	2	2365.444	-52.20	<=-23.01	Pass
				2365.972	-52.21	<=-23.01	Pass
				2366.972	-52.15	<=-23.01	Pass
				2367.972	-52.13	<=-23.01	Pass
				2368.972	-52.22	<=-23.01	Pass
				2369.972	-52.13	<=-23.01	Pass
				2370.972	-52.09	<=-23.01	Pass
				2371.972	-52.06	<=-23.01	Pass
				2372.972	-52.03	<=-23.01	Pass
				2373.972	-52.00	<=-23.01	Pass
				2374.972	-52.03	<=-23.01	Pass
				2375.972	-51.97	<=-23.01	Pass
				2376.972	-51.99	<=-23.01	Pass
				2377.972	-51.91	<=-23.01	Pass
				2378.972	-51.93	<=-23.01	Pass
				2379.972	-51.83	<=-23.01	Pass
				2380.972	-51.74	<=-23.01	Pass
				2381.972	-51.73	<=-23.01	Pass
				2382.972	-51.70	<=-13.01	Pass
				2383.500	-51.75	<=-13.01	Pass
				2384.500	-51.62	<=-13.01	Pass
				2385.500	-51.59	<=-13.01	Pass
				2386.500	-51.52	<=-13.01	Pass
				2387.500	-51.30	<=-13.01	Pass
				2388.500	-51.10	<=-13.01	Pass
				2389.500	-50.69	<=-13.01	Pass
				2390.500	-50.23	<=-13.01	Pass
				2391.500	-49.54	<=-13.01	Pass
				2392.500	-48.91	<=-13.01	Pass
				2393.500	-48.09	<=-13.01	Pass
				2394.500	-47.43	<=-13.01	Pass
				2395.500	-46.72	<=-13.01	Pass
				2396.500	-45.80	<=-13.01	Pass
				2397.500	-45.15	<=-13.01	Pass
				2398.500	-44.46	<=-13.01	Pass
				2399.500	-43.73	<=-13.01	Pass
		2472	2	2484.000	-46.72	<=-13.01	Pass
				2485.000	-47.30	<=-13.01	Pass
				2486.000	-47.57	<=-13.01	Pass
				2487.000	-48.41	<=-13.01	Pass
				2488.000	-48.85	<=-13.01	Pass

				2489.000	-49.34	<=-13.01	Pass
				2490.000	-49.87	<=-13.01	Pass
				2491.000	-50.18	<=-13.01	Pass
				2492.000	-50.48	<=-13.01	Pass
				2493.000	-50.81	<=-13.01	Pass
				2494.000	-50.96	<=-13.01	Pass
				2495.000	-51.15	<=-13.01	Pass
				2496.000	-51.31	<=-13.01	Pass
				2497.000	-51.42	<=-13.01	Pass
				2498.000	-51.38	<=-13.01	Pass
				2499.000	-51.41	<=-13.01	Pass
				2500.000	-51.44	<=-13.01	Pass
				2500.530	-51.60	<=-13.01	Pass
				2501.530	-51.61	<=-23.01	Pass
				2502.530	-51.70	<=-23.01	Pass
				2503.530	-51.68	<=-23.01	Pass
				2504.530	-51.56	<=-23.01	Pass
				2505.530	-51.76	<=-23.01	Pass
				2506.530	-51.74	<=-23.01	Pass
				2507.530	-51.74	<=-23.01	Pass
				2508.530	-51.68	<=-23.01	Pass
				2509.530	-51.81	<=-23.01	Pass
				2510.530	-51.87	<=-23.01	Pass
				2511.530	-51.76	<=-23.01	Pass
				2512.530	-51.82	<=-23.01	Pass
				2513.530	-51.81	<=-23.01	Pass
				2514.530	-51.88	<=-23.01	Pass
				2515.530	-51.85	<=-23.01	Pass
				2516.530	-51.88	<=-23.01	Pass
				2517.530	-51.87	<=-23.01	Pass
				2518.060	-51.83	<=-23.01	Pass

5.1.7 802.11n(HT40)-Ant1

802.11n(HT40) Ant1 NTN							
Mode	TX Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11n (HT40)	MIMO	2422	1	2328.866	-51.83	<=-23.01	Pass
				2329.683	-51.86	<=-23.01	Pass
				2330.683	-51.82	<=-23.01	Pass
				2331.683	-51.83	<=-23.01	Pass
				2332.683	-51.88	<=-23.01	Pass
				2333.683	-51.91	<=-23.01	Pass
				2334.683	-51.87	<=-23.01	Pass
				2335.683	-51.83	<=-23.01	Pass
				2336.683	-51.85	<=-23.01	Pass
				2337.683	-51.83	<=-23.01	Pass
				2338.683	-51.78	<=-23.01	Pass
				2339.683	-51.74	<=-23.01	Pass
				2340.683	-51.76	<=-23.01	Pass
				2341.683	-51.78	<=-23.01	Pass
				2342.683	-51.74	<=-23.01	Pass
				2343.683	-51.74	<=-23.01	Pass
				2344.683	-51.83	<=-23.01	Pass
				2345.683	-51.76	<=-23.01	Pass
				2346.683	-51.70	<=-23.01	Pass

				2347.683	-51.70	<=-23.01	Pass
				2348.683	-51.74	<=-23.01	Pass
				2349.683	-51.69	<=-23.01	Pass
				2350.683	-51.71	<=-23.01	Pass
				2351.683	-51.66	<=-23.01	Pass
				2352.683	-51.65	<=-23.01	Pass
				2353.683	-51.72	<=-23.01	Pass
				2354.683	-51.62	<=-23.01	Pass
				2355.683	-51.68	<=-23.01	Pass
				2356.683	-51.67	<=-23.01	Pass
				2357.683	-51.64	<=-23.01	Pass
				2358.683	-51.63	<=-23.01	Pass
				2359.683	-51.61	<=-23.01	Pass
				2360.683	-51.59	<=-23.01	Pass
				2361.683	-51.62	<=-23.01	Pass
				2362.683	-51.61	<=-23.01	Pass
				2363.683	-51.54	<=-23.01	Pass
				2364.683	-51.52	<=-13.01	Pass
				2365.500	-51.56	<=-13.01	Pass
				2366.500	-51.57	<=-13.01	Pass
				2367.500	-51.52	<=-13.01	Pass
				2368.500	-51.46	<=-13.01	Pass
				2369.500	-51.46	<=-13.01	Pass
				2370.500	-51.42	<=-13.01	Pass
				2371.500	-51.35	<=-13.01	Pass
				2372.500	-51.28	<=-13.01	Pass
				2373.500	-51.19	<=-13.01	Pass
				2374.500	-51.09	<=-13.01	Pass
				2375.500	-51.13	<=-13.01	Pass
				2376.500	-51.01	<=-13.01	Pass
				2377.500	-50.92	<=-13.01	Pass
				2378.500	-50.79	<=-13.01	Pass
				2379.500	-50.63	<=-13.01	Pass
				2380.500	-50.53	<=-13.01	Pass
				2381.500	-50.32	<=-13.01	Pass
				2382.500	-50.15	<=-13.01	Pass
				2383.500	-49.92	<=-13.01	Pass
				2384.500	-49.54	<=-13.01	Pass
				2385.500	-49.41	<=-13.01	Pass
				2386.500	-49.15	<=-13.01	Pass
				2387.500	-48.96	<=-13.01	Pass
				2388.500	-48.57	<=-13.01	Pass
				2389.500	-48.28	<=-13.01	Pass
				2390.500	-48.08	<=-13.01	Pass
				2391.500	-47.85	<=-13.01	Pass
				2392.500	-47.64	<=-13.01	Pass
				2393.500	-47.19	<=-13.01	Pass
				2394.500	-47.01	<=-13.01	Pass
				2395.500	-46.74	<=-13.01	Pass
				2396.500	-46.64	<=-13.01	Pass
				2397.500	-46.17	<=-13.01	Pass
				2398.500	-45.91	<=-13.01	Pass
				2399.500	-45.58	<=-13.01	Pass
		2462	1	2484.000	-47.75	<=-13.01	Pass
				2485.000	-48.05	<=-13.01	Pass
				2486.000	-48.11	<=-13.01	Pass
				2487.000	-48.41	<=-13.01	Pass

				2488.000	-48.68	<=-13.01	Pass
				2489.000	-48.86	<=-13.01	Pass
				2490.000	-48.95	<=-13.01	Pass
				2491.000	-49.10	<=-13.01	Pass
				2492.000	-49.39	<=-13.01	Pass
				2493.000	-49.59	<=-13.01	Pass
				2494.000	-49.62	<=-13.01	Pass
				2495.000	-49.84	<=-13.01	Pass
				2496.000	-50.02	<=-13.01	Pass
				2497.000	-50.20	<=-13.01	Pass
				2498.000	-50.31	<=-13.01	Pass
				2499.000	-50.47	<=-13.01	Pass
				2500.000	-50.61	<=-13.01	Pass
				2501.000	-50.78	<=-13.01	Pass
				2502.000	-50.84	<=-13.01	Pass
				2503.000	-50.95	<=-13.01	Pass
				2504.000	-51.03	<=-13.01	Pass
				2505.000	-51.06	<=-13.01	Pass
				2506.000	-50.97	<=-13.01	Pass
				2507.000	-51.22	<=-13.01	Pass
				2508.000	-51.19	<=-13.01	Pass
				2509.000	-51.27	<=-13.01	Pass
				2510.000	-51.26	<=-13.01	Pass
				2511.000	-51.34	<=-13.01	Pass
				2512.000	-51.30	<=-13.01	Pass
				2513.000	-51.29	<=-13.01	Pass
				2514.000	-51.26	<=-13.01	Pass
				2515.000	-51.38	<=-13.01	Pass
				2516.000	-51.30	<=-13.01	Pass
				2517.000	-51.36	<=-13.01	Pass
				2518.000	-51.42	<=-13.01	Pass
				2518.840	-51.39	<=-13.01	Pass
				2519.840	-51.39	<=-23.01	Pass
				2520.840	-51.41	<=-23.01	Pass
				2521.840	-51.45	<=-23.01	Pass
				2522.840	-51.35	<=-23.01	Pass
				2523.840	-51.48	<=-23.01	Pass
				2524.840	-51.36	<=-23.01	Pass
				2525.840	-51.48	<=-23.01	Pass
				2526.840	-51.45	<=-23.01	Pass
				2527.840	-51.41	<=-23.01	Pass
				2528.840	-51.47	<=-23.01	Pass
				2529.840	-51.46	<=-23.01	Pass
				2530.840	-51.45	<=-23.01	Pass
				2531.840	-51.47	<=-23.01	Pass
				2532.840	-51.49	<=-23.01	Pass
				2533.840	-51.46	<=-23.01	Pass
				2534.840	-51.53	<=-23.01	Pass
				2535.840	-51.57	<=-23.01	Pass
				2536.840	-51.52	<=-23.01	Pass
				2537.840	-51.49	<=-23.01	Pass
				2538.840	-51.53	<=-23.01	Pass
				2539.840	-51.50	<=-23.01	Pass
				2540.840	-51.53	<=-23.01	Pass
				2541.840	-51.54	<=-23.01	Pass
				2542.840	-51.57	<=-23.01	Pass
				2543.840	-51.48	<=-23.01	Pass

				2544.840	-51.50	<=-23.01	Pass
				2545.840	-51.56	<=-23.01	Pass
				2546.840	-51.57	<=-23.01	Pass
				2547.840	-51.57	<=-23.01	Pass
				2548.840	-51.61	<=-23.01	Pass
				2549.840	-51.53	<=-23.01	Pass
				2550.840	-51.56	<=-23.01	Pass
				2551.840	-51.59	<=-23.01	Pass
				2552.840	-51.53	<=-23.01	Pass
				2553.840	-51.70	<=-23.01	Pass
				2554.680	-51.65	<=-23.01	Pass

5.1.8 802.11n(HT40)-Ant2

802.11n(HT40) Ant2 NTNV							
Mode	TX Type	Frequency (MHz)	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11n (HT40)	MIMO	2422	2	2328.866	-52.65	<=-23.01	Pass
				2329.683	-52.60	<=-23.01	Pass
				2330.683	-52.58	<=-23.01	Pass
				2331.683	-52.57	<=-23.01	Pass
				2332.683	-52.55	<=-23.01	Pass
				2333.683	-52.57	<=-23.01	Pass
				2334.683	-52.58	<=-23.01	Pass
				2335.683	-52.53	<=-23.01	Pass
				2336.683	-52.50	<=-23.01	Pass
				2337.683	-52.54	<=-23.01	Pass
				2338.683	-52.48	<=-23.01	Pass
				2339.683	-52.47	<=-23.01	Pass
				2340.683	-52.44	<=-23.01	Pass
				2341.683	-52.42	<=-23.01	Pass
				2342.683	-52.44	<=-23.01	Pass
				2343.683	-52.37	<=-23.01	Pass
				2344.683	-52.43	<=-23.01	Pass
				2345.683	-52.34	<=-23.01	Pass
				2346.683	-52.42	<=-23.01	Pass
				2347.683	-52.35	<=-23.01	Pass
				2348.683	-52.31	<=-23.01	Pass
				2349.683	-52.33	<=-23.01	Pass
				2350.683	-52.32	<=-23.01	Pass
				2351.683	-52.34	<=-23.01	Pass
				2352.683	-52.33	<=-23.01	Pass
				2353.683	-52.35	<=-23.01	Pass
				2354.683	-52.29	<=-23.01	Pass
				2355.683	-52.30	<=-23.01	Pass
				2356.683	-52.27	<=-23.01	Pass
				2357.683	-52.23	<=-23.01	Pass
				2358.683	-52.32	<=-23.01	Pass
				2359.683	-52.23	<=-23.01	Pass
				2360.683	-52.21	<=-23.01	Pass
				2361.683	-52.22	<=-23.01	Pass
				2362.683	-52.18	<=-23.01	Pass
				2363.683	-52.17	<=-23.01	Pass
				2364.683	-52.12	<=-13.01	Pass
				2365.500	-52.09	<=-13.01	Pass
				2366.500	-52.11	<=-13.01	Pass

				2367.500	-52.07	<=-13.01	Pass
				2368.500	-52.05	<=-13.01	Pass
				2369.500	-51.92	<=-13.01	Pass
				2370.500	-51.98	<=-13.01	Pass
				2371.500	-51.93	<=-13.01	Pass
				2372.500	-51.85	<=-13.01	Pass
				2373.500	-51.82	<=-13.01	Pass
				2374.500	-51.83	<=-13.01	Pass
				2375.500	-51.73	<=-13.01	Pass
				2376.500	-51.63	<=-13.01	Pass
				2377.500	-51.56	<=-13.01	Pass
				2378.500	-51.37	<=-13.01	Pass
				2379.500	-51.25	<=-13.01	Pass
				2380.500	-51.12	<=-13.01	Pass
				2381.500	-51.01	<=-13.01	Pass
				2382.500	-50.85	<=-13.01	Pass
				2383.500	-50.61	<=-13.01	Pass
				2384.500	-50.24	<=-13.01	Pass
				2385.500	-50.06	<=-13.01	Pass
				2386.500	-49.84	<=-13.01	Pass
				2387.500	-49.60	<=-13.01	Pass
				2388.500	-49.29	<=-13.01	Pass
				2389.500	-48.97	<=-13.01	Pass
				2390.500	-48.85	<=-13.01	Pass
				2391.500	-48.65	<=-13.01	Pass
				2392.500	-48.31	<=-13.01	Pass
				2393.500	-47.91	<=-13.01	Pass
				2394.500	-47.66	<=-13.01	Pass
				2395.500	-47.55	<=-13.01	Pass
				2396.500	-47.34	<=-13.01	Pass
				2397.500	-46.96	<=-13.01	Pass
				2398.500	-46.65	<=-13.01	Pass
				2399.500	-46.16	<=-13.01	Pass
		2462	2	2484.000	-48.17	<=-13.01	Pass
				2485.000	-48.39	<=-13.01	Pass
				2486.000	-48.53	<=-13.01	Pass
				2487.000	-48.84	<=-13.01	Pass
				2488.000	-49.05	<=-13.01	Pass
				2489.000	-49.28	<=-13.01	Pass
				2490.000	-49.41	<=-13.01	Pass
				2491.000	-49.57	<=-13.01	Pass
				2492.000	-49.85	<=-13.01	Pass
				2493.000	-50.09	<=-13.01	Pass
				2494.000	-50.16	<=-13.01	Pass
				2495.000	-50.33	<=-13.01	Pass
				2496.000	-50.46	<=-13.01	Pass
				2497.000	-50.60	<=-13.01	Pass
				2498.000	-50.79	<=-13.01	Pass
				2499.000	-50.85	<=-13.01	Pass
				2500.000	-50.97	<=-13.01	Pass
				2501.000	-51.23	<=-13.01	Pass
				2502.000	-51.26	<=-13.01	Pass
				2503.000	-51.32	<=-13.01	Pass
				2504.000	-51.36	<=-13.01	Pass
				2505.000	-51.39	<=-13.01	Pass
				2506.000	-51.53	<=-13.01	Pass
				2507.000	-51.56	<=-13.01	Pass

				2508.000	-51.56	<=-13.01	Pass
				2509.000	-51.64	<=-13.01	Pass
				2510.000	-51.69	<=-13.01	Pass
				2511.000	-51.73	<=-13.01	Pass
				2512.000	-51.67	<=-13.01	Pass
				2513.000	-51.72	<=-13.01	Pass
				2514.000	-51.74	<=-13.01	Pass
				2515.000	-51.71	<=-13.01	Pass
				2516.000	-51.84	<=-13.01	Pass
				2517.000	-51.74	<=-13.01	Pass
				2518.000	-51.79	<=-13.01	Pass
				2518.840	-51.84	<=-13.01	Pass
				2519.840	-51.78	<=-23.01	Pass
				2520.840	-51.76	<=-23.01	Pass
				2521.840	-51.79	<=-23.01	Pass
				2522.840	-51.83	<=-23.01	Pass
				2523.840	-51.84	<=-23.01	Pass
				2524.840	-51.79	<=-23.01	Pass
				2525.840	-51.88	<=-23.01	Pass
				2526.840	-51.81	<=-23.01	Pass
				2527.840	-51.86	<=-23.01	Pass
				2528.840	-51.90	<=-23.01	Pass
				2529.840	-51.85	<=-23.01	Pass
				2530.840	-51.87	<=-23.01	Pass
				2531.840	-51.90	<=-23.01	Pass
				2532.840	-51.88	<=-23.01	Pass
				2533.840	-51.96	<=-23.01	Pass
				2534.840	-51.89	<=-23.01	Pass
				2535.840	-51.95	<=-23.01	Pass
				2536.840	-51.94	<=-23.01	Pass
				2537.840	-51.95	<=-23.01	Pass
				2538.840	-51.95	<=-23.01	Pass
				2539.840	-51.94	<=-23.01	Pass
				2540.840	-51.89	<=-23.01	Pass
				2541.840	-51.94	<=-23.01	Pass
				2542.840	-51.93	<=-23.01	Pass
				2543.840	-51.89	<=-23.01	Pass
				2544.840	-51.99	<=-23.01	Pass
				2545.840	-51.98	<=-23.01	Pass
				2546.840	-51.99	<=-23.01	Pass
				2547.840	-52.01	<=-23.01	Pass
				2548.840	-51.98	<=-23.01	Pass
				2549.840	-51.92	<=-23.01	Pass
				2550.840	-52.06	<=-23.01	Pass
				2551.840	-52.02	<=-23.01	Pass
				2552.840	-52.06	<=-23.01	Pass
				2553.840	-52.02	<=-23.01	Pass
				2554.680	-51.91	<=-23.01	Pass

5.1.9 802.11ax(HEW20)-2412-SU-Ant1

802.11ax(HEW20) 2412MHz SU Ant1 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW20)	MIMO	2412	SU	/	1	2363.002	-51.85	<=-23.01	Pass
						2363.751	-51.75	<=-23.01	Pass

						2364.751	-51.81	<=-23.01	Pass
						2365.751	-51.80	<=-23.01	Pass
						2366.751	-51.86	<=-23.01	Pass
						2367.751	-51.77	<=-23.01	Pass
						2368.751	-51.70	<=-23.01	Pass
						2369.751	-51.69	<=-23.01	Pass
						2370.751	-51.81	<=-23.01	Pass
						2371.751	-51.73	<=-23.01	Pass
						2372.751	-51.67	<=-23.01	Pass
						2373.751	-51.70	<=-23.01	Pass
						2374.751	-51.59	<=-23.01	Pass
						2375.751	-51.62	<=-23.01	Pass
						2376.751	-51.59	<=-23.01	Pass
						2377.751	-51.60	<=-23.01	Pass
						2378.751	-51.52	<=-23.01	Pass
						2379.751	-51.50	<=-23.01	Pass
						2380.751	-51.49	<=-23.01	Pass
						2381.751	-51.47	<=-13.01	Pass
						2382.500	-51.46	<=-13.01	Pass
						2383.500	-51.35	<=-13.01	Pass
						2384.500	-51.26	<=-13.01	Pass
						2385.500	-51.14	<=-13.01	Pass
						2386.500	-50.99	<=-13.01	Pass
						2387.500	-50.70	<=-13.01	Pass
						2388.500	-50.35	<=-13.01	Pass
						2389.500	-49.97	<=-13.01	Pass
						2390.500	-49.38	<=-13.01	Pass
						2391.500	-48.80	<=-13.01	Pass
						2392.500	-48.01	<=-13.01	Pass
						2393.500	-47.29	<=-13.01	Pass
						2394.500	-46.68	<=-13.01	Pass
						2395.500	-45.92	<=-13.01	Pass
						2396.500	-45.29	<=-13.01	Pass
						2397.500	-44.73	<=-13.01	Pass
						2398.500	-44.00	<=-13.01	Pass
						2399.500	-43.40	<=-13.01	Pass

5.1.10 802.11ax(HEW20)-2412-SU-Ant2

802.11ax(HEW20) 2412MHz SU Ant2 NTNv									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW20)	MIMO	2412	SU	/	2	2363.002	-52.59	<=-23.01	Pass
						2363.751	-52.52	<=-23.01	Pass
						2364.751	-52.54	<=-23.01	Pass
						2365.751	-52.54	<=-23.01	Pass
						2366.751	-52.48	<=-23.01	Pass
						2367.751	-52.49	<=-23.01	Pass
						2368.751	-52.48	<=-23.01	Pass
						2369.751	-52.47	<=-23.01	Pass
						2370.751	-52.38	<=-23.01	Pass
						2371.751	-52.40	<=-23.01	Pass
						2372.751	-52.29	<=-23.01	Pass
						2373.751	-52.37	<=-23.01	Pass
						2374.751	-52.28	<=-23.01	Pass
						2375.751	-52.28	<=-23.01	Pass

						2376.751	-52.26	<=-23.01	Pass
						2377.751	-52.31	<=-23.01	Pass
						2378.751	-52.19	<=-23.01	Pass
						2379.751	-52.16	<=-23.01	Pass
						2380.751	-52.07	<=-23.01	Pass
						2381.751	-52.14	<=-13.01	Pass
						2382.500	-52.08	<=-13.01	Pass
						2383.500	-51.98	<=-13.01	Pass
						2384.500	-51.97	<=-13.01	Pass
						2385.500	-51.91	<=-13.01	Pass
						2386.500	-51.65	<=-13.01	Pass
						2387.500	-51.51	<=-13.01	Pass
						2388.500	-51.14	<=-13.01	Pass
						2389.500	-50.88	<=-13.01	Pass
						2390.500	-50.43	<=-13.01	Pass
						2391.500	-49.87	<=-13.01	Pass
						2392.500	-49.36	<=-13.01	Pass
						2393.500	-48.66	<=-13.01	Pass
						2394.500	-47.89	<=-13.01	Pass
						2395.500	-47.20	<=-13.01	Pass
						2396.500	-46.70	<=-13.01	Pass
						2397.500	-46.31	<=-13.01	Pass
						2398.500	-45.76	<=-13.01	Pass
						2399.500	-45.03	<=-13.01	Pass

5.1.11 802.11ax(HEW20)-2472-SU-Ant1

802.11ax(HEW20) 2472MHz SU Ant1 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW20)	MIMO	2472	SU	/	1	2484.000	-46.77	<=-13.01	Pass
						2485.000	-47.31	<=-13.01	Pass
						2486.000	-47.54	<=-13.01	Pass
						2487.000	-48.23	<=-13.01	Pass
						2488.000	-48.59	<=-13.01	Pass
						2489.000	-48.98	<=-13.01	Pass
						2490.000	-49.48	<=-13.01	Pass
						2491.000	-50.10	<=-13.01	Pass
						2492.000	-50.16	<=-13.01	Pass
						2493.000	-50.37	<=-13.01	Pass
						2494.000	-50.49	<=-13.01	Pass
						2495.000	-50.80	<=-13.01	Pass
						2496.000	-50.93	<=-13.01	Pass
						2497.000	-51.11	<=-13.01	Pass
						2498.000	-51.27	<=-13.01	Pass
						2499.000	-51.21	<=-13.01	Pass
						2500.000	-51.33	<=-13.01	Pass
						2501.000	-51.30	<=-13.01	Pass
						2501.750	-51.33	<=-13.01	Pass
						2502.750	-51.38	<=-23.01	Pass
						2503.750	-51.41	<=-23.01	Pass
						2504.750	-51.49	<=-23.01	Pass
						2505.750	-51.41	<=-23.01	Pass
						2506.750	-51.42	<=-23.01	Pass
						2507.750	-51.48	<=-23.01	Pass
						2508.750	-51.47	<=-23.01	Pass

						2509.750	-51.50	<=-23.01	Pass
						2510.750	-51.47	<=-23.01	Pass
						2511.750	-51.48	<=-23.01	Pass
						2512.750	-51.61	<=-23.01	Pass
						2513.750	-51.52	<=-23.01	Pass
						2514.750	-51.58	<=-23.01	Pass
						2515.750	-51.61	<=-23.01	Pass
						2516.750	-51.64	<=-23.01	Pass
						2517.750	-51.54	<=-23.01	Pass
						2518.750	-51.63	<=-23.01	Pass
						2519.750	-51.58	<=-23.01	Pass
						2520.500	-51.67	<=-23.01	Pass

5.1.12 802.11ax(HEW20)-2472-SU-Ant2

802.11ax(HEW20) 2472MHz SU Ant2 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW20)	MIMO	2472	SU	/	2	2484.000	-47.38	<=-13.01	Pass
						2485.000	-47.97	<=-13.01	Pass
						2486.000	-48.21	<=-13.01	Pass
						2487.000	-48.62	<=-13.01	Pass
						2488.000	-49.20	<=-13.01	Pass
						2489.000	-49.59	<=-13.01	Pass
						2490.000	-50.11	<=-13.01	Pass
						2491.000	-50.35	<=-13.01	Pass
						2492.000	-50.73	<=-13.01	Pass
						2493.000	-50.94	<=-13.01	Pass
						2494.000	-51.19	<=-13.01	Pass
						2495.000	-51.31	<=-13.01	Pass
						2496.000	-51.45	<=-13.01	Pass
						2497.000	-51.56	<=-13.01	Pass
						2498.000	-51.66	<=-13.01	Pass
						2499.000	-51.71	<=-13.01	Pass
						2500.000	-51.81	<=-13.01	Pass
						2501.000	-51.81	<=-13.01	Pass
						2501.750	-51.88	<=-13.01	Pass
						2502.750	-51.84	<=-23.01	Pass
						2503.750	-51.83	<=-23.01	Pass
						2504.750	-51.89	<=-23.01	Pass
						2505.750	-51.88	<=-23.01	Pass
						2506.750	-51.96	<=-23.01	Pass
						2507.750	-51.99	<=-23.01	Pass
						2508.750	-51.97	<=-23.01	Pass
						2509.750	-52.00	<=-23.01	Pass
						2510.750	-52.00	<=-23.01	Pass
						2511.750	-52.01	<=-23.01	Pass
						2512.750	-52.05	<=-23.01	Pass
						2513.750	-52.02	<=-23.01	Pass
						2514.750	-52.07	<=-23.01	Pass
						2515.750	-52.08	<=-23.01	Pass
						2516.750	-52.18	<=-23.01	Pass
						2517.750	-52.14	<=-23.01	Pass
						2518.750	-52.10	<=-23.01	Pass
						2519.750	-52.13	<=-23.01	Pass
						2520.500	-52.17	<=-23.01	Pass

5.1.13 802.11ax(HEW40)-2422-SU-Ant1

802.11ax(HEW40) 2422MHz SU Ant1 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW40)	MIMO	2422	SU	/	1	2326.000	-52.04	<=-23.01	Pass
						2326.250	-52.01	<=-23.01	Pass
						2327.250	-51.99	<=-23.01	Pass
						2328.250	-52.01	<=-23.01	Pass
						2329.250	-52.03	<=-23.01	Pass
						2330.250	-52.00	<=-23.01	Pass
						2331.250	-51.92	<=-23.01	Pass
						2332.250	-51.99	<=-23.01	Pass
						2333.250	-51.97	<=-23.01	Pass
						2334.250	-51.96	<=-23.01	Pass
						2335.250	-51.96	<=-23.01	Pass
						2336.250	-51.95	<=-23.01	Pass
						2337.250	-51.93	<=-23.01	Pass
						2338.250	-51.86	<=-23.01	Pass
						2339.250	-51.92	<=-23.01	Pass
						2340.250	-51.85	<=-23.01	Pass
						2341.250	-51.91	<=-23.01	Pass
						2342.250	-51.83	<=-23.01	Pass
						2343.250	-51.77	<=-23.01	Pass
						2344.250	-51.83	<=-23.01	Pass
						2345.250	-51.82	<=-23.01	Pass
						2346.250	-51.81	<=-23.01	Pass
						2347.250	-51.88	<=-23.01	Pass
						2348.250	-51.78	<=-23.01	Pass
						2349.250	-51.83	<=-23.01	Pass
						2350.250	-51.80	<=-23.01	Pass
						2351.250	-51.83	<=-23.01	Pass
						2352.250	-51.81	<=-23.01	Pass
						2353.250	-51.85	<=-23.01	Pass
						2354.250	-51.73	<=-23.01	Pass
						2355.250	-51.81	<=-23.01	Pass
						2356.250	-51.78	<=-23.01	Pass
						2357.250	-51.71	<=-23.01	Pass
						2358.250	-51.68	<=-23.01	Pass
						2359.250	-51.77	<=-23.01	Pass
						2360.250	-51.68	<=-23.01	Pass
						2361.250	-51.61	<=-23.01	Pass
						2362.250	-51.72	<=-23.01	Pass
						2363.250	-51.65	<=-13.01	Pass
						2363.500	-51.64	<=-13.01	Pass
						2364.500	-51.61	<=-13.01	Pass
						2365.500	-51.61	<=-13.01	Pass
						2366.500	-51.53	<=-13.01	Pass
						2367.500	-51.56	<=-13.01	Pass
						2368.500	-51.61	<=-13.01	Pass
						2369.500	-51.55	<=-13.01	Pass
						2370.500	-51.44	<=-13.01	Pass
						2371.500	-51.43	<=-13.01	Pass
						2372.500	-51.34	<=-13.01	Pass
						2373.500	-51.34	<=-13.01	Pass

						2374.500	-51.25	<=-13.01	Pass
						2375.500	-51.22	<=-13.01	Pass
						2376.500	-51.11	<=-13.01	Pass
						2377.500	-50.97	<=-13.01	Pass
						2378.500	-50.89	<=-13.01	Pass
						2379.500	-50.78	<=-13.01	Pass
						2380.500	-50.59	<=-13.01	Pass
						2381.500	-50.45	<=-13.01	Pass
						2382.500	-50.27	<=-13.01	Pass
						2383.500	-50.01	<=-13.01	Pass
						2384.500	-49.61	<=-13.01	Pass
						2385.500	-49.34	<=-13.01	Pass
						2386.500	-49.15	<=-13.01	Pass
						2387.500	-49.07	<=-13.01	Pass
						2388.500	-48.68	<=-13.01	Pass
						2389.500	-48.50	<=-13.01	Pass
						2390.500	-48.15	<=-13.01	Pass
						2391.500	-47.99	<=-13.01	Pass
						2392.500	-47.84	<=-13.01	Pass
						2393.500	-47.34	<=-13.01	Pass
						2394.500	-47.32	<=-13.01	Pass
						2395.500	-47.55	<=-13.01	Pass
						2396.500	-46.77	<=-13.01	Pass
						2397.500	-46.35	<=-13.01	Pass
						2398.500	-46.14	<=-13.01	Pass
						2399.500	-45.83	<=-13.01	Pass

5.1.14 802.11ax(HEW40)-2422-SU-Ant2

802.11ax(HEW40) 2422MHz SU Ant2 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW40)	MIMO	2422	SU	/	2	2326.000	-52.94	<=-23.01	Pass
						2326.250	-52.86	<=-23.01	Pass
						2327.250	-52.88	<=-23.01	Pass
						2328.250	-52.90	<=-23.01	Pass
						2329.250	-52.82	<=-23.01	Pass
						2330.250	-52.85	<=-23.01	Pass
						2331.250	-52.83	<=-23.01	Pass
						2332.250	-52.82	<=-23.01	Pass
						2333.250	-52.74	<=-23.01	Pass
						2334.250	-52.79	<=-23.01	Pass
						2335.250	-52.80	<=-23.01	Pass
						2336.250	-52.70	<=-23.01	Pass
						2337.250	-52.67	<=-23.01	Pass
						2338.250	-52.70	<=-23.01	Pass
						2339.250	-52.69	<=-23.01	Pass
						2340.250	-52.67	<=-23.01	Pass
						2341.250	-52.71	<=-23.01	Pass
						2342.250	-52.68	<=-23.01	Pass
						2343.250	-52.61	<=-23.01	Pass
						2344.250	-52.69	<=-23.01	Pass
						2345.250	-52.65	<=-23.01	Pass
						2346.250	-52.63	<=-23.01	Pass
						2347.250	-52.58	<=-23.01	Pass
						2348.250	-52.61	<=-23.01	Pass

					2349.250	-52.56	<=-23.01	Pass
					2350.250	-52.67	<=-23.01	Pass
					2351.250	-52.55	<=-23.01	Pass
					2352.250	-52.61	<=-23.01	Pass
					2353.250	-52.54	<=-23.01	Pass
					2354.250	-52.52	<=-23.01	Pass
					2355.250	-52.55	<=-23.01	Pass
					2356.250	-52.76	<=-23.01	Pass
					2357.250	-52.54	<=-23.01	Pass
					2358.250	-52.46	<=-23.01	Pass
					2359.250	-52.44	<=-23.01	Pass
					2360.250	-52.49	<=-23.01	Pass
					2361.250	-52.47	<=-23.01	Pass
					2362.250	-52.42	<=-23.01	Pass
					2363.250	-52.42	<=-13.01	Pass
					2363.500	-52.34	<=-13.01	Pass
					2364.500	-52.38	<=-13.01	Pass
					2365.500	-52.30	<=-13.01	Pass
					2366.500	-52.33	<=-13.01	Pass
					2367.500	-52.32	<=-13.01	Pass
					2368.500	-52.26	<=-13.01	Pass
					2369.500	-52.25	<=-13.01	Pass
					2370.500	-52.21	<=-13.01	Pass
					2371.500	-52.10	<=-13.01	Pass
					2372.500	-52.09	<=-13.01	Pass
					2373.500	-51.97	<=-13.01	Pass
					2374.500	-51.89	<=-13.01	Pass
					2375.500	-51.80	<=-13.01	Pass
					2376.500	-51.83	<=-13.01	Pass
					2377.500	-51.72	<=-13.01	Pass
					2378.500	-51.56	<=-13.01	Pass
					2379.500	-51.39	<=-13.01	Pass
					2380.500	-51.27	<=-13.01	Pass
					2381.500	-51.24	<=-13.01	Pass
					2382.500	-51.02	<=-13.01	Pass
					2383.500	-50.55	<=-13.01	Pass
					2384.500	-50.12	<=-13.01	Pass
					2385.500	-49.94	<=-13.01	Pass
					2386.500	-49.80	<=-13.01	Pass
					2387.500	-49.64	<=-13.01	Pass
					2388.500	-49.23	<=-13.01	Pass
					2389.500	-49.02	<=-13.01	Pass
					2390.500	-48.85	<=-13.01	Pass
					2391.500	-48.79	<=-13.01	Pass
					2392.500	-48.52	<=-13.01	Pass
					2393.500	-48.16	<=-13.01	Pass
					2394.500	-47.87	<=-13.01	Pass
					2395.500	-47.49	<=-13.01	Pass
					2396.500	-47.19	<=-13.01	Pass
					2397.500	-47.06	<=-13.01	Pass
					2398.500	-46.87	<=-13.01	Pass
					2399.500	-46.47	<=-13.01	Pass

5.1.15 802.11ax(HEW40)-2462-SU-Ant1

802.11ax(HEW40) 2462MHz SU Ant1 NTNV

Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW40)	MIMO	2462	SU	/	1	2484.000	-47.58	<=-13.01	Pass
						2485.000	-47.67	<=-13.01	Pass
						2486.000	-47.94	<=-13.01	Pass
						2487.000	-48.28	<=-13.01	Pass
						2488.000	-48.66	<=-13.01	Pass
						2489.000	-48.72	<=-13.01	Pass
						2490.000	-48.82	<=-13.01	Pass
						2491.000	-49.53	<=-13.01	Pass
						2492.000	-49.50	<=-13.01	Pass
						2493.000	-49.53	<=-13.01	Pass
						2494.000	-49.69	<=-13.01	Pass
						2495.000	-49.81	<=-13.01	Pass
						2496.000	-50.01	<=-13.01	Pass
						2497.000	-50.18	<=-13.01	Pass
						2498.000	-50.29	<=-13.01	Pass
						2499.000	-50.42	<=-13.01	Pass
						2500.000	-50.57	<=-13.01	Pass
						2501.000	-50.75	<=-13.01	Pass
						2502.000	-50.83	<=-13.01	Pass
						2503.000	-50.95	<=-13.01	Pass
						2504.000	-51.04	<=-13.01	Pass
						2505.000	-51.06	<=-13.01	Pass
						2506.000	-51.19	<=-13.01	Pass
						2507.000	-51.19	<=-13.01	Pass
						2508.000	-51.21	<=-13.01	Pass
						2509.000	-51.31	<=-13.01	Pass
						2510.000	-51.37	<=-13.01	Pass
						2511.000	-51.35	<=-13.01	Pass
						2512.000	-51.42	<=-13.01	Pass
						2513.000	-51.43	<=-13.01	Pass
						2514.000	-51.41	<=-13.01	Pass
						2515.000	-51.42	<=-13.01	Pass
						2516.000	-51.42	<=-13.01	Pass
						2517.000	-51.48	<=-13.01	Pass
						2518.000	-51.47	<=-13.01	Pass
						2519.000	-51.48	<=-13.01	Pass
						2520.000	-51.46	<=-13.01	Pass
						2520.371	-51.47	<=-13.01	Pass
						2521.371	-51.52	<=-23.01	Pass
						2522.371	-51.53	<=-23.01	Pass
						2523.371	-51.50	<=-23.01	Pass
						2524.371	-51.50	<=-23.01	Pass
						2525.371	-51.49	<=-23.01	Pass
						2526.371	-51.54	<=-23.01	Pass
						2527.371	-51.49	<=-23.01	Pass
						2528.371	-51.53	<=-23.01	Pass
						2529.371	-51.52	<=-23.01	Pass
						2530.371	-51.49	<=-23.01	Pass
						2531.371	-51.48	<=-23.01	Pass
						2532.371	-51.57	<=-23.01	Pass
						2533.371	-51.52	<=-23.01	Pass
						2534.371	-51.52	<=-23.01	Pass
						2535.371	-51.55	<=-23.01	Pass
						2536.371	-51.61	<=-23.01	Pass
						2537.371	-51.60	<=-23.01	Pass

						2538.371	-51.56	<=-23.01	Pass
						2539.371	-51.59	<=-23.01	Pass
						2540.371	-51.62	<=-23.01	Pass
						2541.371	-51.57	<=-23.01	Pass
						2542.371	-51.59	<=-23.01	Pass
						2543.371	-51.53	<=-23.01	Pass
						2544.371	-51.50	<=-23.01	Pass
						2545.371	-51.59	<=-23.01	Pass
						2546.371	-51.65	<=-23.01	Pass
						2547.371	-51.62	<=-23.01	Pass
						2548.371	-51.56	<=-23.01	Pass
						2549.371	-51.59	<=-23.01	Pass
						2550.371	-51.65	<=-23.01	Pass
						2551.371	-51.62	<=-23.01	Pass
						2552.371	-51.64	<=-23.01	Pass
						2553.371	-51.61	<=-23.01	Pass
						2554.371	-51.69	<=-23.01	Pass
						2555.371	-51.66	<=-23.01	Pass
						2556.371	-51.62	<=-23.01	Pass
						2557.371	-51.65	<=-23.01	Pass
						2557.742	-51.67	<=-23.01	Pass

5.1.16 802.11ax(HEW40)-2462-SU-Ant2

802.11ax(HEW40) 2462MHz SU Ant2 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax (HEW40)	MIMO	2462	SU	/	2	2484.000	-48.11	<=-13.01	Pass
						2485.000	-48.38	<=-13.01	Pass
						2486.000	-48.51	<=-13.01	Pass
						2487.000	-48.62	<=-13.01	Pass
						2488.000	-48.90	<=-13.01	Pass
						2489.000	-49.11	<=-13.01	Pass
						2490.000	-49.41	<=-13.01	Pass
						2491.000	-49.72	<=-13.01	Pass
						2492.000	-50.00	<=-13.01	Pass
						2493.000	-49.98	<=-13.01	Pass
						2494.000	-50.06	<=-13.01	Pass
						2495.000	-50.28	<=-13.01	Pass
						2496.000	-50.38	<=-13.01	Pass
						2497.000	-50.58	<=-13.01	Pass
						2498.000	-50.77	<=-13.01	Pass
						2499.000	-50.88	<=-13.01	Pass
						2500.000	-51.04	<=-13.01	Pass
						2501.000	-51.27	<=-13.01	Pass
						2502.000	-51.38	<=-13.01	Pass
						2503.000	-51.45	<=-13.01	Pass
						2504.000	-51.54	<=-13.01	Pass
						2505.000	-51.60	<=-13.01	Pass
						2506.000	-51.64	<=-13.01	Pass
						2507.000	-51.70	<=-13.01	Pass
						2508.000	-51.73	<=-13.01	Pass
						2509.000	-51.77	<=-13.01	Pass
						2510.000	-51.82	<=-13.01	Pass
						2511.000	-51.87	<=-13.01	Pass
						2512.000	-51.90	<=-13.01	Pass

					2513.000	-51.87	<=-13.01	Pass
					2514.000	-51.98	<=-13.01	Pass
					2515.000	-51.88	<=-13.01	Pass
					2516.000	-51.94	<=-13.01	Pass
					2517.000	-51.92	<=-13.01	Pass
					2518.000	-51.94	<=-13.01	Pass
					2519.000	-52.04	<=-13.01	Pass
					2520.000	-52.01	<=-13.01	Pass
					2520.371	-51.99	<=-13.01	Pass
					2521.371	-51.99	<=-23.01	Pass
					2522.371	-51.95	<=-23.01	Pass
					2523.371	-51.97	<=-23.01	Pass
					2524.371	-52.03	<=-23.01	Pass
					2525.371	-52.04	<=-23.01	Pass
					2526.371	-52.02	<=-23.01	Pass
					2527.371	-51.99	<=-23.01	Pass
					2528.371	-52.04	<=-23.01	Pass
					2529.371	-52.07	<=-23.01	Pass
					2530.371	-52.12	<=-23.01	Pass
					2531.371	-52.02	<=-23.01	Pass
					2532.371	-52.01	<=-23.01	Pass
					2533.371	-52.05	<=-23.01	Pass
					2534.371	-52.09	<=-23.01	Pass
					2535.371	-52.07	<=-23.01	Pass
					2536.371	-52.01	<=-23.01	Pass
					2537.371	-52.00	<=-23.01	Pass
					2538.371	-52.10	<=-23.01	Pass
					2539.371	-52.10	<=-23.01	Pass
					2540.371	-52.08	<=-23.01	Pass
					2541.371	-52.11	<=-23.01	Pass
					2542.371	-52.14	<=-23.01	Pass
					2543.371	-52.13	<=-23.01	Pass
					2544.371	-52.22	<=-23.01	Pass
					2545.371	-52.15	<=-23.01	Pass
					2546.371	-52.15	<=-23.01	Pass
					2547.371	-52.14	<=-23.01	Pass
					2548.371	-52.12	<=-23.01	Pass
					2549.371	-52.09	<=-23.01	Pass
					2550.371	-52.15	<=-23.01	Pass
					2551.371	-52.15	<=-23.01	Pass
					2552.371	-52.13	<=-23.01	Pass
					2553.371	-52.07	<=-23.01	Pass
					2554.371	-52.17	<=-23.01	Pass
					2555.371	-52.14	<=-23.01	Pass
					2556.371	-52.16	<=-23.01	Pass
					2557.371	-52.17	<=-23.01	Pass
					2557.742	-52.14	<=-23.01	Pass

5.1.17 802.11be(EHT20)-2412-SU-Ant1

802.11be(EHT20) 2412MHz SU Ant1 NTV									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be (EHT20)	MIMO	2412	SU	/	1	2363.038	-51.58	<=-23.01	Pass
						2363.769	-51.85	<=-23.01	Pass
						2364.769	-51.47	<=-23.01	Pass

						2365.769	-51.54	<=-23.01	Pass
						2366.769	-51.48	<=-23.01	Pass
						2367.769	-51.53	<=-23.01	Pass
						2368.769	-51.49	<=-23.01	Pass
						2369.769	-51.53	<=-23.01	Pass
						2370.769	-51.43	<=-23.01	Pass
						2371.769	-51.45	<=-23.01	Pass
						2372.769	-51.47	<=-23.01	Pass
						2373.769	-51.39	<=-23.01	Pass
						2374.769	-51.36	<=-23.01	Pass
						2375.769	-51.35	<=-23.01	Pass
						2376.769	-51.34	<=-23.01	Pass
						2377.769	-51.34	<=-23.01	Pass
						2378.769	-51.23	<=-23.01	Pass
						2379.769	-51.23	<=-23.01	Pass
						2380.769	-51.18	<=-23.01	Pass
						2381.769	-51.16	<=-13.01	Pass
						2382.500	-51.08	<=-13.01	Pass
						2383.500	-51.05	<=-13.01	Pass
						2384.500	-50.92	<=-13.01	Pass
						2385.500	-50.76	<=-13.01	Pass
						2386.500	-50.54	<=-13.01	Pass
						2387.500	-50.27	<=-13.01	Pass
						2388.500	-49.82	<=-13.01	Pass
						2389.500	-49.26	<=-13.01	Pass
						2390.500	-48.60	<=-13.01	Pass
						2391.500	-47.84	<=-13.01	Pass
						2392.500	-47.16	<=-13.01	Pass
						2393.500	-46.20	<=-13.01	Pass
						2394.500	-45.47	<=-13.01	Pass
						2395.500	-44.50	<=-13.01	Pass
						2396.500	-43.97	<=-13.01	Pass
						2397.500	-43.27	<=-13.01	Pass
						2398.500	-42.63	<=-13.01	Pass
						2399.500	-42.00	<=-13.01	Pass

5.1.18 802.11be(EHT20)-2412-SU-Ant2

802.11be(EHT20) 2412MHz SU Ant2 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be (EHT20)	MIMO	2412	SU	/	2	2363.038	-52.47	<=-23.01	Pass
						2363.769	-52.36	<=-23.01	Pass
						2364.769	-52.39	<=-23.01	Pass
						2365.769	-52.38	<=-23.01	Pass
						2366.769	-52.29	<=-23.01	Pass
						2367.769	-52.36	<=-23.01	Pass
						2368.769	-52.31	<=-23.01	Pass
						2369.769	-52.34	<=-23.01	Pass
						2370.769	-52.32	<=-23.01	Pass
						2371.769	-52.21	<=-23.01	Pass
						2372.769	-52.28	<=-23.01	Pass
						2373.769	-52.20	<=-23.01	Pass
						2374.769	-52.19	<=-23.01	Pass
						2375.769	-52.07	<=-23.01	Pass
						2376.769	-52.11	<=-23.01	Pass

						2377.769	-52.08	<=-23.01	Pass
						2378.769	-52.05	<=-23.01	Pass
						2379.769	-52.05	<=-23.01	Pass
						2380.769	-52.05	<=-23.01	Pass
						2381.769	-52.07	<=-13.01	Pass
						2382.500	-51.96	<=-13.01	Pass
						2383.500	-51.87	<=-13.01	Pass
						2384.500	-51.77	<=-13.01	Pass
						2385.500	-51.68	<=-13.01	Pass
						2386.500	-51.54	<=-13.01	Pass
						2387.500	-51.24	<=-13.01	Pass
						2388.500	-50.91	<=-13.01	Pass
						2389.500	-50.51	<=-13.01	Pass
						2390.500	-50.13	<=-13.01	Pass
						2391.500	-49.60	<=-13.01	Pass
						2392.500	-48.83	<=-13.01	Pass
						2393.500	-48.24	<=-13.01	Pass
						2394.500	-47.38	<=-13.01	Pass
						2395.500	-46.58	<=-13.01	Pass
						2396.500	-46.06	<=-13.01	Pass
						2397.500	-45.29	<=-13.01	Pass
						2398.500	-44.67	<=-13.01	Pass
						2399.500	-44.15	<=-13.01	Pass

5.1.19 802.11be(EHT20)-2472-SU-Ant1

802.11be(EHT20) 2472MHz SU Ant1 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be (EHT20)	MIMO	2472	SU	/	1	2484.000	-46.23	<=-13.01	Pass
						2485.000	-46.65	<=-13.01	Pass
						2486.000	-46.86	<=-13.01	Pass
						2487.000	-47.54	<=-13.01	Pass
						2488.000	-48.03	<=-13.01	Pass
						2489.000	-48.50	<=-13.01	Pass
						2490.000	-49.06	<=-13.01	Pass
						2491.000	-49.39	<=-13.01	Pass
						2492.000	-49.80	<=-13.01	Pass
						2493.000	-50.03	<=-13.01	Pass
						2494.000	-50.35	<=-13.01	Pass
						2495.000	-50.48	<=-13.01	Pass
						2496.000	-50.71	<=-13.01	Pass
						2497.000	-50.84	<=-13.01	Pass
						2498.000	-50.94	<=-13.01	Pass
						2499.000	-51.03	<=-13.01	Pass
						2500.000	-51.11	<=-13.01	Pass
						2501.000	-51.14	<=-13.01	Pass
						2501.731	-51.16	<=-13.01	Pass
						2502.731	-51.24	<=-23.01	Pass
						2503.731	-51.21	<=-23.01	Pass
						2504.731	-51.21	<=-23.01	Pass
						2505.731	-51.33	<=-23.01	Pass
						2506.731	-51.31	<=-23.01	Pass
						2507.731	-51.34	<=-23.01	Pass
						2508.731	-51.31	<=-23.01	Pass
						2509.731	-51.35	<=-23.01	Pass

						2510.731	-51.38	<=-23.01	Pass
						2511.731	-51.35	<=-23.01	Pass
						2512.731	-51.41	<=-23.01	Pass
						2513.731	-51.39	<=-23.01	Pass
						2514.731	-51.45	<=-23.01	Pass
						2515.731	-51.44	<=-23.01	Pass
						2516.731	-51.42	<=-23.01	Pass
						2517.731	-51.43	<=-23.01	Pass
						2518.731	-51.43	<=-23.01	Pass
						2519.731	-51.42	<=-23.01	Pass
						2520.462	-51.43	<=-23.01	Pass

5.1.20 802.11be(EHT20)-2472-SU-Ant2

802.11be(EHT20) 2472MHz SU Ant2 NTN									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be (EHT20)	MIMO	2472	SU	/	2	2484.000	-47.31	<=-13.01	Pass
						2485.000	-47.74	<=-13.01	Pass
						2486.000	-48.01	<=-13.01	Pass
						2487.000	-48.62	<=-13.01	Pass
						2488.000	-49.15	<=-13.01	Pass
						2489.000	-49.47	<=-13.01	Pass
						2490.000	-49.90	<=-13.01	Pass
						2491.000	-50.27	<=-13.01	Pass
						2492.000	-50.67	<=-13.01	Pass
						2493.000	-50.87	<=-13.01	Pass
						2494.000	-50.98	<=-13.01	Pass
						2495.000	-51.29	<=-13.01	Pass
						2496.000	-51.34	<=-13.01	Pass
						2497.000	-51.49	<=-13.01	Pass
						2498.000	-51.62	<=-13.01	Pass
						2499.000	-51.67	<=-13.01	Pass
						2500.000	-51.71	<=-13.01	Pass
						2501.000	-51.79	<=-13.01	Pass
						2501.731	-51.70	<=-13.01	Pass
						2502.731	-51.79	<=-23.01	Pass
						2503.731	-51.77	<=-23.01	Pass
						2504.731	-51.83	<=-23.01	Pass
						2505.731	-51.91	<=-23.01	Pass
						2506.731	-51.84	<=-23.01	Pass
						2507.731	-51.93	<=-23.01	Pass
						2508.731	-51.97	<=-23.01	Pass
						2509.731	-51.92	<=-23.01	Pass
						2510.731	-51.94	<=-23.01	Pass
						2511.731	-51.93	<=-23.01	Pass
						2512.731	-51.92	<=-23.01	Pass
						2513.731	-51.99	<=-23.01	Pass
						2514.731	-51.98	<=-23.01	Pass
						2515.731	-51.99	<=-23.01	Pass
						2516.731	-52.02	<=-23.01	Pass
						2517.731	-52.06	<=-23.01	Pass
						2518.731	-51.98	<=-23.01	Pass
						2519.731	-52.05	<=-23.01	Pass
						2520.462	-52.02	<=-23.01	Pass

5.1.21 802.11be(EHT40)-2422-SU-Ant1

802.11be(EHT40) 2422MHz SU Ant1 NTV									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be (EHT40)	MIMO	2422	SU	/	1	2325.784	-51.99	<=-23.01	Pass
						2326.142	-51.98	<=-23.01	Pass
						2327.142	-52.03	<=-23.01	Pass
						2328.142	-51.97	<=-23.01	Pass
						2329.142	-51.90	<=-23.01	Pass
						2330.142	-51.91	<=-23.01	Pass
						2331.142	-51.86	<=-23.01	Pass
						2332.142	-51.89	<=-23.01	Pass
						2333.142	-51.89	<=-23.01	Pass
						2334.142	-51.88	<=-23.01	Pass
						2335.142	-51.93	<=-23.01	Pass
						2336.142	-51.85	<=-23.01	Pass
						2337.142	-51.85	<=-23.01	Pass
						2338.142	-51.78	<=-23.01	Pass
						2339.142	-51.85	<=-23.01	Pass
						2340.142	-51.78	<=-23.01	Pass
						2341.142	-51.87	<=-23.01	Pass
						2342.142	-51.76	<=-23.01	Pass
						2343.142	-51.78	<=-23.01	Pass
						2344.142	-51.79	<=-23.01	Pass
						2345.142	-51.79	<=-23.01	Pass
						2346.142	-51.78	<=-23.01	Pass
						2347.142	-51.75	<=-23.01	Pass
						2348.142	-51.76	<=-23.01	Pass
						2349.142	-51.77	<=-23.01	Pass
						2350.142	-51.66	<=-23.01	Pass
						2351.142	-51.74	<=-23.01	Pass
						2352.142	-51.70	<=-23.01	Pass
						2353.142	-51.71	<=-23.01	Pass
						2354.142	-51.69	<=-23.01	Pass
						2355.142	-51.73	<=-23.01	Pass
						2356.142	-51.61	<=-23.01	Pass
						2357.142	-51.68	<=-23.01	Pass
						2358.142	-51.71	<=-23.01	Pass
						2359.142	-51.68	<=-23.01	Pass
						2360.142	-51.59	<=-23.01	Pass
						2361.142	-51.61	<=-23.01	Pass
						2362.142	-51.66	<=-23.01	Pass
						2363.142	-51.62	<=-13.01	Pass
						2363.500	-51.67	<=-13.01	Pass
						2364.500	-51.59	<=-13.01	Pass
						2365.500	-51.57	<=-13.01	Pass
						2366.500	-51.50	<=-13.01	Pass
						2367.500	-51.59	<=-13.01	Pass
						2368.500	-51.43	<=-13.01	Pass
						2369.500	-51.45	<=-13.01	Pass
						2370.500	-51.36	<=-13.01	Pass
						2371.500	-51.40	<=-13.01	Pass
						2372.500	-51.35	<=-13.01	Pass
						2373.500	-51.28	<=-13.01	Pass
						2374.500	-51.17	<=-13.01	Pass
						2375.500	-51.05	<=-13.01	Pass

						2376.500	-51.01	<=-13.01	Pass
						2377.500	-50.84	<=-13.01	Pass
						2378.500	-50.72	<=-13.01	Pass
						2379.500	-50.65	<=-13.01	Pass
						2380.500	-50.49	<=-13.01	Pass
						2381.500	-50.40	<=-13.01	Pass
						2382.500	-50.13	<=-13.01	Pass
						2383.500	-49.74	<=-13.01	Pass
						2384.500	-49.36	<=-13.01	Pass
						2385.500	-49.12	<=-13.01	Pass
						2386.500	-48.84	<=-13.01	Pass
						2387.500	-48.65	<=-13.01	Pass
						2388.500	-48.87	<=-13.01	Pass
						2389.500	-48.16	<=-13.01	Pass
						2390.500	-48.51	<=-13.01	Pass
						2391.500	-47.83	<=-13.01	Pass
						2392.500	-47.60	<=-13.01	Pass
						2393.500	-47.08	<=-13.01	Pass
						2394.500	-46.77	<=-13.01	Pass
						2395.500	-46.55	<=-13.01	Pass
						2396.500	-46.40	<=-13.01	Pass
						2397.500	-46.00	<=-13.01	Pass
						2398.500	-45.83	<=-13.01	Pass
						2399.500	-45.41	<=-13.01	Pass

5.1.22 802.11be(EHT40)-2422-SU-Ant2

802.11be(EHT40) 2422MHz SU Ant2 NTNV									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be (EHT40)	MIMO	2422	SU	/	2	2325.784	-53.09	<=-23.01	Pass
						2326.142	-52.81	<=-23.01	Pass
						2327.142	-52.87	<=-23.01	Pass
						2328.142	-52.82	<=-23.01	Pass
						2329.142	-52.77	<=-23.01	Pass
						2330.142	-52.75	<=-23.01	Pass
						2331.142	-52.69	<=-23.01	Pass
						2332.142	-52.74	<=-23.01	Pass
						2333.142	-52.64	<=-23.01	Pass
						2334.142	-52.69	<=-23.01	Pass
						2335.142	-52.69	<=-23.01	Pass
						2336.142	-52.69	<=-23.01	Pass
						2337.142	-52.70	<=-23.01	Pass
						2338.142	-52.66	<=-23.01	Pass
						2339.142	-52.65	<=-23.01	Pass
						2340.142	-52.52	<=-23.01	Pass
						2341.142	-52.60	<=-23.01	Pass
						2342.142	-52.60	<=-23.01	Pass
						2343.142	-52.54	<=-23.01	Pass
						2344.142	-52.60	<=-23.01	Pass
						2345.142	-52.58	<=-23.01	Pass
						2346.142	-52.56	<=-23.01	Pass
						2347.142	-52.53	<=-23.01	Pass
						2348.142	-52.57	<=-23.01	Pass
						2349.142	-52.48	<=-23.01	Pass
						2350.142	-52.52	<=-23.01	Pass

						2351.142	-52.55	<=-23.01	Pass
						2352.142	-52.51	<=-23.01	Pass
						2353.142	-52.47	<=-23.01	Pass
						2354.142	-52.48	<=-23.01	Pass
						2355.142	-52.47	<=-23.01	Pass
						2356.142	-52.44	<=-23.01	Pass
						2357.142	-52.47	<=-23.01	Pass
						2358.142	-52.46	<=-23.01	Pass
						2359.142	-52.38	<=-23.01	Pass
						2360.142	-52.44	<=-23.01	Pass
						2361.142	-52.37	<=-23.01	Pass
						2362.142	-52.35	<=-23.01	Pass
						2363.142	-52.38	<=-13.01	Pass
						2363.500	-52.34	<=-13.01	Pass
						2364.500	-52.26	<=-13.01	Pass
						2365.500	-52.31	<=-13.01	Pass
						2366.500	-52.22	<=-13.01	Pass
						2367.500	-52.16	<=-13.01	Pass
						2368.500	-52.19	<=-13.01	Pass
						2369.500	-52.17	<=-13.01	Pass
						2370.500	-52.13	<=-13.01	Pass
						2371.500	-52.07	<=-13.01	Pass
						2372.500	-52.05	<=-13.01	Pass
						2373.500	-51.91	<=-13.01	Pass
						2374.500	-51.90	<=-13.01	Pass
						2375.500	-51.85	<=-13.01	Pass
						2376.500	-51.77	<=-13.01	Pass
						2377.500	-51.70	<=-13.01	Pass
						2378.500	-51.59	<=-13.01	Pass
						2379.500	-51.50	<=-13.01	Pass
						2380.500	-51.33	<=-13.01	Pass
						2381.500	-51.21	<=-13.01	Pass
						2382.500	-51.08	<=-13.01	Pass
						2383.500	-50.58	<=-13.01	Pass
						2384.500	-50.22	<=-13.01	Pass
						2385.500	-49.96	<=-13.01	Pass
						2386.500	-49.82	<=-13.01	Pass
						2387.500	-49.46	<=-13.01	Pass
						2388.500	-49.30	<=-13.01	Pass
						2389.500	-49.10	<=-13.01	Pass
						2390.500	-48.81	<=-13.01	Pass
						2391.500	-48.80	<=-13.01	Pass
						2392.500	-48.65	<=-13.01	Pass
						2393.500	-48.18	<=-13.01	Pass
						2394.500	-47.76	<=-13.01	Pass
						2395.500	-47.64	<=-13.01	Pass
						2396.500	-47.31	<=-13.01	Pass
						2397.500	-47.23	<=-13.01	Pass
						2398.500	-46.76	<=-13.01	Pass
						2399.500	-46.36	<=-13.01	Pass

5.1.23 802.11be(EHT40)-2462-SU-Ant1

802.11be(EHT40) 2462MHz SU Ant1 NTV									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict

802.11be (EHT40)	MIMO	2462	SU	/	1	2484.000	-47.71	<=-13.01	Pass
						2485.000	-47.89	<=-13.01	Pass
						2486.000	-47.92	<=-13.01	Pass
						2487.000	-48.15	<=-13.01	Pass
						2488.000	-48.64	<=-13.01	Pass
						2489.000	-48.72	<=-13.01	Pass
						2490.000	-48.99	<=-13.01	Pass
						2491.000	-49.10	<=-13.01	Pass
						2492.000	-49.33	<=-13.01	Pass
						2493.000	-49.52	<=-13.01	Pass
						2494.000	-49.69	<=-13.01	Pass
						2495.000	-49.78	<=-13.01	Pass
						2496.000	-49.98	<=-13.01	Pass
						2497.000	-50.00	<=-13.01	Pass
						2498.000	-50.24	<=-13.01	Pass
						2499.000	-50.45	<=-13.01	Pass
						2500.000	-50.52	<=-13.01	Pass
						2501.000	-50.66	<=-13.01	Pass
						2502.000	-50.83	<=-13.01	Pass
						2503.000	-50.91	<=-13.01	Pass
						2504.000	-51.26	<=-13.01	Pass
						2505.000	-50.99	<=-13.01	Pass
						2506.000	-51.08	<=-13.01	Pass
						2507.000	-51.38	<=-13.01	Pass
						2508.000	-51.38	<=-13.01	Pass
						2509.000	-51.41	<=-13.01	Pass
						2510.000	-51.28	<=-13.01	Pass
						2511.000	-51.28	<=-13.01	Pass
						2512.000	-51.32	<=-13.01	Pass
						2513.000	-51.33	<=-13.01	Pass
						2514.000	-51.35	<=-13.01	Pass
						2515.000	-51.38	<=-13.01	Pass
						2516.000	-51.42	<=-13.01	Pass
						2517.000	-51.33	<=-13.01	Pass
						2518.000	-51.44	<=-13.01	Pass
						2519.000	-51.38	<=-13.01	Pass
						2520.000	-51.34	<=-13.01	Pass
						2520.261	-51.39	<=-13.01	Pass
						2521.261	-51.38	<=-23.01	Pass
						2522.261	-51.43	<=-23.01	Pass
						2523.261	-51.46	<=-23.01	Pass
						2524.261	-51.39	<=-23.01	Pass
						2525.261	-51.39	<=-23.01	Pass
						2526.261	-51.40	<=-23.01	Pass
						2527.261	-51.35	<=-23.01	Pass
						2528.261	-51.46	<=-23.01	Pass
						2529.261	-51.41	<=-23.01	Pass
						2530.261	-51.44	<=-23.01	Pass
						2531.261	-51.56	<=-23.01	Pass
						2532.261	-51.47	<=-23.01	Pass
						2533.261	-51.47	<=-23.01	Pass
						2534.261	-51.49	<=-23.01	Pass
						2535.261	-51.49	<=-23.01	Pass
						2536.261	-51.52	<=-23.01	Pass
						2537.261	-51.52	<=-23.01	Pass
						2538.261	-51.50	<=-23.01	Pass
						2539.261	-51.57	<=-23.01	Pass

						2540.261	-51.47	<=-23.01	Pass
						2541.261	-51.55	<=-23.01	Pass
						2542.261	-51.52	<=-23.01	Pass
						2543.261	-51.49	<=-23.01	Pass
						2544.261	-51.45	<=-23.01	Pass
						2545.261	-51.48	<=-23.01	Pass
						2546.261	-51.55	<=-23.01	Pass
						2547.261	-51.56	<=-23.01	Pass
						2548.261	-51.52	<=-23.01	Pass
						2549.261	-51.54	<=-23.01	Pass
						2550.261	-51.58	<=-23.01	Pass
						2551.261	-51.48	<=-23.01	Pass
						2552.261	-51.52	<=-23.01	Pass
						2553.261	-51.48	<=-23.01	Pass
						2554.261	-51.62	<=-23.01	Pass
						2555.261	-51.57	<=-23.01	Pass
						2556.261	-51.57	<=-23.01	Pass
						2557.261	-51.63	<=-23.01	Pass
						2557.522	-51.60	<=-23.01	Pass


5.1.24 802.11be(EHT40)-2462-SU-Ant2

802.11be(EHT40) 2462MHz SU Ant2 NTNV									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Freq. (MHz)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be (EHT40)	MIMO	2462	SU	/	2	2484.000	-48.28	<=-13.01	Pass
						2485.000	-48.47	<=-13.01	Pass
						2486.000	-48.72	<=-13.01	Pass
						2487.000	-48.70	<=-13.01	Pass
						2488.000	-49.15	<=-13.01	Pass
						2489.000	-49.22	<=-13.01	Pass
						2490.000	-49.54	<=-13.01	Pass
						2491.000	-49.77	<=-13.01	Pass
						2492.000	-50.08	<=-13.01	Pass
						2493.000	-49.95	<=-13.01	Pass
						2494.000	-50.16	<=-13.01	Pass
						2495.000	-50.31	<=-13.01	Pass
						2496.000	-50.51	<=-13.01	Pass
						2497.000	-50.60	<=-13.01	Pass
						2498.000	-50.65	<=-13.01	Pass
						2499.000	-50.87	<=-13.01	Pass
						2500.000	-51.05	<=-13.01	Pass
						2501.000	-51.24	<=-13.01	Pass
						2502.000	-51.34	<=-13.01	Pass
						2503.000	-51.41	<=-13.01	Pass
						2504.000	-51.57	<=-13.01	Pass
						2505.000	-51.60	<=-13.01	Pass
						2506.000	-51.56	<=-13.01	Pass
						2507.000	-51.62	<=-13.01	Pass
						2508.000	-51.75	<=-13.01	Pass
						2509.000	-51.78	<=-13.01	Pass
						2510.000	-51.80	<=-13.01	Pass
						2511.000	-51.79	<=-13.01	Pass
						2512.000	-51.87	<=-13.01	Pass
						2513.000	-51.85	<=-13.01	Pass
						2514.000	-51.83	<=-13.01	Pass

						2515.000	-51.90	<=-13.01	Pass
						2516.000	-51.87	<=-13.01	Pass
						2517.000	-51.96	<=-13.01	Pass
						2518.000	-51.93	<=-13.01	Pass
						2519.000	-51.97	<=-13.01	Pass
						2520.000	-52.00	<=-13.01	Pass
						2520.261	-51.92	<=-13.01	Pass
						2521.261	-51.93	<=-23.01	Pass
						2522.261	-51.91	<=-23.01	Pass
						2523.261	-52.02	<=-23.01	Pass
						2524.261	-51.98	<=-23.01	Pass
						2525.261	-51.98	<=-23.01	Pass
						2526.261	-51.99	<=-23.01	Pass
						2527.261	-51.93	<=-23.01	Pass
						2528.261	-51.97	<=-23.01	Pass
						2529.261	-52.03	<=-23.01	Pass
						2530.261	-52.00	<=-23.01	Pass
						2531.261	-52.01	<=-23.01	Pass
						2532.261	-52.06	<=-23.01	Pass
						2533.261	-52.01	<=-23.01	Pass
						2534.261	-52.02	<=-23.01	Pass
						2535.261	-52.04	<=-23.01	Pass
						2536.261	-52.00	<=-23.01	Pass
						2537.261	-51.98	<=-23.01	Pass
						2538.261	-52.05	<=-23.01	Pass
						2539.261	-52.08	<=-23.01	Pass
						2540.261	-52.06	<=-23.01	Pass
						2541.261	-52.03	<=-23.01	Pass
						2542.261	-52.05	<=-23.01	Pass
						2543.261	-52.05	<=-23.01	Pass
						2544.261	-52.09	<=-23.01	Pass
						2545.261	-52.00	<=-23.01	Pass
						2546.261	-52.10	<=-23.01	Pass
						2547.261	-52.04	<=-23.01	Pass
						2548.261	-52.14	<=-23.01	Pass
						2549.261	-52.13	<=-23.01	Pass
						2550.261	-52.04	<=-23.01	Pass
						2551.261	-52.07	<=-23.01	Pass
						2552.261	-52.11	<=-23.01	Pass
						2553.261	-52.14	<=-23.01	Pass
						2554.261	-52.03	<=-23.01	Pass
						2555.261	-52.18	<=-23.01	Pass
						2556.261	-52.13	<=-23.01	Pass
						2557.261	-52.08	<=-23.01	Pass
						2557.522	-52.14	<=-23.01	Pass


5.2 Test Graph

5.2.1 802.11b-Ant1




5.2.2 802.11b-Ant2


802.11b_2412MHz_Ant2 (SISO)_NTNV



802.11b_2472MHz_Ant2 (SISO)_NTNV




5.2.3 802.11g-Ant1




5.2.4 802.11g-Ant2

802.11g_2412MHz_Ant2 (SISO)_NTNV




802.11g_2472MHz_Ant2 (SISO)_NTNV




5.2.5 802.11n(HT20)-Ant1


802.11n(HT20)_2412MHz_Ant1 (MIMO)_NTNV




802.11n(HT20)_2472MHz_Ant1 (MIMO)_NTNV




5.2.6 802.11n(HT20)-Ant2




5.2.7 802.11n(HT40)-Ant1




5.2.8 802.11n(HT40)-Ant2




5.2.9 802.11ax(HEW20)-2412-SU-Ant1




5.2.10 802.11ax(HEW20)-2412-SU-Ant2




5.2.11 802.11ax(HEW20)-2472-SU-Ant1




5.2.12 802.11ax(HEW20)-2472-SU-Ant2




5.2.13 802.11ax(HEW40)-2422-SU-Ant1




5.2.14 802.11ax(HEW40)-2422-SU-Ant2




5.2.15 802.11ax(HEW40)-2462-SU-Ant1




5.2.16 802.11ax(HEW40)-2462-SU-Ant2




5.2.17 802.11be(EHT20)-2412-SU-Ant1




5.2.18 802.11be(EHT20)-2412-SU-Ant2




5.2.19 802.11be(EHT20)-2472-SU-Ant1




5.2.20 802.11be(EHT20)-2472-SU-Ant2




5.2.21 802.11be(EHT40)-2422-SU-Ant1




5.2.22 802.11be(EHT40)-2422-SU-Ant2



5.2.23 802.11be(EHT40)-2462-SU-Ant1



5.2.24 802.11be(EHT40)-2462-SU-Ant2



6. Transmitter Unwanted Emissions In The Spurious Domain


6.1 Test Result

6.1.1 TxSe


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11b	SISO	2412	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			2472	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11g	SISO	2412	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			2472	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11n (HT20)	MIMO	2412	/	/	MIMO	Refer To Test Graph		Pass
			2472	/	/	MIMO	Refer To Test Graph		Pass
		MIMO	2422	/	/	MIMO	Refer To Test Graph		Pass
			2462	/	/	MIMO	Refer To Test Graph		Pass
	802.11ax (HEW20)	MIMO	2412	SU	/	MIMO	Refer To Test Graph		Pass
			2472	SU	/	MIMO	Refer To Test Graph		Pass
		MIMO	2422	SU	/	MIMO	Refer To Test Graph		Pass
			2462	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT20)	MIMO	2412	SU	/	MIMO	Refer To Test Graph		Pass
			2472	SU	/	MIMO	Refer To Test Graph		Pass
		MIMO	2422	SU	/	MIMO	Refer To Test Graph		Pass
			2462	SU	/	MIMO	Refer To Test Graph		Pass

6.2 Test Graph

6.2.1 TxSe




802.11b_2472MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	692.850	-58.22	/	-54	Pass
1000	12750	1	3	2519.000	-29.23	-56.56	-30	Pass

802.11b_2472MHz_Ant1 (SISO)_NTNV




802.11b_2472MHz_Ant2 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	690.550	-58.46	/	-54	Pass
1000	12750	1	3	2957.500	-44.48	/	-30	Pass

802.11g_2412MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	586.300	-58.31	/	-54	Pass
1000	12750	1	3	3596.000	-40.73	/	-30	Pass

802.11g_2412MHz_Ant2 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	634.350	-58.88	/	-54	Pass
1000	12750	1	3	2623.000	-43.91	/	-30	Pass

802.11g_2472MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	658.300	-58.00	/	-54	Pass
1000	12750	1	3	1000.000	-48.98	/	-36	Pass

802.11g_2472MHz_Ant2 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	631.050	-59.07	/	-54	Pass
1000	12750	1	3	2552.500	-44.41	/	-30	Pass

802.11n(HT20)_2412MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	668.250	-56.35	/	-54	Pass
1000	12750	1	3	2559.500	-42.41	/	-30	Pass

802.11n(HT20)_2472MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	509.750	-55.76	/	-54	Pass
1000	12750	1	3	3324.000	-41.76	/	-30	Pass

802.11n(HT40)_2422MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	689.550	-56.37	/	-54	Pass
1000	12750	1	3	2657.500	-42.28	/	-30	Pass

802.11n(HT40)_2462MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	510.000	-55.93	/	-54	Pass
1000	12750	1	3	3139.000	-42.33	/	-30	Pass

802.11ax(HEW20)_2412MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	660.150	-56.48	/	-54	Pass
1000	12750	1	3	1000.000	-47.65	/	-36	Pass

802.11ax(HEW20)_2472MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	657.450	-56.23	/	-54	Pass
1000	12750	1	3	3148.000	-41.95	/	-30	Pass

802.11ax(HEW40)_2422MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	678.400	-55.95	/	-54	Pass
1000	12750	1	3	2693.000	-42.04	/	-30	Pass

802.11ax(HEW40)_2462MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	678.650	-56.45	/	-54	Pass
1000	12750	1	3	3174.500	-42.68	/	-30	Pass

802.11be(EHT20)_2412MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	660.900	-56.16	/	-54	Pass
1000	12750	1	3	2652.000	-41.64	/	-30	Pass

802.11be(EHT20)_2472MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	477.850	-56.13	/	-54	Pass
1000	12750	1	3	2686.000	-41.98	/	-30	Pass

802.11be(EHT40)_2422MHz_SU_/_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	584.150	-56.08	/	-54	Pass
1000	12750	1	3	5845.000	-42.29	/	-30	Pass

802.11be(EHT40)_2462MHz_SU_/_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	494.500	-55.82	/	-54	Pass
1000	12750	1	3	2661.000	-42.14	/	-30	Pass

7. Receiver Spurious Emissions


7.1 Test Result

7.1.1 RxSe


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11b	SISO	2412	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			2472	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11g	SISO	2412	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			2472	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11n (HT20)	MIMO	2412	/	/	MIMO	Refer To Test Graph		Pass
			2472	/	/	MIMO	Refer To Test Graph		Pass
		MIMO	2422	/	/	MIMO	Refer To Test Graph		Pass
			2462	/	/	MIMO	Refer To Test Graph		Pass
	802.11ax (HEW20)	MIMO	2412	SU	/	MIMO	Refer To Test Graph		Pass
			2472	SU	/	MIMO	Refer To Test Graph		Pass
		MIMO	2422	SU	/	MIMO	Refer To Test Graph		Pass
			2462	SU	/	MIMO	Refer To Test Graph		Pass
	802.11be (EHT20)	MIMO	2412	SU	/	MIMO	Refer To Test Graph		Pass
			2472	SU	/	MIMO	Refer To Test Graph		Pass
		MIMO	2422	SU	/	MIMO	Refer To Test Graph		Pass
			2462	SU	/	MIMO	Refer To Test Graph		Pass

7.2 Test Graph

7.2.1 RxSe




802.11b_2472MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.600	-72.36	/	-57	Pass
1000	12750	1	3	3376.000	-60.31	/	-47	Pass

802.11b_2472MHz_Ant2 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	880.600	-73.91	/	-57	Pass
1000	12750	1	3	3163.500	-60.38	/	-47	Pass

802.11g_2412MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.600	-70.38	/	-57	Pass
1000	12750	1	3	3144.500	-60.54	/	-47	Pass

802.11g_2412MHz_Ant2 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.650	-71.98	/	-57	Pass
1000	12750	1	3	2418.000	-59.72	/	-47	Pass

802.11g_2472MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.550	-69.67	/	-57	Pass
1000	12750	1	3	2424.500	-54.03	/	-47	Pass

802.11g_2472MHz_Ant2 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.650	-70.43	/	-57	Pass
1000	12750	1	3	2611.000	-60.84	/	-47	Pass

802.11n(HT20)_2412MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.650	-68.75	/	-57	Pass
1000	12750	1	3	3029.500	-58.48	/	-47	Pass

802.11n(HT20)_2472MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.550	-69.31	/	-57	Pass
1000	12750	1	3	3280.000	-58.30	/	-47	Pass

802.11n(HT40)_2422MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.600	-68.65	/	-57	Pass
1000	12750	1	3	3419.500	-58.32	/	-47	Pass

802.11n(HT40)_2462MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.650	-68.47	/	-57	Pass
1000	12750	1	3	3054.500	-58.72	/	-47	Pass

802.11ax(HEW20)_2412MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.650	-66.99	/	-57	Pass
1000	12750	1	3	2463.000	-56.64	/	-47	Pass

802.11ax(HEW20)_2472MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.550	-67.87	/	-57	Pass
1000	12750	1	3	3152.500	-58.93	/	-47	Pass

802.11ax(HEW40)_2422MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.600	-69.60	/	-57	Pass
1000	12750	1	3	2993.500	-58.09	/	-47	Pass

802.11ax(HEW40)_2462MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	948.550	-68.36	/	-57	Pass
1000	12750	1	3	2893.500	-58.66	/	-47	Pass

802.11be(EHT20)_2412MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	110.000	-68.51	/	-57	Pass
1000	12750	1	3	3294.500	-58.38	/	-47	Pass

802.11be(EHT20)_2472MHz_SU_/_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	330.000	-70.98	/	-57	Pass
1000	12750	1	3	3288.000	-58.43	/	-47	Pass

802.11be(EHT40)_2422MHz_SU_/_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	110.000	-68.75	/	-57	Pass
1000	12750	1	3	3148.500	-57.95	/	-47	Pass

802.11be(EHT40)_2462MHz_SU_/_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.3	110.000	-68.76	/	-57	Pass
1000	12750	1	3	2505.000	-58.14	/	-47	Pass

8. Receiver Blocking

8.1 Test Result

8.1.1 Ant1

Ant1									
ENV	Mode	TX Type	Frequency (MHz)	Wanted signal level (dBm)	Blocking Signal		PER (%)	Limit (%)	Verdict
					Frequency (MHz)	Power (dBm)			
NTNV	802.11b	SISO	2412	-48.74	23001	-28.741	1.23	<=10	Pass
					23801	-28.741	2.02	<=10	Pass
			2472	-48.74	25041	-28.741	0.98	<=10	Pass
					25841	-28.741	1.36	<=10	Pass
Note1: The Receiver Category=1									

8.1.2 Ant2

Ant2									
ENV	Mode	TX Type	Frequency (MHz)	Wanted signal level (dBm)	Blocking Signal		PER (%)	Limit (%)	Verdict
					Frequency (MHz)	Power (dBm)			
NTNV	802.11b	SISO	2412	-49.55	2300 ¹	-29.55 ¹	1.69	<=10	Pass
					2380 ¹	-29.55 ¹	3.02	<=10	Pass
			2472	-49.55	2504 ¹	-29.55 ¹	2.56	<=10	Pass
					2584 ¹	-29.55 ¹	2.68	<=10	Pass
Note1: The Receiver Category=1									



BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT --