

1. Signal Calibration


1.1 Test Result

1.1.1 SC


Band: 2						
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration	
			Type	Trial Id	Result	Limit
802.11a	20	5260	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass

1.2 Test Graph


1.2.1 SC




Signal Calibration_802.11a_2_5260MHz_RadarType2_Trial0




Signal Calibration_802.11a_2_5260MHz_RadarType3_Trial0




Signal Calibration_802.11a_2_5260MHz_RadarType4_Trial0



Signal Calibration_802.11a_2_5260MHz_RadarType5_Trial0



Signal Calibration_802.11a_2_5260MHz_RadarType6_Trial0



2. Channel Loading (Payload)


2.1 Test Result

2.1.1 Payload

Band: 2					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11a	20	5260	53.27	>=30	Pass

2.2 Test Graph

2.2.1 Payload



3. Channel Available Check_init


3.1 Test Result

3.1.1 CAC_init

Band: 2					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_init (s)		Verdict
			Result	Limit	
802.11a	20	5260	101.16	>=60	Pass

3.2 Test Graph

3.2.1 CAC_init



4. Channel Available Check_Beginning


4.1 Test Result

4.1.1 CAC_Begin

Band: 2					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_Beginning		Verdict
			Result	Limit	
802.11a	20	5260	Refer To Test Graph		Pass

4.2 Test Graph

4.2.1 CAC_Begin



5. Channel Available Check_Ending


5.1 Test Result

5.1.1 CAC_End

Band: 2					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_Ending		Verdict
			Result	Limit	
802.11a	20	5260	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 CAC_End



6. Channel Available Check_Detection Probability

6.1 Test Result

6.1.1 CAV_Det

Band: 2									
Mode	Bandwidth (MHz)	Frequency (MHz)	Detection Probability (%)		Verdict	No.	Radar Signal		
			Result	Limit			Type	Trial Id	Detection
802.11a	20	5260	90	>=60	Pass	1	2	8	Y
						2	6	6	Y
						3	3	12	Y
						4	5	7	Y
						5	5	14	Y
						6	1	8	Y
						7	1	13	Y
						8	1	6	Y
						9	1	7	Y
						10	2	10	N
						11	4	7	Y
						12	5	16	Y
						13	2	12	Y
						14	1	19	Y
						15	4	6	Y
						16	3	7	N
						17	1	15	Y
						18	2	2	Y
						19	1	1	Y
						20	3	19	Y

7. Channel Move Time and Closing Transmission Time


7.1 Test Result

7.1.1 CMT_CTT

Band: 2							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11a	20	5260	463.000	<= 1000	0.463	<=10	Pass

7.2 Test Graph

7.2.1 CMT_CTT



8. Non-Occupancy Period


8.1 Test Result

8.1.1 Period

Band: 2					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11a	20	5260	Refer To Test Graph		Pass

8.2 Test Graph

8.2.1 Period



9. In-Service Monitoring Detection Probability

9.1 Test Result

9.1.1 MDP

Band: 2						
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal Type	Detection Probability (%)		Verdict
				Result	Limit	
802.11a	20	5260	1	100.00	>=60	Pass
			2	100.00	>=60	Pass
			3	100.00	>=60	Pass
			4	100.00	>=60	Pass
			5	100.00	>=60	Pass
			6	100.00	>=60	Pass

9.1.2 MDP_Data

Band: 2									
Mode	Bandwidth (MHz)	Frequency (MHz)	Trial Id	Radar Signal Type					
				1	2	3	4	5	6
802.11a	20	5260	0	Y	Y	Y	Y	Y	Y
			1	Y	Y	Y	Y	Y	Y
			2	Y	Y	Y	Y	Y	Y
			3	Y	Y	Y	Y	Y	Y
			4	Y	Y	Y	Y	Y	Y
			5	Y	Y	Y	Y	Y	Y
			6	Y	Y	Y	Y	Y	Y
			7	Y	Y	Y	Y	Y	Y
			8	Y	Y	Y	Y	Y	Y
			9	Y	Y	Y	Y	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	Y	Y	Y	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	Y	Y	Y	Y	Y	Y
			14	Y	Y	Y	Y	Y	Y
			15	Y	Y	Y	Y	Y	Y
			16	Y	Y	Y	Y	Y	Y
			17	Y	Y	Y	Y	Y	Y
			18	Y	Y	Y	Y	Y	Y
			19	Y	Y	Y	Y	Y	Y